CONTROL OF LOOP LENGTH IN THE PRODUCTION OF PLAIN KNIT FABRICS

BY

K.A.G. DAYARATNE



A DISSERTATION SUBMITTED TO THE UNIVERSITY OF MORATUWA, IN PART FULFILMENT OF THE POSTGRADUATE DIPLOMA TEXTILE TECHNOLOGY IN1984

677 84" 677.055.8



DEPARTMENT OF TEXTILE TECHNOLOGY UNIVERSITY OF MORATUWA, MORATUWA

SRI LANKA.

Project Reports

78489



A C K N O W L E D G E M E N T S.

I am extremely thankful to Mr. Bartnik, Knitting advisor of UNIDO/UNDP, Textile Training & Services Centre, Sri Lanka, for his overall supervision from the conception of this project to the completion, and the final product.

Dr. Lakdas D. Fernando, Head of the Department of Textile Technology University of Moratuwa was always an unforgettable guidance and irection, who paved the way towards gaining the required practical experience. The Chairman, Texvel Jersey Ltd., Mr. Rohana Fernando is fondly remembered for permitting the use of his workshops for this purpose.

The staff of the Textile Department of University of Moratuwa is also thanked with due gratitude. Mr. K.A. Eason Perera, who was my sincercollegue recieves much credit for his invaluble brain.storming discussions which enlightened me on the subject.

Finally, i thank all those was helped in this exercice, in many many ways.

ABSTRACT

The important results obtained by previous workers, who were interested in the construction of plain knitted fabrics, have been critically analysed.

Several fabric samples with different loop lengths were examined so as to obtain further information and some relationships have been observed from the experimental values.

An attempt to disprove some misconceptions about w/cm and g/m^2 of plain knit fabrics has been made.

Finally a suggestion, helpful for further development of the project, has been brought forward.



CONTENTS

Acknowledgement

Abstract

I.	Introduction	Page	I
	I.I.Introduction of the project	11	I
	I.2 Previous work and important results obtained	tt	3
2.	Importance of the loop length and controlling methods.	11	23
	2.I How the loop length is applied for industrial purposes.	11	23
	2.2 Setting of required loop length	11	33
3.	Experimental	tt	. 38
	3.I Machinery and instruments used	11	38
	3.2 Fabric samples produced	11	38
	3.3 Procedure	11	39
	3.4 Analysis	tt	42
L	Conclusion	11	62
	Appendix		
	References.		