

## REFERENCE LIST

1. Akbay, E. O., & Altiokka, M. R. (2011). Kinetics of esterification of acetic acid with n-amyl alcohol in the presence of Amberlyst-36. *Applied catalysis A: General* 396
2. Alime, & Halit, L. (2007). Kinetics of Synthesis of Isobutyl Propionate over Amberlyst-15. *Turk J Chem.* 31, 493 – 499
3. Alqahtani, A., Teo, H. T. R., & Saha, B. (2005). Esterification of dilute acetic acid with iso-amyl alcohol: heterogeneous kinetics and measurement of residue curve map.
4. Altiokka, M. R., & Çitak., A. (2002). Kinetics study of esterification of acetic acid with isobutanol in the presence of amberlite catalyst. *Applied Catalysis A: General* 239, 141-148.
5. Atalay, F. S. (2008). Kinetics of the Esterification Reaction Between Ethanol and Acetic Acid. *Asia-Pacific Journal of Chemical Engineering* 2(2-3), 181–184
6. Ayyappan, K. R., Amrit, P. T., Gupta, R., Bansal, A., & Wanchoo, R. K. (2009). Catalytic Hydrolysis of Ethyl Acetate using Cation Exchange Resin (Amberlyst - 15). *A Kinetic study. Bulletin of Chemical Reaction Engineering & Catalysis*, 4(1), 16-22.
7. Babu, P. E. J., Sandesh, K. & Saidutta, M. B. (2011). Kinetics of Esterification of Acetic Acid with Methanol in the Presence of Ion Exchange Resin Catalysts. *Ind. Eng. Chem. Res.*, 50 (12), 7155-7160.
8. Blagova, S., Parada, S., Bailer, O., Moritz, P., Lam, D., Weinand, R. & et al. (2006). Influence of Ion-Exchange Resin Catalysts on the Side Reactions of the Esterification of n-Butanol with Acetic Acid. *Chem. Eng. Sci.*, 61, 753-765.
9. Chakrabarti, A., & Sharma, M. M. (1993). Cation exchange resins as catalysts. *Reactive Polymers* 20, 1-45.
10. Delgado, P., Sanz, M. T., & Beltran, S. (2007). Kinetic study for esterification of lactic acid with ethanol and hydrolysis of ethyl lactate using an ion exchange

- resin catalyst. *Chemical Engineering Journal*, 111-118.
11. Dutia, P. (2004, August 10). Ethyl Acetate: A Techno-Commercial Profile. *CHEMICAL WEEKLY*, 179-186.
  12. Erdem, B., & Cebe, M. (2006). Kinetics of esterification of propionic acid with n-amyl alcohol in the presence of cation exchange resins. *Korean J. Chem. Eng.*, 23(6), 896-901.
  13. Fogler, H. S. (1999). Catalysis and Catalytic Reactors In *Elements in Chemical Reaction Engineering* (pp. 581-587). New Jersey: Prentice Hall Inc.
  14. Gangadwala, J., Mankar, S., Mahajani, S., Stein, E., & Kienle, A. (2003). Esterification of acetic acid with butanol in the presence of ion-exchange resins as catalysts. *Industrial and Engineering Chemistry Research*, 2146-2155.
  15. Helfferich, & Friedrich. (1962). *Ion Exchange*. New York: MacGraw-Hill.
  16. Ismail, F. K. (2008). *Production of Ethyl acetate by Reactive Distillation*. University of Technology, Electronic Theses & Dissertations. [www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)
  17. Ismail, S. K., Baris, Z. B., & Umur, D. (2000). Esterification of Acetic Acid with Ethanol Catalysed by an Acidic Ion-Exchange Resin. *Turk J Engin Environ Sci* 25 , 569 - 577.
  18. Izci, A., Uyar, E., & Izc, E. (2009). Determination of adsorption and kinetic parameters for synthesis of isobutyl acetate catalyzed by Abmerlite IR-122. *Chemical Engineering Communications* 196, 56-67.
  19. Ju, I. B., Lim, H. W., Jeon, W., Suh, D. J., Park, M. J., & Suh, W. H. (2010). Kinetic study of catalytic esterification of butyric acid and n-butanol over Dowex 50W×8-400. *Chemical Engineering Journal* 168(2010), 293-302.
  20. Kirbaslar, S. I., Terzioglu, H. Z., & U., D. (2001). Catalytic esterification of Methyl alcohol with Acetic acid. *Chinese J. of Chem. Eng.*, 90-96.

21. Kirk, R. E., & Othmer, D. F. (1980). In *Encyclopedia of Chemical Technology* (pp. 291-298). New York: Wiley & Sons.Inc.
22. Lai, I. K., Liu, Y. C., Yu, C. C., Lee, M. J., & Huang, H. P. (2007). Production of high-purity ethyl acetate using reactive distillation: Experimental and start-up procedure. *Chemical Engineering and Processing* 47, 1831-1843.
23. Lee, M. J., Chiu, J., & Lin, H. (2002). Kinetics of Catalytic Esterification of Propionic Acid and n-Butanol over Amberlyst 35. *Ind. Eng. Chem. Res.*, 41(12), 2882-2887.
24. Lee, M. J., Wu, H. T., & Lin, H. (2000). Kinetics of Catalytic Esterification of Acetic Acid and Amyl Alcohol over Dowex. *Ind. Eng. Chem. Res.*, 39(11), 4094-4099.
25. Lilja, J., Aumo, J., Salmi, T., Murzin, Yu, D., Maki-Arvel, P. & et al. (2002). Kinetics of esterification of propanoic acid with methanol over a fibrous polymer-supported sulphonic acid catalyst. *Applied Catalysis A: General* 239, 228- 255.
26. Lilja, J., Warna, J., Salmi, T., Pettersson, L. J., Ahlkvist, J., Grenmen, H. & et al. (2005). Esterification of propanoic acid with ethanol, 1-propanol and butanol over a heterogeneous fiber catalyst. *Chemical Engineering Journal*, 115(1-2), 1-12.
27. Liu, W. T., & Tan, C. S. (2001). Liquid-Phase Esterification of Propionic Acid with n-Butanol. *Ind. Eng. Chem. Res.*, 40 (15), 3281-3286.
28. Liu, Y., Lotero, E., & Goodwin Jr., J. G. (2006). A comparison of the esterification of acetic acid with methanol using heterogeneous versus homogeneous acid catalysis. *Journal of Catalysis*, 242, 278-286.
29. Liu, Y., Lotero, E., & Goodwin Jr., J. G. (2006). Effect of carbon chain length on esterification of carboxylic acids with methanol using acid catalysis. *Journal of Catalysis*, 242, 221-228.
30. Marchetti, J. M., & Errazu, A. F. (2008). Esterification of free fatty acids using sulphuric acid as catalyst in the presence of triglycerides. *Short Communication*.32, 892-895.

31. Mazzotti, M., Neri, B., Gelosa, D., Kruglov, A., & Morbidelli, M. (1997). Kinetics of Liquid-Phase Esterification Catalyzed by Acidic Resins. *Ind. & Eng. Chem. Res.*, 36(1), 3-10.
32. McCracken, D. J., & Dickson, P. F. (1967). Reaction Kinetics of Cyclohexanol - Acetic Acid Esterification. *I & EC process Design and Development*, 286 - 293.
33. McKetta, J. J. (1984). In *Encyclopedia of Chemical Processing and Design* (pp. 381-402): Marcel Dekker Inc.
34. Mahajani, S.M., Monash university, Clayton, Victoria, Australilia, Chopade S.P., Michigan State University, East Lansing, USA, Reactive Distillation, copyright 2000 Academic Press 4075-4082.
35. Peters, T. A., Benes, N. E., Holmen, A., & J.T.F., K. (2005). Comparison of commercial solid acid catalysts for the esterification of acetic acid with butanol. *Applied Catalysis A: General* 297, 182-188.
36. Pipus, G., Plazl, I., & Koloini, T. (2000). Esterification of Benzoic Acid in Microwave Tubular Flow Reactor. *Chemical Engineering Journal* 76, 239-245.
37. Popken, T., Gotze, L., & Gmehling, J. (2009). Reaction Kinetics and Chemical Equilibrium of Homogeneously and Heterogeneously Catalyzed Acetic Acid Esterification with Methanol and Methyl Acetate Hydrolysis. *Ind. Eng. Chem. Res.*, 39(7), 2601-2611.
38. Schwarzer, R. (2006). *Esterification of acetic acid with methanol: "A Kinetic Study on Amberlyst 15"*. University of Pretoria.
39. Sert, E., & Atalay, F. S. (2009). Kinetic study of the esterification of acetic acid with butanol catalyzed by sulfated zirconia. *Reac Kinet Mech Cat* 99, 125-134.
40. Shanmugam, S., Viswanathan, B., & Varadarajan, T. K. (2004). Esterification by solid acid catalysts-a comparison. *Journal of Molecular Catalysis A: Chemical* 223, 143-147.
41. Shakoor, Z. M., Sukkar, K. A., & Baqer, M. S. (2011). Reaction Kinetics of

Acetic Acid and n-Butanol Esterification Catalyzed by Dowex 50. *Catalyst Eng. & Tech. Journal* 29(10).

42. Tang, Y. T., Chen, Y. W., Huang, H. P., & Yu, C. C. (2005). Design of Reactive Distillations for Acetic Acid Esterification. *AICHE Journal* 51(6), 1683-1689.
43. Toor, A. P., Sharma, M., Ghansyam, & Wanchoo, R. K. (2011). Kinetic Study of Esterification of Acetic Acid with nbutanol and isobutanol Catalyzed by Ion exchange Resin. *Bulletin of Chemical Reaction Engineering & Catalysis* 6 (1), 23 - 30.
44. Tsai, Y. T., Lin, H., & Lee, M. (2011). Kinetics of heterogeneous esterification of glutaric acid with methanol over Amberlyst 35. *Journal of the Taiwan Institute of Chemical Engineers*, 42, 271-277.
45. Yadav, G., & Thathagar, M. (2002). Esterification of maleic acid with ethanol over Cation exchange resin catalysts. *React. Funct. Poly.*, 52, 99-110.
46. Yu, W., Hidajat, K., & Ray, A. K. (2003). Determination of adsorption and kinetic parameters for methyl acetate esterification and hydrolysis reaction catalyzed by Amberlyst 15. *Applied Catalysis A: General* 260, 191-205.
47. Zhang, Y., Ma, L., & Yang, J. (2004). Kinetics of esterification of lactic acid with ethanol catalysed by cation - exchange resins. *Reactive and functional polymers*, 101-114.

## Internet

1. Retrieved from <http://dardel.info/IX/applications.html>

## APPENDICES

**Appendix A :** Composition of liquid residue & distillate (Initial Molar ratio of Acetic:Ethanol = 1:1, without catalyst)

|                                    | Liquid residue  |        | Distillate |        |        |
|------------------------------------|---|--------|------------|--------|--------|
| Time kept for saponification (min) | 15  | 60     | 15         | 60     | 90     |
| Acetic moles(in 2ml)               | 0.03  | 0.03   | 0.0024     | 0.0023 | 0.0024 |
| EA moles(in 2ml)                   | 0.0003  | 0.0009 | 0.003      | 0.0026 | 0.004  |
| EA conc (mol/l)                    | 0.15<br> | 0.45   | 1.5        | 1.3    | 2      |

At the end of experiment, Liquid residue temperature = 117 C

Vapour temperature = 110 C

Distillate volume = 46.4 ml

**Appendix B : Composition of liquid residue & distillate (Initial Molar ratio of Acetic : Ethanol = 1:1, with 1ml of sulphuric acid catalyst)**

| Time kept for saponification (min) | Liquid residue |        |        |        | Distillate |        |        |         |
|------------------------------------|----------------|--------|--------|--------|------------|--------|--------|---------|
|                                    | 30             | 60     | 90     | 120    | 30         | 60     | 90     | 120     |
| Acetic moles(in 2ml)               | -              | 0.02   | 0.02   | 0.02   | 0.0004     | 0.0004 | 0.0004 | 0.0004  |
| EA moles(in 2ml)                   | -              | 0.0005 | 0.0005 | 0.0006 | 0.0082     | 0.0087 | 0.0087 | 0.00887 |
| EA conc                            | -              | 0.25   | 0.25   | 0.3    | 4.1        | 4.35   | 4.35   | 4.435   |



At the end of experiment, Liquid residue temperature = 105 C

Vapour temperature = 103 C

Distillate volume = 62.8 ml

**Appendix C : Composition of liquid residue & distillate (Initial Molar ratio of Acetic : Ethanol = 1:2, with 1ml of sulphuric acid catalyst)**

|                                    |   | Liquid residue |         | Distillate |         |        |
|------------------------------------|---|----------------|---------|------------|---------|--------|
| Time kept for saponification (min) |   | 30             | 60      | 90         | 30      | 60     |
| Acetic moles(in 2ml)               | - | 0.0054         | 0.0054  | 0.0001     | 0.0001  | 0.0001 |
| EA moles(in 2ml)                   | - | 0.0004         | 0.00057 | 0.0088     | 0.00887 | 0.0088 |
| EA conc                            | - | 0.2            | 0.285   | 4.4        | 4.435   | 4.4    |



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

At the end of experiment, Liquid residue temperature = 110 C

Vapour temperature = 107 C

Distillate volume = 81.5 ml

**Appendix D : Composition of liquid residue & distillate (Initial Molar ratio of Acetic : Ethanol = 2:1, with 1ml of sulphuric acid catalyst)**

|                                    | Liquid residue |        |        | Distillate |        |        |
|------------------------------------|----------------|--------|--------|------------|--------|--------|
| Time kept for saponification (min) | 30             | 60     | 90     | 30         | 60     | 90     |
| Acetic moles(in 2ml)               | 0.035          | 0.03   | 0.03   | 0.0017     | 0.0017 | 0.0017 |
| EA moles(in 2ml)                   | 0.0005         | 0.0005 | 0.0006 | 0.007      | 0.008  | 0.009  |
| EA conc                            | 0.25           | 0.25   | 0.3    | 3.5        | 4      | 4.5    |



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

At the end of experiment, Liquid residue temperature = 110 C

Vapour temperature = 105 C

Distillate volume = 43.8 ml