



# EFFECT OF DRYING TEMPERATURE ON THE COMPOSITION OF HYDRO DISTILLED CINNAMON BARK OIL

N.D.I. Kumarage

(09/8959)



Degree of Master of Science in Sustainable Process Development

Department of Chemical and Process Engineering

University of Moratuwa Sri Lanka

August 2013





## EFFECT OF DRYING TEMPERATURE ON THE COMPOSITION OF HYDRO DISTILLED CINNAMON BARK OIL

Nawammalie Dushyantha Iroshini Kumarage

(09/8959)



Thesis submitted in partial fulfillment of the requirements for the degree Master of Science in Sustainable Process Development

Department of Chemical and Process Engineering

University of Moratuwa Sri Lanka

August 2013





#### DECLARATION OF THE CANDIDATE AND SUPERVISOR

"I declare that this is my own work and this thesis does not incorporate without acknowledgement any material previously submitted for a Degree or Diploma in any University or other institute of higher learning and to the best of my knowledge and belief it does not contain any material previously published or written by another person except where the acknowledgement is made in the text"

.....

Candidate: N.D.I. Kumarage Date: 08<sup>th</sup> November 2013

I endorse the declaration by the candidate.

.....

Supervisor: Dr. A.D.U. Shantha Amarasinghe Date: 08<sup>th</sup> November 2013



#### **Copyright Statement**

"I hereby grant the University of Moratuwa the right to archive and to make available my thesis or dissertation in whole or part in the University Libraries in all forms of media, subject to the provisions of the current copyright act of Sri Lanka. I retrain all proprietary rights, such as patent rights. I also retain the right to use in future works (such as articles or books) all or part of this thesis or dissertation".

.....

Candidate: N.D.I. Kumarage Date: 08<sup>th</sup> November 2013

"I have supervised and accepted this thesis/dissertation for the award of the degree"

Supervisor: Dr. A.D.U. Shantha Amarasinghe Date: 08<sup>th</sup> November 2013





#### **Abstract**

Cinnamon (Cinnamomum Zeylanicum) is an endemic plant popularly known as "Kurundu" in Sri Lanka. Cinnamon yields mainly cinnamon leaf oil and cinnamon bark oil. Cinnamon bark oil produces by processing dried cinnamon chips. Composition of cinnamon bark oil varies due to many factors including the type and quality of cinnamon chips. Good quality cinnamon chips can be produced by uniform drying. Present study examines the effect of air drying temperature during pre processing of cinnamon chips on the volatile organic compounds of cinnamon bark oil extracted by the method of hydro-distillation of cinnamon chips. Laboratory scale tunnel dryer fitted with an electrical heater was used to dry cinnamon chips at five different air drying temperatures; ambient temperature, 35 °C, 40 °C, 45 °C and 50 °C. The extracted cinnamon bark oil was analysed by gas chromatography-mass spectrometry (GC-MS). A total of 16 compounds were identified, cinnamaldehyde-E. cinnamyl acetate, linalool and eugenol, in that order, being the main volatile organic compounds. Results indicated that air drying temperature of cinnamon chips significantly altered the composition of cinnamon bark oil. Percentage of Cinnamaldehyde-E increased with the increase in drying temperature. High percentage of monoterpenes, cinnamaldehyde and cinnamaldehyde derivatives such as cinnamyl acetate, and 2-methoxy-cinnamaldehyde was observed at low temperature drying. Increase in drying temperature resulted in substantial losses in certain oxygenated terpenes and sesquiterpene. The percentage of cinnamaldehyde-E could be substantially increased by hot air drying but at the expense of oil yield.

Keywords: Bark oil, air drying, volatile organic compounds, cinnamon chips

www.lib.mrt.ac.lk





### **DEDICATION**

This thesis is dedicated to my beloved PARENTS, HUSBAND and SON







#### ACKNOWLEDGEMENT

I take this opportunity to acknowledge to people who has done an immense support to enable my thesis work a success from its start to the end. First of all my sincere thanks goes to my supervisor Dr. A.D.U.S. Amarasinghe, Senior Lecturer, Department of Chemical & Process Engineering, University of Moratuwa for his continuous in depth guidance throughout my research. My gratitude also goes to the Post Graduate Division and NORAD fund of Telemark University, Norway.

My special thanks to Mr. Prasanna Welahetti and Mr. Sujeewa Buddhasiri for giving their valuable support. All the staff members in the Dept. of Chemical & Process Engineering, specially, Indika Athukorala, Lalith Fernando, Shantha Peris, Ranjith Abeywardhane, Jayweera Wijesinghe, Nihal Perera, Ranjith Maskorala, and Sajeewani Silva are gratefully acknowledged for their support in various occasions.

Cooperation given by staff members at Cinnamon Research Institute, Thihagoda is appreciated specially in the stages of literature survey in this research. I would like to extend my sincere appreciation to Dr. M.A.B. Prashantha in the Dept. of Chemistry of university of Jayawardanapura for their support for doing Gas chromatography analysis.

I sincerely thank my beloved parents and husband for providing continued support and encouragement during my research work.

Finally, I would like to express my thankfulness for many individuals especially Amila Chandra, Janitha Bandara & Gagani Nandadewa and friends who have not been mentioned here personally and helped me by thought word or deeds in making this research a success.





## TABLE OF CONTENTS

Declaration of the Candidate and Supervisor	i
Abstract	ii
Dedication	iii
Acknowledgement	iv
List of Figures	viii
List of Tables	ix
List of Abbreviations	X
List of Appendices	xi
1 INTRODUCTION	1
1.1 Background	1
1.2 Drying of Cinnamon Chips	1
1.3 Justification of Research	2
1.4 Objectives of the Research	3
1.5 Outline of the Thesis	
2 LITERATURE REVIEW HD mrl ac lk	5
2.1 Cinnamon Products	5
2.1.1 Quills	6
2.1.2 Quillings	7
2.1.3 Featherings	7
2.1.4 Chips	7
2.1.5 Cinnamon oil	7
2.1.5.1 Leaf Oil	8
2.1.5.2 Bark Oil	8
2.1.5.3 Properties of cinnamon oil	8
2.1.5.4 Chemical composition	9
2.2 Processing of Cinnamon Chips	10
2.2.1 Cinnamon process flow	10
2.2.2 Types of "katta-chips"	11





	2.2.3	Cinnamon "katta-Chips" peeling process	11
	2.2.4	Drying and storage	12
	2.2.5	Cinnamon oil extraction methods	13
	2.2.	.5.1 Steam distillation	13
2.2.5		.5.2 Hydro distillation	14
	2.2.	.5.3 Solvent extraction	14
	2.2.	.5.4 Super critical CO <sub>2</sub> extraction	14
2.3	2.3 Essential Oil Analysis		14
	2.3.1	Methods of oil analysis	15
	2.3.2	Volatile organic compounds of cinnamon oil	16
	2.3.3	Effect of the drying on the volatile organic compounds of	essential oil
		19	
2.4	Statis	stical Analysis of the Effect of the Drying Using SPSS	22
3 M	ATER	RIALS AND METHODOLOGY	<b>2</b> 4
3.1	Mate	erials & Equipments	24
3.2	Dryii	ng of Cinnamon Chips	26
3.3	Extra	action of Cinnamon Bark Oil	28
3.4	Ident	tification of Volatile Organic Compounds	29
4 D	ATA A	ANAYSIS	30
4.1	Calci	ulation of Moisture Content	30
4.2	Gas (	Chromatography and Mass Spectrometer Analysis	31
4.3	Statis	stical Analysis	33
	4.3.1	One way ANOVA	33
	4.3	.1.1 Performing the ANOVA with SPSS	33
	4.3.2	Principal component analysis (PCA)	36
5 R	ESUL	TS AND DISCUSSION	38
5.1	Dryii	ng characteristics of Cinnamon chips	38
5.2	Gas (	Chromatography Analysis	40
5.3	Statis	stical Analysis	42
	5.3.1	Mean comparison by ANOVA	42
	5.3.	.1.1 Verification for the validity of assumption	42
	5 3	.1.2 One way ANOVA descriptives	44





An	nendices	61
Ref	ference List	54
6	CONCLUSIONS AND RECOMMENDATIONS	52
	5.3.2 Principal component analysis (PCA)	47
	5.3.1.3 Mean comparison using Student-Newman-Keuls (SNK) tes	t45







## LIST OF FIGURES

Figure 2.1: (a) cinnamon quills, (b) cinnamon featherings, (c) cinnamon chips, (c)	d)
cinnamon bark oil, (e) cinnamon leaf oil	6
Figure 2.2: Flow diagram of cinnamon processing	11
Figure 2.3: (a) Collected cinnamon tree parts, (b) Katta peeling process, (c) Peel	ed
Katta	12
Figure 3.1: (a) Weighing balance, (b) Moisture balance	24
Figure 3.2: Fixed bed dryer with component	25
Figure 3.3: (a) Thermocouple, (b) Anemometer	26
Figure 3.4: GC-MS-7890A gas chromatograph equipped with a 5975C plus mas	S
spectrometer (Agilent, American)	26
Figure 3.5: Cinnamon chips sampling method.	27
Figure 3.6: Cinnamon oil extraction apparatus	28
Figure 3.7: Cinnamon oil separation apparatus	29
Figure 4.1: Chromatogram of cinnamon bark oil (35 °C temperature -Trial 1)	32
Figure 4.2: Flow chart of ANOVA procedure in SPSS software	35
Figure 5.1: Variation of moisture content with time for different air drying	
temperatures	39
Figure 5.2: Variation of drying rate with moisture content for different air drying	3
temperatures	39
Figure 5.3: Normal Q-Q plot of cinnamaldehyde-E at ambient temperature	43
Figure 5.4: Principal component plot (PC2 vs PC1). ambient temperature dried (	(O),
air dried at 35 °C ( $\square$ ), air dried at 40 °C ( $\times$ ), air dried at 45 °C ( $+$ ),	air
dried at 50 °C (Δ)	50
Figure 5.5: Principal component plot (PC1 vs PC3). ambient temperature dried (	O),
air dried at 35 °C ( $\square$ ), air dried at 40 °C ( $\times$ ), air dried at 45 °C ( $+$ ),	air
dried at 50 °C (Δ)	51





## LIST OF TABLES

Table 2.1: Physico-chemical properties of cinnamon oil	9
Table 2.2: Properties of selected volatile organic compounds of cinnamon bark o	il.10
Table 5.1: Moisture content on dry basis and drying time for different drying	
temperatures	38
Table 5.2: Gas chromatography analysis for cinnamon oil dried at different	
temperatures	41
Table 5.3: Levene's test of homogeneity of variances for cinnamaldehyde-E	42
Table 5.4: Welch test of equality of means	42
Table 5.5: Shapiro-Wilk tests of normality for cinnamaldehyde-E	43
Table 5.6: Descriptive table of cinnamaldehyde-E at different temperatures	44
Table 5.7: ANOVA table of cinnamaldehyde-E	44
Table 5.8: Mean comparisons of cinnamaldehyde-E	45
Table 5.9: Concentration of volatile compounds (relative content %) in hydro distilled cinnamon bark	46
Table 5.10: Correlations between volatile organic compounds and principal	
components (PC)	48
Table 5.11: Correlation coefficient values for the volatile organic compounds aga	ainst
principal component 1,2 and 3	49





## LIST OF ABBREVIATIONS

Abbreviation	Description
R&D	Research & Deveopment
SNK	Student Newman Keuls
PCA	Principal Component Analysis
SCF	Super Critical Fluids
GLC	Gas Liquid Chromatography
GC	Gas Chromatography
MS	Mass Spectrometry
IR	Infrared
HPLC	High Performance Liquid Chromatography
TTE	1,1,2-trichloro- 1,2,2-trifluoroethane
SDE	Simultaneous distillation extraction
LSD	Least Significant Difference
ANOVA	Analysis of Variance
MST	Mean Square Treatment
MSE	Mean Square Error
PC	Principal Component
DF	Degrees of Freedom
RSD	Relative standard deviation





### LIST OF APPENDICES

Appendix A: Gas chromatograms of hydro distilled cinnamon oil at different drying	g
temperatures	61
Appendix B: Standard & obtained mass spectra of different volatile organic	
compounds of cinnamon bark oil	66
Appendix C: Gas chromatogram data sheets of hydro distilled cinnamon oil at	
different drying temperatures	70
Appendix D: One-Way ANOVA and principal components analysis (PCA) steps in	1
IBM SPSS statistics 19	75
Appendix E: Matlab code for plotting the drying curves	78
Appendix F. SPSS Output of the One-Way ANOVA	80







