

## 6 REFERENCES

- Lin, H.-E., Taylor, M. A., & Zito, R. (2005). A Review of Travel-Time Prediction in Transport and Logistics. *Proceedings of the Eastern Asia Society for Transportation Studies, Vol. 5*, 1433 - 1448.
- A policy on Geometric Design of Highways & Streets*. (2001). Washington DC: American Association of State Highway & Transportation Officials.  
Retrieved 05 22, 2015, from  
[http://nacto.org/docs/usdg/geometric\\_design\\_highways\\_and\\_streets\\_aashto.pdf](http://nacto.org/docs/usdg/geometric_design_highways_and_streets_aashto.pdf)
- Agarwal, M., Maze, T. H., & Souleyrette, R. (2005). *Impact of Weather on Urban Freeway Traffic Flow Characteristics and Facility Capacity*. Iowa State University.
- Altinkaya, M., & Zontul, M. (2013). Urban Bus Arrival Time Prediction: A Review of Computational Models. *International Journal of Recent Technology and Engineering (IJRTE), Volume-2*, 164-169.
- Applied Business Statistics*. (2004). Retrieved 02 2015, from Iowa State University of Science and Technology:  
<http://www.public.iastate.edu/~alicia/stat328/Time%20Series.pdf>
- Bento, A., Cropper, M., Mobarak, A. M., & Vinha, K. (2003). *The Impact of Urban Spatial Structure*. The World Bank.
- Blandin, S., Ghaoui, L., & Bayen, A. (2009). *Kernel regression for travel time estimation via convex optimization*. Shanghai: IEEE Conference on Decision and Control and 28th Chinese Control Conference.
- Bouchier, S. (2004). *Journey Time Estimation Using Route Profile (Master's dissertation)*. University of Dublin.
- Celikoglu, H. B. (2011). Travel time measure specification by functional approximation: application of radial basis function neural networks. *Procedia Social and Behavioral Sciences* (pp. 613-620). Elsevier Ltd.

- Cetin, M., List, G. F., & Zhou, Y. (2005). Factors Affecting Minimum Number of Probes Required for Reliable Estimation of Travel Time. *Transportation Research Record: Journal of the Transportation Research Board*, 37–44.
- Chu, L., Oh, J.-S., & Recker, W. (2005). *Adaptive Kalman Filter Based Freeway Travel time*. Transport Reseach Board.
- Chun-Hsin Wu, Wei, C.-C., Su, D.-C., Chang, M.-H., & Ho, J.-M. (2003). Travel Time Prediction with Support Vector Regression. (IEEE, Ed.) *Intelligent Transportation Systems, II*, 1438 - 1442. Retrieved from <http://ieeexplore.ieee.org/xpl/articleDetails.jsp?tp=&arnumber=1252721&url=http%3A%2F%2Fieeexplore.ieee.org%2Fiel5%2F8866%2F28034%2F01252721.pdf%3Farnumber%3D1252721>
- Dion, F., & Rakha, H. (forthcoming). Estimating Dynamic Roadway Travel Times using Automatic Vehicle Identification Data for Low Sampling Rates. *Research Part B: Methodological*.
- Durango-Cohen, P. L. (2007). A time series analysis framework for transportation infrastructure management. *Transportation Research Part B: Methodological*, 493–505. Retrieved February 13, 2015, from <http://www.sciencedirect.com/science/article/pii/S0191261506001184>
- Economic and Social Statistics of Sri Lanka 2014*. (2014). Colombo 01: Central Banka of Sri Lanka.
- Faden, J. M., & Elefteriadou, L. (2000). *Evaluating Horizontal Alignment Design Consistency of Two-Lane Rural Highways: Development of New Procedure*. Washinton D.C.: Transport Research Record.  
doi:<http://dx.doi.org/10.3141/1737-02>
- Ferrier, & James, P. (1999). *Comparison of vehicle travel times and measurement techniques along the I-35 corridor in San Antonio, Texas*. Texas: Texas A&M University. Retrieved from <https://oaktrust.library.tamu.edu/handle/1969.1/ETD-TAMU-1999-THESIS-F49>

- (n.d.). *Flexibility in Highway Design*. US Department of Transportation. Federal Highway Administration. Retrieved 05 25, 2016, from <http://www.fhwa.dot.gov/environment/publications/flexibility/flexibility.pdf>
- Gaweł, P., & Jaskiewicz, A. (2011). Improving short-term travel time prediction for on-line car navigation by linearly transforming historical traffic patterns to fit the current traffic conditions. *Procedia Social and Behavioral Sciences* 20, 638–647.
- Gibbens, R., & Saacti, Y. (2006). *using MIDAS data: Road traffic analysis journey time prediction*. University of Cambridge.
- Gopi, G., Dauwels, J., Asif, M. T., Ashwin, S., Mitrovic, N., Rasheed, U., & Jaillet, P. (2013). Bayesian Support Vector Regression for Traffic Speed Prediction with Error Bars. *Intelligent Transportation Systems*, 136 - 141.
- Hall, F. L. (2001). *Traffic Flow Theory A state of the Art Report*. Washington: US Federal Highway Administration. Retrieved from U.S. Department of Transportation, Federal Highway Administration: [http://tft.ceng.calpoly.edu/docs/revised\\_monograph\\_2001.pdf](http://tft.ceng.calpoly.edu/docs/revised_monograph_2001.pdf)
- Hellinga, B., Izadpanah, P., Takada, H., & Fu, L. (2008). Decomposing travel times measured by probe-based traffic monitoring systems to individual road segments. *Transportation Research Part C: Emerging Technologies* , 768–782.
- Highway capacity manual*. (2000). United States of America: National Academy of science.
- Izadpanah, P. (2010). *Freeway Travel Time Prediction Using Data from Mobile Probes*. Waterloo: University of Waterloo.
- Jones, M., Geng, Y., Nikovski, D., & Hirata, T. (2013). Predicting Link Travel Times from FloatingCar Data. *International IEEE Conference on Intelligent Transport Systems*.

- Kahatib, M. K., Shannon, P., & Kitchener, F. (2000). Effect of Environmental Factors on Free-Flow Speed. *Transportation Research Circular E-C018: 4th International Symposium on Highway Capacity*.
- Kisgyorgy, L., & Rilette, L. R. (2002). Travel Time Prediction by Advance Neural network. *Periodica Polytechnica Civil Engineering*, 15–32.
- Kwon, J., Coifman, B., & Bickel, P. (2007). Day-to-Day Travel Time Trends and Travel Time Prediction from Loop Detector Data. *Transportation Research Record: Journal of the Transportation Research Board*, 120-129.
- Kwong, K., Kavalier, R., Rajagopal, R., & Varaiya, P. (2009). Arterial travel time estimation based on vehicle re-identification using wireless magnetic sensors. *Transportation Research Part C*, 586-606.
- Land Use Impacts on Transport*. (2012). Victoria Transport Policy Institute.
- Lee, W. H., Tseng, S. S., & Tsai, S. H. (2009). A knowledge based real-time travel time prediction system for urban network. *Expert Systems with Applications*, 4239–4247. Retrieved from [www.elsevier.com/locate/eswa](http://www.elsevier.com/locate/eswa)
- Litman, T. (2015). *Land Use Impacts on Transport*. Victoria Transport Policy Institute.
- Liu, T., & Haines, M. (1996). *Travel Time Data Collection Field Tests - Lessons Learned*. Washington: U.S. Department of Transportation, Federal Highway.
- Liu, H. (2008). *Travel Time Prediction for Urban Networks*. Delft University of Technology.
- Logendran, R., & Wang, L. (2008). *Dynamic Travel Time Estimation Using Regression Trees*. Oregon Department of Transportation & Federal Highway Administration.
- Manual of uniform traffic control devices* (3rd ed. ed., Vol. Part 4: Speed Controls ). (2008). Australian standards.

- Manual of uniform traffic control devices, Part 4: Speed Controls* (3rd ed. ed.). (2008). Australian standards.
- Mathew, T. V. (2014). Travel Time Data Collection. *Transportation Systems Engineering*.
- Meng, M., Shao, C.-f., Wong, Y.-d., Wang, B.-b., & LI, H.-x. (2015). A two-stage short-term traffic flow prediction method based on AVL and AKNN techniques. *Journal of Central South University of Technology*, 779-786.
- Nahar, L., & Sultana, Z. (2014). A new travel time prediction method for intelligent transportation system. *IOSR Journal of Computer Engineering*, 24-30.
- Peter, Y. P., Luis, F. M.-M., & Frank, F. (2010). Estimation of speed differentials on rural highways using hierarchical linear regression models. *Canadian Journal of Civil Engineering*, 624-637.
- Praticò, G. F., & Giunta, M. (2010). Operational and safety effects of two-lane roads alignment. *4th International Symposium on Highway Geometric Design*. Valencia: Transport Research Board.
- Probe Vehicle System Concept*. (©1993,1995). Retrieved February 09, 2015, from Wireless Communication:  
<http://www.wirelesscommunication.nl/reference/chaptr01/roadtrin/ivhsprob.htm>
- (2006). *Project Development & Design Guide*. The Massachusetts Department of Transportation - Highway Division. Retrieved 05 26, 2016, from [http://www.massdot.state.ma.us/Portals/8/docs/designGuide/CH\\_4\\_a.pdf](http://www.massdot.state.ma.us/Portals/8/docs/designGuide/CH_4_a.pdf)
- Qiang, L., Qian, G., & Lixin, M. (2011). Property Analysis of Urban Road Travel Time. *Journal of Transportation System Engineering and Information Technology*, 107-113.
- Rice, J., & Zwet, E. v. (2004). A simple and effective method for predicting travel times on freeways. *IEEE Transactions on Intelligent Transportation Systems*, 200-207. Retrieved from <http://dl.acm.org/citation.cfm?id=2218713>

- Road Development Authority*. (2016, 01 28). Retrieved from Road Development Authority: [http://www.rda.gov.lk/source/rda\\_roads.htm](http://www.rda.gov.lk/source/rda_roads.htm)
- (2014). *Roadway Design Guideline*. Arizona Department of Transportation. Arizona Department of Transportation. Retrieved 05 25, 2016, from <http://www.azdot.gov/docs/default-source/business/roadway-design-guidelines.pdf>
- Shawky , M., & Hashim , I. (2010). Impact of horizontal Alignment on Traffic Performance at Rural Two Lane Highways. *4th International Symposium on Highway Geometric Design* . Transport Research Board.
- Sisiopiku, V. P., Roupai, N. M., & Santiago, A. (1994). Analysis of Correlation Between Arterial Travel Time and Detector Data from Simulation and Field Studies. *Transportation Research Record*, 166-173. Retrieved from [http://scholar.google.com/scholar\\_lookup?title=ANALYSIS+OF+CORRELATION+BETWEEN+ARTERIAL+TRAVEL+TIME+AND+DETECTOR+DATA+FROM+SIMULATION+AND+FIELD+STUDIES&author=V.+Sisiopiku&author=N.+Rouphail&author=A.+Santiago&publication\\_year=1994](http://scholar.google.com/scholar_lookup?title=ANALYSIS+OF+CORRELATION+BETWEEN+ARTERIAL+TRAVEL+TIME+AND+DETECTOR+DATA+FROM+SIMULATION+AND+FIELD+STUDIES&author=V.+Sisiopiku&author=N.+Rouphail&author=A.+Santiago&publication_year=1994)
- Stead, D. (2001). Relationships between land use, socioeconomic factors,. *Environment and Planning B: Planning and Design* , 499-528.
- Tong, D. (2005). *Traffic Information Deriving Using GPS Probe Vehicle Data Integrated with GIS*. Ohio: Department of Civil and Environmental Engineering and Geodetic science,The Ohio State University.
- Toppen, A., & Wunderlich, K. (2003). *Travel Time Data Collection for Measurement of Advanced Traveler Information Systems Accuracy*.
- Turner, M. S., Eisele, W. L., & Holdener, D. J. (1998). *Travel Time Data Collection Handbook*. Washington: Federal Highway Administration, U.S. Department of Transportation.
- Vanajakshi, L. D. (2004). *Estimation and presicion of Travel from Loop Detector Datafor Intelligent Transportation Systems Applications*. Graduate Studies of Texas A&M University.

- Wild, B. (1994). *Using Artificial Intelligence in Traffic Engineering-Perspective and Potential Application*. Artificial Intelligence Application to Traffic Engineering.
- Wu, C.-H., Ho, J.-M., & Lee, D. (2004). Travel-time Prediction with Support Vector Regression. *Intelligent Transportation Systems*, v(4), 276 - 281. Retrieved from [http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=1364002&url=http%3A%2F%2Fieeexplore.ieee.org%2Fxppls%2Fabs\\_all.jsp%3Farnumber%3D1364002](http://ieeexplore.ieee.org/xpl/login.jsp?tp=&arnumber=1364002&url=http%3A%2F%2Fieeexplore.ieee.org%2Fxppls%2Fabs_all.jsp%3Farnumber%3D1364002)
- Wu, C.-H., Wei, C.-C., Su, D.-C., Chang, M.-H., & Ho, J.-M. (2003). Travel Time Prediction with Support Vector Regression. *Intelligent Transportation Systems, IEEE*, 1438- 1442.
- Zheng, F., & Zuylen, H. (2013). Urban link travel time estimation based on sparse probe vehicle data. *Transportation Research Part C* 31, 145-157.