

## REFERENCES

1. American Petroleum Institute (API). 1990. 13B-1 Recommended standard procedure for field testing water-based drilling fluids, API, Dallas. Canadian foundation engineering manual (CFEM). 2006.
2. Burland, J. B. \_2002\_. *Reliability of soil nailed slopes in Hong Kong*, Geotechnical Engineering Office, Hong Kong Government, Hong Kong.
3. Byrne, R. J., Cotton, D., Porterfield, J., Wolschlag, C., and Ueblacker, G. \_1998\_. "Manual for design and construction monitoring of soil nail walls." *Rep. No. FHWA-SA-96-069*.
4. Canadian Foundation Engineering Manual - CFEM (2006) .
5. Cartier, G., and Gigan, J. P. \_1983\_. "Experiments and observations on soil nailing structures." *Proc., European Conf. on Soil Mechanics and Foundation Engineering*, 473–476.
6. Chai, X.J. and Hayashi, S. and Du, Y.J. 2004. Contribution of dilatancy to pullout capacity of nails in sandy clay. In *Soil Nailing and Stability of Soil and Rock Engineering*, Nanjing, China, pp. 73-80.
7. Chu, L.-M., and Yin, J.-H. \_2005\_. "Comparison of interface shear strength of soil nails measured by both direct shear box tests and pullout tests." *J. Geotech. Geoenviron. Eng.*, 131\_9\_, 1097–1107.
8. FHWA. 1993. Recommendations clouterre 1991 (English translation). Report on the French national research project clouterre, FHWA-SA-93-026. Federal Highway Administration, Washington, DC.
9. FHWA (2003). *Geotechnical Engineering Circular No. 7 - Soil Nail Walls*. Federal Highway Administration, US Department of Transportation, Washington, D.C., USA, Report No. FHWA0-IF-03-017, 210 p.
10. Franzen, G. \_1998\_. "Soil nailing a laboratory and field study of pull-out capacity." Ph.D. thesis, Chalmers Univ. of Technology, Göteborg, Sweden.
11. Franzen, G., and Jendeby, L. \_2001\_. "Prediction of pullout capacity of soil nails." *Proc., 15th Int. Conf. on Soil Mechanics and Geotechnical Engineering*, Vol. 3, Balkema, Rotterdam, The Netherlands, 1743–1748.
12. Franzen, G. 1998. *Soil nailing - a laboratory and field study of pull-out capacity*. PhD dissertation, Department of Geotechnical Engineering, Chalmers University of Technology, Goteborg, Sweden.
13. Fredlund, D. G., and Rahardjo, H. \_1993\_. *Soil mechanics for unsaturated soils*, Wiley, New York.
14. Fredlund, D.G., Xing, A., Fredlund, M.D. and Barbour, S.L. 1996. Relationship of the unsaturated soil shear strength to the soil-water characteristic curve. *Canadian Geotechnical Journal* 33(3): 440-448.

## REFERENCES

15. French National Project CLOUTERRE. \_1991\_. “Recommendations CLOUTERRE 1991: Soil nailing recommendations for designing, calculating, constructing and inspecting earth support systems using soil nailing.” *Rep. No. FHWA-SA-93-026*, Washington, D.C. \_English translation\_.
16. Geotechnical Engineering Office \_GEO\_. \_2007\_. “Good practice in design of steel soil nails for soil cut slopes.” *GEO technical guidance note No. 23*, Hong Kong
17. Geotechnical Engineering Circular No 7 – Soil Nail Walls-FHWA-2003
18. Golder (1993). “GOLDNAIL Soil Nailing Design Program,” Golder Associates, Seattle, Washington
19. HA68/94. 1994. Design methods for the reinforcement of highway slopes by reinforced soil and soil nailing technique. Road Authorities in England, Welsh, Scotland and Northern Ireland.
20. M.R.HAUSMANN. (1992). “ Soil and rock anchorage, rock bolting, soil nailing & dowelling “.
21. Heymann, G., Rhode, A. W., Schwartz, K., and Friedlaender, E. \_1992\_. “Soil nail pullout resistance in residual soils.” *Proc., Int. Symp. On Earth Reinforcement Practice*, Vol. 1, Balkema, Rotterdam, The Netherlands, Kyushu, Japan, 487–492.
22. Jewell, R.A. and Wroth, C.P. 1987. Direct shear tests on reinforced sand. *Géotechnique*, 37:53-68
23. Jewell, R.A. (1990). General Report – Soil Nailing. Proceedings of the International Reinforced Soil Conference, Glasgow, 197-202.
24. Junaideen, S.M., Tham, L.G., Law, K.T., Lee, C.F. and Yue, Z.Q. 2004. Laboratory study of soil-nail interaction in loose completely decomposed granite, *Canadian Geotechnical Journal*, 41(2): 274-286.
25. Juran, I., Baudrand, G., Farrag, K., and Elias, V. (1990). “Kinematical limit analysis for design of nailed structures,” *Journal of Geotechnical Engineering*, American Society of Civil Engineers, Vol. 116, No. 1, pp. 54-72.
26. Lazarte, C. A., Baecher, G. B., and Withiam, J. L. \_2003\_. “New directions in LRFD for soil nailing design and specifications.” *Proc., LSD 2003: Int. Workshop on Limit State Design in Geotechnical Engineering Practice*, K. K. Phoon, Y. Honjo, and R. B. Gilbert, eds., World Scientific.
27. Li, J., Tham, L. G., Junaideen, S. M., Yue, Z. Q., and Lee, C. F. \_2007\_. “Loose fill slope stabilization with soil nails: Full-scale test.” *J. Geotech. Geoenviron. Eng.*, 134\_3\_, 277–288.
28. Li, K. S., and Lo, S. R. \_2007\_. “Discussion of comparison of interface shear strength of soil nails measured by both direct shear box tests and pullout tests by Lok-Man Chu and Jian-hua Yin.” *J. Geotech. Geoenviron. Eng.*, 133\_3\_, 344–346.
29. Luo, S. Q., Tan, S. A., and Yong, K. Y. \_2000\_. “Pull-out mechanism of a soil nail reinforcement in dilative soils.” *Soils Found.*, 40\_1\_, 47–56.

## REFERENCES

30. Long, J.H., Chow, E., Cording, E.T., and Sieczkowski, W.J. (1990). "Stability Analysis for Soil Nailed Walls," Geotechnical Special Publication No. 25, American Society of Civil Engineers, pp. 676-691.
31. Mecsi, J. 1997. The load bearing capacity and the load elongation diagram of soil anchors. Proceedings of the European Conference on Soil Mechanics and Foundation Engineering, Hamburg, 1327-1330.
32. Milligan, G. W. E., and Tei, K. \_1997\_. "The pullout resistance of model soil nails." *Soils Found.*, 38\_2\_, 179-190.
33. Pradhan, B. 2003. Study of the pull-out behaviour of soil nails in completely decomposed granite fill. M.Pill thesis, The University of Hong Kong.
34. Pradhan, B., Tham, L. G., Yue, Z. Q., Junaideen, S. M., and Lee, C. F. \_2006\_. "Soil-nail pullout interaction in loose fill materials." *Int. J. Geomech.*, 6\_4\_, 238-247.
35. Plumelle, C. Schlosser, F., Oclage, P., and Knochenmus, G. (1990). "French National Research Project on Soil Nailing: CLOUTERRE," Geotechnical Special Publication No. 25, American Society of Civil Engineers, pp. 660-675.
36. Potyondy, J.G. 1961. Skin friction between various soils and construction materials. *Géotechnique*, 11(4): 339.
37. Powell, G.E. and Watkins, A.T. 1990. Improvement of marginally stable existing slopes by soil nailing in Hong Kong. In Proceedings of the International 16. Reinforced Soil Conference, Glasgow, U.K., pp. 241-247.
38. Prof.S.A.S. Kulathilaka and D.C.A. Mettananda, 1998, Use of Soil Nailing Technique for Stabilization of Slopes.
39. Rabcewicz, L.V. (1964b). "The New Austrian Tunneling Method," Part 2, *Water Power*, London, Vol. 16, December, pp 511-515.
40. Rabcewicz, L.V. (1965). "The New Austrian Tunneling Method," Part 3, *Water Power*, London, Vol. 17, January, pp 19-24.
41. Schlosser, F. and Guilloux, A. 1982. "Le frottement dens les sols. *Revue Francaise de.*" *Géotechnique*. 16:65-77(1981)
42. Schlosser, F. (1983). "Analogies et différences dans le comportement et le calcul des ouvrages de soutènement en Terre Armée et par clouage des sols," (Trad.: Similarities and differences in the behavior and design of retaining structures of reinforced earth and soil nailing). *Annales de L'Institut Technique de Batiment et des Travaux Publics*, No. 418, Series: Sols et Fondations, Paris, France. Schlosser.
43. Sheahan, T.C., T. Oral, and C.L. Ho (2002). "A Simplified Trial Wedge Method for Soil Nailed Wall Analysis," *Journal of Geotechnical and Geoenvironmental Engineering*, American Society of Civil Engineers, Vol. 128, No.:TBD. Shen.
44. Shen, C.K., Herrmann, L.R., Romstand, K.M., Bang, S., Kim, Y.S., and Denatale, J.S. (1981a). "In situ Earth Reinforcement Lateral Support System," Report No. 81-03, Department of Civil Engineering, University of California, Davis, California.

## REFERENCES

45. Sivakumar, . and Singh, V.P. 2010. Soil nails field pullout testing: evaluation and applications. *International Journal of Geotechnical Engineering*, 4: 13-21.
46. /Stocker, M.F., Korber, G.W., Gässler, G., and Gudehus, G. (1979). "Soil Nailing," in *International Conference on Soil Reinforcement I*, Paris, France, Vol. 2, pp. 469–474.
47. Su, L.J., Chan, T.C.F., Shiu, Y.K., and Cheung, T. and Yin, J.H. 2008. Influence of degree of saturation on soil nail pullout resistance in compacted completely decomposed granite fill. *Canadian Geotechnical Journal*, 44(11): 1314-1328.
48. Tei, K., Taylor, R. N., and Milligan, G. W. E. \_1998\_. "Centrifuge model tests of nailed soil slopes." *Soils Found.*, 38\_2\_, 165–177.
49. The influence of matric suction on the pull-out capacity of Grouted soil nails Naresh Gursaud B.Sc., University of Guyana (2010)
50. Vanapalli, S. K., Fredlund, D. G., Pufahl, D. E., and Clifton, A. W. \_1996\_. "Model for the prediction of shear strength with respect to soil suction." *Can. Geotech. J.*, 33\_3\_, 379–392.
51. Vanapalli, S.K. and Fredlund, D.G. 2000. Comparison of empirical procedures to predict the shear strength of unsaturated soils uses the soil-water characteristic curve. *Geo-Denver 2000*, American Society of Civil Engineers, Special Publication, 99:195-209.
52. Vanapalli, S.K. and Catana, M.C. 2005. Estimation of the soil-water characteristic curve of coarse grained soils, using one point measurement and simple properties. In *International Symposium on Advanced Experimental Unsaturated Soil Mechanics*, Trento, pp.401-407.
53. Vanapalli, S.K., Eigenbrod, K.D., Catana, C., Taylan, Oh, W.T. and Garven, E. 2010. A technique for estimating the shaft resistance of test piles in unsaturated soils. 5th *International Conference on Unsaturated Soils*, Barcelona, Spain. September 6-8, 2010. Paper accepted for publication.
54. Vanapalli, S.K. 2009. Shear strength of unsaturated soils and its applications in geotechnical engineering practice. Keynote Address. In *Proceedings of the 4 Asia-Pacific Conference on Unsaturated Soils*. New Castle, Australia. Nov. 23-25. Edited by O. Buzzi, S. Fityus and D. Sheng. 2010 Taylor & Francis Group, London , ISBN 978-0-415-80480-6. pp. 579-598.
55. Yeo, K. C., Lo, S. R., and Yin, J. H. \_2007\_. "Installation method and overburden pressure on soil nail pullout test." *New Horizons in Earth Reinforcement. Proc.*, 5th *Int.Symp. on Earth Reinforcement*, J. Otani, Y. Miyata, and T. Mukunoki, eds., Taylor and Francis, Kyushu, Japan,321–327.
56. Yin, J.H. and Su, L.J., 2006. An innovative laboratory box for testing nail pull-out resistance in soil, *ASTM Geotechnical Testing Journal*, 29: 1 - 11
57. Zhang, L.L., Zhang, L.M., and Tang, W.H. 2009. Uncertainties of field pullout resistance of soil nails, *Journal of Geotechnical and Geo-environmental Engineering*, 135(7): 966(7)-973.