

REFERENCE LIST

- 01 Akinbile, C.O., Yusoff, M.S., & Zuki, A.Z.A. (2012). Landfill leachate treatment using sub-surface flow constructed wetland by *Cyperus haspan*. *Waste Management*, 32(7), 1387–1393.
- 02 Alker, S.C., Sarsby, R.W., & Howell, R. (1995). The composition of leachate from waste disposal sites. In Sarsby (ed.), *Waste Disposal by Landfill-GREEN'93*. Balkema, Rotterdam.
- 03 American Public Health Association. (1980). *Standard methods for the Examination of Water and Wastewater* (15th ed.). American Public Health Association.
- 04 American Public Health Association. (2012). *Standard methods for the Examination of Water and Wastewater* (22nd ed.). American Public Health Association.
- 05 Aziz, H.A., Alias, S., Adlan, M.N., Faridah, Asaari, A.H., & Zahari, M.S. (2007). Colour removal from landfill leachate by coagulation and flocculation processes. *Bioresource Technology*, 98(1), 218–220.
- 06 Barr, M.J., & Robinson, H.D. (1999). Constructed wetlands for landfill leachate treatment. *Waste Manage Res*, 17, 498-504.
- 07 Billore, S.K., Prashant, & Sharma, J.K. (2008). Restoration and conservation of stagnant water bodies by gravel-bed treatment wetlands and artificial floating reed beds in tropical India. In Sengupta, M. and Dalwani, R. (Editors), *Proceedings of Taal 2007: The 12th World Lake Conference* (981-987).
- 08 Billore, S.K., Prashant, & Sharma, J.K. (2009). Treatment performance of artificial floating reed beds in an experimental mesocosm to improve the water quality of river Kshipra. *Water Science and Technology*, 60 (11), 2851-2859.
- 09 Billore, S.K., Singh, N., Ram, H.K., Sharma, J.K., Singh, V.P., Nelson, R.M., & Das, P. (2001). Treatment of a molasses based distillery effluent in a constructed wetland in central India. *Water Sci. Technol.*, 44 (11/12), 441–448.
- 10 Billore, S.K., Singh, N., Sharma, J.K., Dass, P., & Nelson, R.M. (1999). Horizontal subsurface flow gravel bed constructed wetland with *Phragmites*

- karka* in Central India. *Water Science and Technology*, 40 (3), 163-171.
- 11 Brisson, J., & Chazarenc, F. (2009). Maximizing pollutant removal in constructed wetlands: Should we pay more attention to macrophyte species selection? *Science of the Total Environment*, 407 (13), 3923-3930.
 - 12 Chavan, B.L., & Dhulap, V.P. (2012). Designing and testing of wastewater in constructed wetland using *Phragmites karka*. *International Journal of Physical and Social Sciences*, 2 (12).
 - 13 Chiemchaisri, C., Chiemchaisri, W., Junsod, J., Threedeach, S., & Wicranarachchi, P.N. (2009). Leachate treatment and greenhouse gas emission in subsurface horizontal flow constructed wetland. *Bioresource Technology*, 100, 3808–3814.
 - 14 Cook, C.D.K. (1996). *Aquatic and Wetland Plants of India*. Oxford, Oxford University Press.
 - 15 Cunningham, S.D., & Ow, D.W. (1996). Promises and Prospects of Phytoremediation. *Plant Physiol.*, 110, 715-719.
 - 16 Dissanayake, M.D., Fosbery, F.R., & Clayton, W.D. (1994). *A revised handbook to the flora of Ceylon* (Volume VIII, Page 373-374). New Delhi.
 - 17 El-Gendy, A.S., Biswas, N., & Bewtra, J.K. (2005), A floating aquatic system employing water hyacinth for municipal landfill leachate treatment: effect of leachate characteristics on the plant growth. *J. Environ. Eng. Sci.* 4, 227–240.
 - 18 Fernandopulle, L. (2017, July 9). Waste to energy plants in the pipeline, garbage issue cannot be trashed any more. Retrieved from www.sundayobserver.lk.
 - 19 Frankenberg, J. (1997). Guidelines for growing *Phragmites* for erosion control, Murray-Darling Freshwater Research Centre, Albury.
 - 20 Gersberg, R.M., Elkins, B.V., & Goldman, C.R. (1983). Nitrogen removal in artificial wetlands. *Water Res.*, 17 (9), 1009–1014.
 - 21 Gratao, P.L., Prasad M.N.V., Cardoso, P.F., Lea, P.J., & Azevedo, R.A. (2005). Phytoremediation: green technology for the cleanup of toxic metals in the environment. *Braz. J. Plant Physiol.* 17 (1), 53-64.

- 22 Grisey, E., Laffray, X., Contoz, O., Cavalli, E., Mudry, J., & Aleya, L. (2012). The bioaccumulation performance of reeds and cattails in a constructed treatment wetland for removal of heavy metals in landfill leachate treatment (Etueffont, France). *Water Air Soil Pollut*, 223(4), 1723–1741.
- 23 Gul, B., Abideen, Z., Qasim, M., Rasheed, A., Adnan, M.Y., & Khan, M.A. (2015). Antioxidant activity and polyphenolic content of *Phragmites karka* under saline conditions. *Pak. J. Bot.*, 47(3), 813-818.
- 24 Herath, I., & Vithanage, M. (2015). *Phytoremediation in Constructed Wetlands*. DOI: 10.1007/978-3-319-10969-5_21.
- 25 Hinchman, R.R., Negri, M.C., & Gatliff, E.G. (n.d.). Phytoremediation: using green plants to clean up contaminated soil, groundwater, and wastewater. Retrieved from: http://treemediation.com.Technical._Phytoremediation_1998.pdf.
- 26 Ibezute, A.C., Tawari-Fufeyin, P., & Oghama, O.E. (2014). Analysis of pollution removal from compost leachate by Vetiver grass (L.) Nash plant (*Vetiveria zizanioides*). *Resources and Environment*, 4(6), 268-273
- 27 Innes, R.R. (1977). *A manual of Ghana grasses* (With a key to species by W. D. Clayton). Surbiton, UK: the Ministry of Overseas Development, Land Resources Division, 14 (02), 265.
- 28 Jayasena, W.D.G., Jinadasa, K.S.B.N., Jayamal, A.N., Jayasinghe, R.G.D.P., Mohamed, A., & Tanaka, N. (2013). Leachate treatment by Constructed wetland System. *ACEPS-2013*.
- 29 Jayaweera, M., Annacchatre, A., & Guo, Z. (2002). Treatment options for heavy metal containing wastewaters. *Asian Regional Research Programme on Environmental Technology*, 86-119
- 30 Jayaweera, M.W. (2013). *Wetland Sri Lanka: Heavy metal adsorption by low coat mineral substrates incorporated in constructed wetlands*, CEA, 43-44.
- 31 Jha, A.K., & Bajracharya, T.R. (2014). Wastewater treatment technologies in Nepal. *Proceedings of IOE Graduate Conference*, 76-81.
- 32 Jones, D.L., Williamson, K.L., & Owen, A.G. (2006). Phytoremediation of landfill leachate. *Waste Management*, 26, 825–837.

- 33 Justina, M.Z., & Zupancic, M. (2009). Combined purification and reuse of landfill leachate by constructed wetland and irrigation of grass and willows. *Desalination*, 247, 158–169.
- 34 Koskiaho, J., & Puustinen, M. (2005). Function and potential of constructed wetlands for the control of N and P transport from agriculture and peat production in boreal climate. *Journal of Environmental Science and Health*, 40, 1265–1279.
- 35 Kurniadie, D. (2011). Wastewater treatment using vertical subsurface flow constructed wetland in Indonesia. *American Journal of Environmental Sciences*, 7 (1), 15-19.
- 36 Lansdown, R.V. (2013). *Phragmites karka: The IUCN red list of threatened species 2013*. Retrieved from <http://dx.doi.org/10.2305/IUCN.UK.2013-1.RLTS.T168955A1256797.en>.
- 37 Megonikal, J.P., Hines, M.E., & Visscher, P.T. (2004). Anaerobic metabolism: linkage to trace gases and aerobic processes. In Schlesinger WH, editor. *Biogeochemistry* (p. 317–424). Oxford, U.K.: Elsevier-Pergamon.
- 38 Metcalf, & Eddy. (2014). *Wastewater engineering treatment & reuse* (4th edition). McGraw Hill Education (India) Private Limited.
- 39 Mojiri, A., Aziz, H.A., Zahed, M.A., Aziz, S.Q., & Selamat, M.R.B. (2013). Phytoremediation of heavy metals from urban waste leachate by Southern Cattail (*Typha domingensis*). *International Journal of Scientific Research in Environmental Sciences (IJSRES)*, 1(4), pp. 63-70.
- 40 Mukherjee, S., Mukhopadhyay, S., Hashim, M.A., & Gupta, B.S. (2015). Contemporary environmental issues of landfill leachate: Assessment and remedies. *Critical Reviews in Environmental Science and Technology*, 45(5), pages 472-590.
- 41 Nilusha, R.T., Dissanayake, D.M.H.S., & Fonseka, W.R.K. (2015). Preliminary study on nutrient removal of dairy wastewater by pilot scale subsurface horizontal flow constructed wetland planted with *Schoenoplectus grossus*. *International Journal of Recent Research in Interdisciplinary Sciences (IJRRIS)*, 2(3), 38-44.

- 42 Oh, K., Cao, T., Li, T., & Cheng, H. (2014). Study on application of phytoremediation technology in the management and remediation of contaminated soils. *Journal of Clean Energy Technologies*, 2(3).
- 43 Pathiraja, P.M.G., & Perera, N.P.T. (n.d). Pilot scale study: use of subsurface flow constructed wetlands for domestic wastewater treatment in Sri Lanka'. Retrieved from <http://dl.lib.mrt.ac.lk/handle/123/8947>.
- 44 Pilisaru Project. (2009). *Initial Environmental Examination report for Proposed Final Disposal Facility at Maligawatte, Dompe*.
- 45 Rani, S.H.C., Chelliapan, S., Mohd. M.F.M.D., & Yusof, B.M. (2011). Overview of Subsurface Constructed Wetlands Application in Tropical Climates. *Universal Journal of Environmental Research and Technology*, 1(2), 103-114.
- 46 Richardson, V.P., Meetiayagoda, T.A.O.K., Jinadasa, K.B.S.N., & Gamage, P.D. (2016). Total nitrogen removal of municipal solid waste leachate using hybrid constructed wetlands. *ACEPS-2016*. Retrieved from <http://www.dcee.ruh.ac.lk/images/donaimage/ACEPProceeding2016/Total%20Nitrogen%20Removal%2049of%20Municipal%20Solid%20Waste%20Leachate.pdf>>
- 47 Sasikala, S., Mowjood, M.I.M., & Basnayake, B.F.A. (2005). Formulation of harvesting regimes from bulrush (*Scirpus grossus* Lf.) growth responses to MSW leachate in constructed wetlands with coir-based media. *Tropical Agricultural Research*. Vol. 17, 12S -134.
- 48 Sengupta, S., Gopal, B., & Das, S.N. (2004). Effect of nutrient supply and water depth on nutrient uptake by two wetland plants. *Bull.Nat.Inst.Ecol*, 14, 55-60.
- 49 Sharma, K.P., Sharma, K., Kumar, K., Sharma, S., Grover, R., Soni, Bhardwaj, S.M., Chaturvedi, R.K., & Sharma, S. (2005). Response of selected aquatic macrophytes towards textile dye wastewater. *Indian Journal of Biotechnology*, 4, 538-545.
- 50 Singh, P.K., Sharma, K.P., Sharma, S., Swami, R.C., & Sharma, S. (2010). Polishing of biomethanated spent wash (primary treated) in constructed wetland: A bench scale study. *Indian Journal of Biotechnology*, 9, 313-318.

- 51 Sogut, Z., Zaimoglu, B.Z., Erdogan, R., & Sucu, M.Y. (2005). Phytoremediation of landfill leachate using *Pennisetum clandestinum*. *Journal of Environmental Biology*, 26 (1), 13-20.
- 52 Tanaka, N., Jinadasa, K.B.S.N., Werellagama, D.R.I.B., Mowjood, M.I.M., & Ng, W.J. (2006). Constructed tropical wetlands with integrated submergent-emergent plants for sustainable water quality management. *Journal of environmental Science and Health, Part A*, 41, 2221-2236.
- 53 United States Environmental Protection Agency & Centre for Environmental Research Information. (2000). *Design Manual: Constructed Wetlands and Aquatic Plant Systems for Municipal Wastewater Treatment*. Cincinnati.
- 54 United States Environmental Protection Agency. (1999). *Constructed Wetlands Treatment of Municipal Wastewater*. Cincinnati, Ohio.
- 55 University of Moratuwa. (2013). *World bank Metro-Colombo urban development project report on sediment & water quality analyses at selected locations*. Uni-Consultancy Services. University of Moratuwa.
- 56 Vipat, V., Singh, U.R., & Billore, S.K. (2008). Efficacy of root zone technology for treatment of domestic wastewater: Field scale study of a pilot project in Bhopal. (MP), India. *Proceedings of Taal2007: The 12th World Lake Conference*, 995-1003.
- 57 Vymazal, J. (2009). The use constructed wetlands with horizontal sub-surface flow for various types of wastewater. *Ecological engineering*, 35, 1-17
- 58 Vymazal, J., & Kröpfelová, L. (2009). Removal of organics in constructed wetlands with horizontal sub-surface flow: A review of the field experience', *SCIENCE OF THE TOTAL ENVIRONMENT*, 407, 3911 – 3922.
- 59 Weragoda, S.K., Tanaka, N., Sewwandi, B.G.N., & Mowjood, M.I.M. (2010). Efficiency of coconut coir-pith as an alternative substrate in the treatment of submerged macrophyte wetlands systems in tropical conditions. *Chemistry and Ecology*, 26(6), 445-452.
- 60 Wimalasuriya, K.M.D.D.C., Chandrathilake, T.H.R.C., Liyanage B.C., & Gunathilake, J. (2011). In-situ water quality and economical leachate treatment

system for Gohagoda dumping site, Sri Lanka', *IESL-SSMS Joint International Symposium*, 189-198

- 61 Wojciechowska, E., Gajewska, M., & Obarska-Pempkowiak, H. (2010). Treatment of Landfill Leachate by Constructed Wetlands: Three Case Studies. *Polish J. of Environ. Stud.*, 19 (3), 643-650.
- 62 Yalcuk. A., & Ugurlu, A. (2009). Comparison of horizontal and vertical constructed wetland systems for landfill leachate treatment. *Bioresource Technology*, 100, 2521-2526.
- 63 Zhang, B.Y., Zheng, J.S., & Sharp, R.G. (2010). Phytoremediation in engineered wetlands: Mechanisms and applications. *Procedia Environmental Sciences*, 2, 1315–1325.