

References

- Auerbach, S. M., Carrado, K. A. & Dutta, P. K. (2004). Hand Book of Layered Materials, New York, Marcel Dekker Inc.
- Ballantine, J. A., Jones, W., Purnell, J. H., Tennakoon, D. T. B. & Thomas, J. M. (1985). The influence of interlayer water on clay catalysts. Interlamella conversion of 2-methylpropene. Chemistry Letters, 763-766.
- Banin, A. (1971). Clay attached micronutrients. US Pat., 3,902,886.
- Bathija, A. P., Liang, H., Lu, N., Prasad, M. & Batzle, M. L. (2009). Stressed swelling clay, Geophysics, 74(4), A47- A52.
- Bergaya, F., Theng, B. K. G. & Lagaly, G. (2006). Hand Book of Clay science, Elsevier.
- Bhiwankar, N. N. & Weiss, R. A. (2005). Melt intercalation of sodium-montmorillonite with alkylamine and quaternized ammonium salts of sulfonated polystyrene ionomers. Polymers, 46, 7246-7254.
- Bhushan, B. (2004). Hand Book of Nanotechnology, Berlin, Springer.
- Bouyer, E., Gitzhofer, F. & Boulos, M. I. (2000). Morphologicak study of hydroxyapatite nanocrystal suspension. Materials in Medicine, 11, 523-531.
- Cavani, F., Trifiro, F. & Vaccari, A. (1991). Hydrotalcite type anionic clays: preparation, properties and application. Catalysis today, 11, 173-301.



Celis, R., Hermosin, C., Carrizosa, M. J. & Cornejo, J. (2002). Inorganic and Organic clays carriers for controlled release of Herbicide Hexazinone. Journal of Agricultural and Food Chemistry, 50, 2324-2330.

Chaudhry, A. A., Haque, S., Kellici, S., Boldrin, P., Rehman, I., Khalid, F. A. & Darr, J. A. (2006). Instant nano-hydroxyapatite: a conditions and rapid hydrothermal synthesis. Chem. Commun., 2286- 2288.

Cho, J. S., Ko, Y. N., Koo, H. Y., Lee, M. J. & Kang, Y. C. (2009). Effect of solvents on the properties of nano-sized hydroxyapatite powders directly prepared by high temperature flame spray pyrolysis. Journal of Ceramic Processing Research, 10, 628-632.

Chorom, M. & Rengasamy, P. (1996). Effect of heating on swelling and dispersion of different cationic forms of a smectite. Clays and Clay Minerals, 44, 783-790.

Davidtz, C. J. & Low, P. F. (1970). Relation between crystal-lattice configuration and swelling of Montmorillonites. Clays and Clay Minerals, 18, 325-332.

de Leeuw, N. H. (2001). Local ordering of hydroxyl groups in hydroxyapatite. Chem. Commun. 1646- 1647.

Depan, D., Kumar, A. P. & Singh, R. P. (2009). Cell proliferation and controlled drug release

Dong, Y. and Feng, S. S. (2005). Poly(D, L-lactide-co-glycolide)/ montmorillonite nanoparticles for oral delivery of anticancer drugs. Biomaterials, 26, 6068-6076.

Dreyer, D. R., Park, S., Bielawski, C. W. & Ruoff, R. S. (2010). The chemistry of graphite oxide. Chemical Society Reviews, 39, 228-240.

Eslami, H., Hashjin, M. S., Tahriri, M. and Bkhshi, F. (2010). Synthesis and characterization of nanocrystalline hydroxyapatite obtained by wet chemical technique. Materials Science-Poland, 28(1), 5-13.

Garcia, M. L. C., Galan, L. P. & Ramirez, M. P. S. (2006). Synthesis of intercalated Al-hydroxy- montmorillonite. Journal of the Mexican Chemical Society, 50(1), 36-41.

Greenwell, H. C., Bowden, A. A., Chen, B., Boulet, P., Evans, J. R. G., Coveney, P. V. & Whiting, A. (2005). Intercalation and in situ polymerization of poly(alkylene oxide) derivatives within M^+ -montmorillonite ($M= Li, Na, K$).Journal of Materials Chemistry, 16, 1082-1094.

Han, Y., Wang, X. & Li, S. (2009). A simple route to prepare stable hydroxyapatite nanoparticles suspension. Journal of Nanoparticles Research, 11, 1235-1240.

Hui, Y., Dong, H., Hong, Z. H., Bin, Y. X., Hong, G. Y., Hui, Y. and Xiang, W. L. (2008). Preparation and application of hydroxyapatite nanoparticles/NR2B-siRNA complex. Transactions of Nonferrous Metals Society of china.18, 913-918.

Jeon, I. & Baek, J. B. (2010).Nanocomposites derived from polymer and inorganic nanoparticles. Materials, 3, 3654-3674.

Joshi, G. V., Kevadiya, B.D., Patel, H. A., Bajaj, H. C. & Jasra, R. V. (2009). Montmorillonite as a drug delivery system: Intercalation and in vitro release of timolol maleate. International Journal of Pharmaceutics, 374, 53-57.

Katti, K. S., Katti, D. R. & Dash, R. (2008). Synthesis and characterization of a novel chitosan/montmorillonite/hydroxyapatite nanocomposite for bone tissue engineering.Biomedical Materials, 3, 034122(12pp).



Khan, A. I. & O' Hare, D. (2002). Intercalation chemistry of layered double hydroxide: recent developments and applications. *Journal of Materials Chemistry*, 12, 3191-3198.

Kim, K. S., Park, M., Choi, C. L., Lee, D. H., Seo, Y. J., Kim, C. Y., Kim, J. S., Yun, S. I., Ro, H. M. & Komarneni, S. (2011). Suppression of NH₃ and N₂O emissions by massive urea intercalation in montmorillonite. *Journal of Soils Sediments*, 11, 416-422.

Kothapalli, C. R., Wei, M., Legeros, R. S. & Shaw, M. T. (2005). Influence of temperature and aging time on HA synthesized by the hydrothermal method. *Journal of Materials Science: Materials in Medicine*, 16, 441- 446.

Lee, D., Char, K., Lee, S. W. & Park, Y. W. (2003). Structural changes of polyaniline/montmorillonite nanocomposites and their effects on physical properties. *Journal of Materials Chemistry*, 13, 2942-2947.

Lerot, L. & Low, P.(1976). Effect of swelling on the Infrared absorption spectrum of Montmorillonite. *Clays and Clay Minerals*, 24, 191-199.

Liu, J., Ye, X., Wang, H., Zhu, M., Wang, B. & Yan, H. (2003). The influence of pH and temperature on the morphology of hydroxyapatite synthesized by hydrothermal method. *Ceramics International*, 29, 629-633.

Madejova, J. (2003). FTIR techniques in clay mineral studies. *Vibrational Spectroscopy*, 31, 1-10.

Manafi, S. A. & Joughehdoust, S. (2009). Synthesis of hydroxyapatite nanostructure by hydrothermal condition for biomedical applicaton. *Iranian Journal of Pharmaceutical Science*, 5, 89- 94.

Mateus, A. Y. P., Ferraz, M. P. & Monteiro, F. J. (2007). Microspheres based on hydroxyapatite nanoparticles aggregates for bone regeneration. Key Engineering Materials, 330-332, 243-246.

McQuaile, R. G., Ching, J. Y. C., Vignaud, E., Lebuge, A. & Mann, S. (2004). Synthesis and characterization of amino acid functionalized hydroxyapatite nanorods. Journal of Material Chemistry, DOI: 10.1039/b400317a.

Mishael, Y. G. Undabeytia, T., Rabinovitz, O., Rubin, B. & Nir, S. (2003). Sulfosulfuron incorporated in micelles adsorbed on montmorillonite for slow release formulation. Journal of Agriculture and Food Chemistry, 51, 2253-2259.

Mobini, S., Javadpour, J., Hosseinalipour, M., Khansari, M.G., Khavandi, A. & Rezaie, H. R. (2008). Synthesis and characterization of gelatin-nanohydroxyapatite composite scaffolds for bone tissue engineering. Advances in Applied Ceramics, 107.

Mostafa, N. Y. (2005). Characterization, thermal stability and sintering of hydroxyapatite powders prepared by different routes. Material Chemistry and Physics, 94, 333-341.

Newman, S. P. & Jones, W. (1998). Synthesis, characterization and application of layered double hydroxides containing organic guests. New Journal chemistry, 105-115.

Pang, Y. X. & Bao, X. (2003). Influence of temperature, ripening time and calcination on the morphology and crystallinity of hydroxyapatite nanoparticles. Journal of the European Ceramic Society, 23, 1697-1704.

Park, J. K., Choy, Y. B., Oh, J. M., Kim, J. Y., Hwang, S. J.& Choy, J. H. (2008). Controlled release of donepezil intercalated in smectite clays. International Journal of Pharmaceutics, 359, 198-204.

Paul, D. R. & Robeson, L. M.(2008). Polymer nanotechnology: Nanocomposites.Polymer, 49, 3187-3204.

Perez, M. F., Sanchez, M. V., Cespedes, F. F., Herrera, F. J. G. and Garcia, S. P. (2005). Use of bentonite and activated carbon in controlled release formulations of carbofuran. Journal of Agriculture and Food Chemistry, 53, 6697-6703.

Poursamar, S. A., Rabiee, M., Samadikuchaksaraei, A., Karimi, M. & Azami, M. (2009). Influence of the value of pH on the prepatation of nano hydroxyapatite poly vinyl alcohol composites. Journal of Ceramic Processing Research, 10, 679, 682.

Rehab, A., Akelah, A. & El-gamal, M. M. (2002). Controlled release systems based on the intercalation of polymeric Metribuzin onto Montmorillonite. Journal of Polymer Science: Part A: Polymer Chemistry, 40, 2513- 2525.

Salarian, M., Hashjin, M. S., Goudarzi, A., Shafiei, S. S., Salarian, R. & Z. A. Nematici. (2008).Effect of surfactant in formation of hydroxyapatite nano-rods under hydrothermal conditions. Iranian Journal of Pharmaceutical Science, 4, 157- 162.

Sanosh, K. P., Chu, M. C., Balakrishnan, A., Kin, T. N. & Cho, S. J. (2009). Preparation and characterization of nanohydroxyapatite powder using sol-gel technique. Bulletin of Materials Science, 32, 465- 470.

Singh, B., Sharma, D. K., Kumar, R. & Gupta, A. (2009). Controlled release of the fungicide thiram from starch-alginate-clay based formulation. Applied Clay Science, 45, 76-82.

Sopyan, L., Singh, R. & Hamdi, M. (2008). Synthesis of nanosized hydroxyapatite powder using sol-gel technique and its conversion to dense and porous bodies. Indian Journal of chemistry, 47 A, 1626-1631.

Stathi, P., Papadas, I.T., Tselepidou, A., Deligiannakis, Y. (2010). Heavy-metal uptake by a high cation-exchange-capacity montmorillonite: the role of permanent charge sites. Global nest Journal, 12(3), 248-255.

Studies of nanohybrids based on chitosan- g- lactic acid and montmorillonite. Acta Biomaterialia, 5, 93-100.

Teng, S. H., Lee, E. J., Yoon, B. H., Shin, D. S., Kim, H. E. and Oh, J. S. (2008). Chitosan/ nanohydroxyapatite composite membranes via dynamic filtration for guided bone generation. Wiley Periodical, 569-580.

Uddin, F. (2008). Clays, Nanoclays, and Montmorillonite Minerals, Metallurgical and materials Transactions A, 39A, 2804-2814.

Villemure, G., Kodama, H. & Detellier, C. (1985). Photoreduction of water by visible light in the presence of montmorillonite. Canadian Journal of Chemistry, 63, 1139-1142.

Wang, P., Li, C., Gong, H., Jiang, X., Wang, H. & Li, K. (2010). Effect of synthesis conditions on the morphology of hydroxyapatite nanoparticles produced by wet chemical process. Powder Technology, doi: 10.1016/j.powtec.2010.05.023.

Xie, W., Gao, Z., Liu, K., Pan, W. P., Vaia, R., Hunter, D. & Singh, A. (2001). Thermal characterization of organically modified montmorillonite. Thermochimica acta, 367-368, 339-350.

Yoda, S., Sakurai, Y., Endo, A., Miyata, T., Yanagishita, H., Otake, K. & Tsuchiya, T. (2004). Synthesis of titania-pillared montmorillonite via intercalation of titanium alkoxide dissolved in supercritical carbon dioxide. *Journal of Materials Chemistry*, 14, 2763-2767.

Youfa, W., Yuhua, Y., Wei, R., Ying, C. X. & Shipu, L. (2004). Preparation and characterization of nanohydroxyapatite sol. *Transactions of Nonferrous Metals Society China*, 14 (1), 29-32.

Yuna, C. L., Bo, Z. C. & Feng, H. J. (2005). Influence of temperature, $[Ca^{2+}]$, Ca/P ratio and ultrasonic power on th crystallinity and morphology of hydroxyapatite nanoparticles prepared with a novel ultrasonic precipitation method, *Materials Letter*, 59, 1902-1906.

Zadeh, K.K. & Fry, B. (2008). Nanotechnology- Enabled Sensors. New York. Springer.

Zhang, F., Wang, R., Xiao, Q., Wang, Y. & Zhang, J (2006). Effect of slow/controlled-release fertizer cemented and coated by nano-materials on biology. *Nanoscience*, 11, 18-26.

Zheng, J. P., Luan, L., Wang, H.Y., Xi, L. F. & Yao, K. D. (2007).Study on ibuprofen/montmorillonite intercalation composites as drug release system.*Applied Science*,36, 297-301.