

## LIST OF REFERENCES

- Adams, B., Bohnhoff, W., Dalbey, K., Eddy, J., Eldred, M., & Gay, D. (2010). *DAKOTA: A multi-level parallel object-oriented framework for design optimization, parameter estimation, uncertainty quantification and sensitivity analysis: v.5.0 user's manual*. Livermore, CA: Sandia National Laboratory.
- Alamdar, F., Bennett, K., & Rose, P. (1994). Air flow and temperature distribution within an open-plan building space using displacement ventilation system. *Proceedings of 4<sup>th</sup> International conference on air distribution in rooms*. Krakow, Poland: Roomvent '94.
- Alfano, F., Bellia, L., Boerstra, A., Dijken, F., Ianniello, E., & Lopardo, G. (2010). *Indoor environment and energy efficiency in schools - part 1 principles*. Brussels: REHVA (Federation of European Heating and Air-conditioning Associations).
- Al-Homoud, M., & Degelman, L. (1994). The framework of an optimization model for the thermal design of building envelopes. *Proceedings of the 9<sup>th</sup> Symposium on Improving Building Systems in Hot and Humid Climates*, (pp. 100-109). Arlington, TX.
- Al-Homoud. (1997). Optimum thermal design of office buildings. *International Journal of Energy Research 21*, 941-957.
- Ambiente Interior e Eficiência Energética nas Escolas (2010). Ingenium Edições, Lda., Manual REHVA*. Lisboa: REHVA.
- ANSI/ASHRAE standard 55-2017: Thermal environmental conditions for human occupancy*. Atlanta, USA: ASHRAE.
- Arens, A. (2000). *Evaluation of Displacement Ventilation for use in High-Ceiling Facilities.(MSc Thesis)*. Cambridge: Massachusetts Institute of Technology.
- Arun, M., & Tulapurkara, E. (2005). Computation of turbulent flow inside an enclosure with central partition. *Progress in Computational Fluid Dynamics 5*, 455-465.
- ASHRAE Handbook of Fundamentals (2013)*. Atlanta, USA: ASHRAE.
- Attia, S. (2012). *Computational optimization zero energy building design: Interviews with 28 international experts*. Louvain la Neuve: Université Catholique de Louvain.
- Awbi, H. (1989). Application of computational fluid dynamics in room ventilation. *Building and Environment 24*, 73-84.

- Awbi, H., & Gan, G. (1991). Computational fluid dynamics in ventilation. *Proceedings of CFD for Environmental and Building Services Engineer* (pp. 67-79). London: Institution of Mechanical Engineers.
- Awbi, H., & Gan, G. (1993). Evaluation of the overall performance of room air distribution. *Proceedings of the Indoor Air Quality and Climate* (pp. 283-288). Helsinki: Indoor Air '93.
- Awbi, H. (1996). A CFD study of the air quality at the breathing zone. *Proceedings of Indoor Air '96* (pp. 1009-1014). Nagoya, Japan: Indoor Air '96.
- Baker, A., Williams, P., & Kelso, R. (1994). Development of a robust finite element CFD procedure for predicting indoor room air motion. *Building and Environment*, 261-273.
- Bambrook, S., Sproul, A., & Jacob, D. (2011). Design optimization for a low energy home in Sydney. *Energy and Buildings* 43(7), 1702-1711.
- Baños, R., Manzano-Agugliaro, F., Montoya, F., Gil, C., Alcayde, A., & Gómez, J. (2011). Optimization methods applied to renewable and sustainable energy: A review. *Renewable and Sustainable Energy Reviews* 15(4), 1753-1766.
- Bartak, M., Beausoleil-Morrison, I., Clarke, J., Denev, J., Drkal, F., Lain, M., . . . Stankov, P. (2002). Integrating CFD and building simulation. *Building and Environment* 37(8), 865-872.
- Beausoleil-Morrison, I., & Clarke, J. (1998). The Implications of Using the Standard k - e Turbulence Model to Simulate Room Air Flows which are not Fully Turbulent. *Proceedings of ROOMVENT 98* (pp. 99-106). Stockholm: ROOMVENT.
- Beausoleil-Morrison, I. (2000). *The adaptive coupling of heat and air flow modeling within dynamic whole-building simulation (PhD Thesis)*. Glasgow: University of Strathclyde.
- Beausoleil-Morrison, I. (2001). The adaptive coupling of Computational Fluid Dynamics with whole building thermal simulation. *Proceedings of the 7<sup>th</sup> International IBPSA Conference* (pp. 1259-1266). Rio de Janeiro: IBPSA.
- Beausoleil-Morrison, I. (2002). The adaptive conflation of computational fluid dynamics with whole building thermal simulation. *Energy and Buildings* 34(9), 857-871.
- Belegundu, D., & Chandrupatla, T. (2011). *Optimization Concepts and Applications in Engineering* (2<sup>nd</sup> ed.). London: Cambridge University Press.
- Bernal, W., Behl, M., Ngheim, T., & Mangharam, R. (2012). MLE+: a tool for integrated design and deployment of energy efficient building controls. *Proceedings of the 4<sup>th</sup> ACM Workshop on Embedded Sensing Systems for*

*Energy-Efficiency in Buildings* (pp. 123-130). Toronto, Ontario, Canada: BuildSys '12.

Bluyssen, P. (1996). *Methods and sensors to detect indoor air pollutants perceived by the nose*. TNO report 96 - BB I- R0873.

Bluyssen, P. (2009). *The Indoor Environment Handbook: How to make buildings healthy and comfortable* (1<sup>st</sup> ed.). London: Earthscan.

Bouchlaghem, N. (2000). Optimizing the design of building envelopes for thermal performance. *Automation in Construction* 10(1), 101-112.

*Building Energy Software Tools.* (2016). Retrieved from TRNSYS: <https://www.buildingenergysoftwaretools.com/software/trnsys>

Butler, D. (2002). *Air conditioning using displacement ventilation to maximize free cooling*. BRE's Environmental Engineering Centre.

Caldas, L.; Norford, L. (2002). A design optimization tool based on a genetic algorithm. *Automation in Construction* 11(2), 173-184.

Carson, Y., & Maria, A. (1997). Simulation Optimization: Methods and Applications. *Proceedings of the 29<sup>th</sup> Winter Simulation Conference* (pp. 118-126). Atlanta: IEEE Computer Society Washington, DC, USA.

Castro-Lacouture, D., Sefair, J., Flórez, L., & Medaglia, A. (2009). Optimization model for the selection of materials using a LEED-based green building rating system in Colombia. *Building and Environment* 44(6), 1162-1170.

Ceylan, H., & Myers, G. (1980). Long-time solutions to heat conduction transients with time-dependent inputs. *ASME Journal of Heat Transfer* 102(1), 115-120.

Chen, Q., & Van der Kooi, J. (1988). Accuracy: A Computer Program for Combined Problems of Energy Analysis, Indoor Airflow, and Air Quality. *ASHRAE Transactions*, 94 (2), 196-214.

Chen, Q., Peng, X., & Van Passen, A. (1995). Prediction of room thermal response by CFD technique with conjugate heat transfer and radiation models. *ASHRAE Transaction* 101, 50-60.

Childs, K., Argeles, C., Henderson, H., Horst, S., & Malin, N. (2006). *Indoor Air Quality: Interior Design and Global Impacts*. Washington DC: American Society of Interior Designers.

Clarke, J. (2001). *Energy Simulation in Building Design* (2<sup>nd</sup> ed.). Oxford: Butterworth-Heinemann.

Cofaigh, E., Fitzgerald, E., Alcock, R., McNicholl, A., Peltonen, V., & Marucco, A. (1999). *A Green Vitruvius: Principles and Practice of Sustainable Architecture Design* (1<sup>st</sup> ed.). London: James & James (Science Publishers).

*Commercial Buildings Energy Consumption Survey (2003).* Washington, DC: Energy Information Administration, U.S. Department of Energy.

Crawley, D., Lawrie, L., Frederick, C., Winkelmann, C., Buhl, W., Huang, Y., . . . Glazer, J. (2001). EnergyPlus: creating a new-generation building energy simulation program. *Energy and Buildings* 33(4), 319-331.

Crawley, D., Hand, J., Kummert, M., & Griffith, B. (2005). *Contrasting the capabilities of building energy performance simulation programs.* Washington DC: U.S. Department of Energy.

D'Angelo, J., & West, D. (2000). *Mathematical thinking: Problem solving and proofs.* London: Prentice-Hall.

Dar, J. (2017). *Core concepts in MATLAB Programming.* lulu.

D'Cruze, N., & Radford, A. (1987). A multi-criteria model for building performance and design. *Building and Environment* 22(3), 167-179.

Deardorff, J. (1970). A numerical study of three-dimensional turbulent channel flow at large Reynolds numbers. *Journal of Fluid Mechanics.* 41 (2), 453–480.

Djunaedy, E., Hensen, J., & Loomans, M. (2003). Towards external coupling of building energy and airflow modeling programs. *ASHRAE Transactions* 109(2), 771-787.

Djunaedy, E., Hensen, J., & Loomans, M. (2004). Selecting an appropriate tool for airflow simulation in buildings. *Building Services Engineering Research and Technology* 25(3), 269–278.

Djundaedy, E. (2005). *External coupling between building energy simulation and computational fluid dynamics (PhD Thesis).* Eindhoven: Technische University Eindhoven.

Ellis, P., Griffith, N., Torcellini, P., & Crawley, D. (2006). Automated multivariate optimization tool for energy analysis. *Proceedings of the 2<sup>nd</sup> National IBPSA-USA Conference* (pp. 42-48). Cambridge: SimBuild2006.

*Energy Technology Perspectives* (2016). Paris: International Energy Agency/The Organisation for Economic Co-operation and Development.

*EnergyPlus Engineering Reference* (2013). Washington, DC: US Department of Energy.

*ESP-r Whole Building Simulation Tool Overview.* (2011). Retrieved from [http://www.esru.strath.ac.uk/Programs/ESP-r\\_overview.htm](http://www.esru.strath.ac.uk/Programs/ESP-r_overview.htm)

Fan, Y., & Ito, K. (2014). Optimization of indoor environmental quality and ventilation load in office space by multilevel coupling of building energy simulation and computational fluid dynamics. *Building Simulation* 7(6), 649–659.

- Fesanghary, M., Asadi, S., & Geem, Z. (2012). Design of low-emission and energy efficient residential buildings using a multi-objective optimization algorithm. *Building and Environment* 49, 245-250.
- Feustel, H., & Sherman, M. (1989). A Simplified Model for Predicting Air Flow in Multizone Structures. *Energy and Buildings* 13(3), 217-230.
- Feustel, H., & Dieris, J. (1992). A survey on air flow models for multizone structures. *Energy and Buildings* 18(2), 79-100.
- Feustel, H. (1998). *COMIS — An International Multizone Air-Flow and Contaminant Transport Model*. Berkeley: Lawrence Berkeley National Laboratory.
- Fonseca, C., & Flemming, P. (1998). Multi-objective optimization and multiple constraints handling with evolutionary algorithms - part 1: A unified formulation. *IEEE Transactions on Systems, Man and Cybernetics, Part A* 28(1), 26-37.
- Gan, G. (1995). Evaluation of room air distribution systems using computational fluid dynamics. *Energy & Buildings* 23(2), 83-93.
- Gatski, T., Hussaini, M., & Lumley, J. (1996). *Simulations and Modeling of Turbulent Flows*. New York: Oxford University Press.
- Gebremedhin, K., & Wu, B. (2003). Characterization of flow field in a ventilated space and simulation of heat exchange between cows and their environment. *Journal of Thermal Biology* 28(4), 301–319.
- Gilani, S., Montazeri, H., & Blocken, B. (2016). CFD simulation of stratified indoor environment in displacement ventilation: Validation and sensitivity analysis. *Building & Environment* 95, 299-313.
- Global Status Report* (2016). Paris: Global Alliance for Buildings and Construction.
- Goldberg, D. (1989). *Genetic Algorithms in Search, Optimization and Machine Learning* (1<sup>st</sup> ed.). London: Addison-Wesley.
- Gupta, C. (1970). A systematic approach to optimum thermal design. *Building Science* 5(3-4), 165-173.
- Gupta, C., & Spencer, J. (1970). Building design for optimum thermal performance. *Australia Refrigeration, Air-conditioning and Heating*, 18-25.
- Han, Y., Liu, X., & Chang, L. (2014). Comparison of software for building energy simulation. *Journal of Chemical and Pharmaceutical Research* 6(3), 467-471.
- Hasan, A., Vuolle, M., & Siren, K. (2008). Minimisation of life cycle cost of a detached house using combined simulation and optimisation. *Building and Environment*, 2022-2034.

*Healthy Housing Reference Manual* (2006). Washington DC: United States Department of Health and Human Services.

Hooke, R., & Jeeves, T. (1961). Direct search solution of numerical and statistical problems. *Journal of the Association for Computing Machinery* 8(2), 212-229.

Hoskins, J. (2003). Health Effects due to Indoor Air Pollution. *Indoor and Built Environment* 12(6), 427-433.

*International Energy Outlook* (2016). Washington, DC: Energy Information Administration, U.S. Department of Energy.

*ISO 16000-1:2004: Indoor air - Part 1: General aspects of sampling strategy*. ISO.

Jacobsen, T., & Nielsen, P. (1993). Numerical modeling of thermal environment in a displacement-ventilated room. *Proceedings of the 6<sup>th</sup> International Conference on Indoor Air Quality and Climate* (pp. 301-306). Helsinki: Indoor Air '93.

Jagemar, L. (1996). *Design of energy efficient buildings*. Goteborg: PhD thesis.

Jedrzejuk, H., & Marks, W. (2002). Optimization of shape and functional structure of buildings as well as heat source utilization. *Building and Environment* 37(11), 1037-1043.

Kämpf, J., & Robinson, D. (2009). A hybrid CMA-ES and HDE optimisation algorithm with application to solar energy potential. *Applied Soft Computing* 9(2), 738-745.

Kämpf, J., Wetter, M., & Robinson, D. (2010). A comparison of global optimisation algorithms with standard benchmark functions and real-world applications using EnergyPlus. *Journal of Building Performance Simulation* 3(2), 103-120.

Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization. *Proceedings of the IEEE international conference on neural networks IV* (pp. 1942–1948). Piscataway: IEEE.

Khalil, E. (2014). *Air Distribution in Buildings* (1<sup>st</sup> ed.). New York: Talor & Francis Group.

Knebel, D. (1983). *Simplified Energy Analysis Using the Modified Bin Method*. Atlanta, GA: American Society of Heating, Refrigerating and Air-Conditioning Engineers.

Knipe, E., & Day, T. (1986). Building energy simulation:Looking before you leap. *J. Property Mnt.*, 19-22.

- Kumar, A., Ashutosh, S., & Sodha, M. (1989). Optimum distribution of insulation over various components of an air-conditioned building. *Building and Environment* 24(2), 169-178.
- Kusuda, T. (2001). Early history and future prospects of building system simulation. *Proceedings of the Building Simulation '99* (pp. 3-15). Kyoto: IBPSA.
- Launder, B., & Spalding, D. (1974). The numerical computation of turbulent flows. *Computer Methods in Applied Mechanics and Engineering* 3(2), 269-289.
- Li, K., Pan, L., Xue, W., Jiang, H., & Mao, H. (2017). Multi-Objective Optimization for Energy Performance Improvement of Residential Buildings: A Comparative Study. *Energies* 10(2), 245.
- Lin, Z., Chow, T. T., Fong, K., & Liu, J. (2000). CFD Simulation of concentration of gaseous impurities in a typical Hong Kong industrial workshop. *Proceedings of ROOMVENT 2000* (pp. 167-172). Reading, UK: ROOMVENT 2000.
- Lomas, K. (1996). The UK Applicability Study: An evaluation of thermal simulation programs for passive solar house design. *Building and Environment* 31, 197-206.
- Lombard, L., Ortiz, J., & Pout, C. (2008). A review on buildings energy consumption information. *Energy and Buildings* 40(3), 394-398.
- Loomans, M. (1998). *The measurement and simulation of indoor air flow (PhD Thesis)*. Eindhoven: Eindhoven University of Technology.
- Loutzenhisser, P., Manz, H., Moosberger, S., & Maxwell, G. (2009). An empirical validation of window solar gain models and the associated interactions. *International Journal of Thermal Sciences* 48(1), 85-95.
- Lucon, O., Ürge-Vorsatz, D., Zain Ahmed, A., Akbari, H., Bertoldi, P., Cabeza, L., . . . Gadgil, L. (2014). Buildings. In O. Edenhofer, R. Pichs-Madruga, Y. Sokona, . . . E. Farahani, S. Kadner, & K. Seyboth, *Climate Change 2014: Mitigation of Climate Change* (pp. 671-738). New York: Cambridge University Press.
- Maile, T., Fischer, M., & Bazjanac, V. (2007). *Building Energy Performance Simulation Tools - A Life-Cycle and Interoperable Perspective*. USA: Stanford University.
- Malkawi, A., & Augenbroe, G. (2003). *Advanced Building Simulation*. New York: Spon Press.
- Menter, F. (1994). Two-equation eddy-viscosity turbulence models for engineering applications. *AIAA Journal* 32(8), 1598-1605.
- Mitchell, R., & Kaplan, J. (1968). Non-linear constrained optimization by a non-random complex method. *Journal of Research of the National Bureau of Standards* 72C (4), 249-258.

- Mumovic, D., & Santamouris, M. (2009). *A Handbook of Sustainable Building Design and Engineering: An Integrated Approach to Energy, Health and Operational Performance* (1<sup>st</sup> ed.). London: Earthscan.
- Murakami, S., & Kato, S. (1989). Numerical and experimental study on room airflow - 3-D predictions using the k-ε turbulence model. *Building and Environment*, 24(1), 85-97.
- Murakami, S., Kato, S., & Zeng, J. (1998). Combined simulation of airflow, radiation and moisture transport for heat release from human body. *Proceedings of the 6<sup>th</sup> International conference on air distribution in rooms* (pp. 141-150). Stockholm: ROOMVENT'98.
- Neale, A., Derome, D., Blocken, B., & Carmeliet, J. (2006). CFD calculation of convective heat transfer coefficients and validation – Part 2: Turbulent flow, Annex 41. Kyoto, April 2006.
- Negendahl, K., & Nielsen, T. (2015). Building energy optimization in the early design stages: A simplified method. *Energy and Buildings* 105, 88-99.
- Negrão, C. (1995). *Conflation of computational fluid dynamics and building thermal simulation (PhD thesis)*. Glasgow: University of Strathclyde.
- Negrão, C. (1998). Integration of computational fluid dynamics with building thermal and mass flow simulation. *Energy and Buildings* 27, 155-165.
- Nelder, J., & Mead, R. (1965). A simplex method for function minimization. *The Computer Journal* 7(4), 308-313.
- Nguyen, A. (2013). *Sustainable housing in Vietnam: Climate responsive design strategies to optimize thermal comfort (PhD Thesis)*. Belgique: University of Liege.
- Nguyen, A., Reiter, S., & Rigo, P. (2014). A review on simulation-based optimizationmethods applied to building performance analysis. *Applied Energy* 113, 1043-1058.
- Nielson, P. (1974). *Flow in air conditioned rooms. (Ph.D. Thesis)*. Copenhagen: Technical University of Denmark.
- Nielsen, T. (2002). *Optimization of buildings with respect to energy and indoor environment (PhD Thesis)*. Lyngby: Technical University of Denmark.
- Nielsen, T., & Svendsen, S. (2002). Life cycle cost optimization of buildings with regard to energy use, thermal indoor environment and daylight. *International Journal of Low Energy and Sustainable Buildings* 2, 1-16.
- Palonen, M., Hasan, A., & Siren, K. (2009). A Genetic algorithm of optimization of building envelope and HVAC system parameters. *Proceedings of the 11<sup>th</sup> International IBPSA Conference* (pp. 159-166). Glasgow: IBPSA.

- Palonen, M., Hamdy, M., & Hasan, A. (2013). MOBO A new software for multi-objective building performance optimization. *Proceedings of the 13<sup>th</sup> Conference of International Building Performance Simulation Association* (pp. 2567-2574). Chambery, France: IBPSA.
- Papakonstantinou, K., Kiranoudis, C., & Markatos, N. (2000). Mathematical modelling of environmental conditions inside historical buildings: The case of the Archaeological Museum of Athens. *Energy and Buildings* 31, 211-220.
- Patankar, S. (1980). *Numerical Heat Transfer and Fluid Flow*. Minnesota: Taylor & Francis.
- Peippo, K., Lund, P., & Vartiainen, E. (1999). Multivariate optimization of design trade-offs for solar low energy buildings. *Energy and Buildings* 29(2), 189-205.
- Posner, J., Buchanan, C., & Dunn-Rankin, D. (2003). Measurement and prediction of indoor air flow in a model room. *Energy and Buildings* 35, 515-526.
- Powell, M. (1964). An efficient method for finding the minimum of a function of several variables without calculating derivatives. *The Computer Journal* 7(2), 155-162.
- Rodi, W. (1978). *Turbulence models and their application in hydraulics: A state-of-the art review - SFB 80/T/127*. Baden-Württemberg, Germany: University of Karlsruhe.
- Rosenbrock, H. (1960). An automatic method for finding the greatest or least value of a function. *The Computer Journal* 3(3), 175-184.
- Roy, R., Hinduja, S., & Teti, R. (2008). Recent advances in engineering design optimization: challenges and future trends. *CIRP Annals- Manufacturing Technology* 57(2), 697-715.
- Sahab, M., Toropov, V., & Gandomi, A. (2013). *A review on traditional and modern structural optimization: problems and techniques* (1<sup>st</sup> ed.). Oxford: Elsevier.
- Santamouris, M., Synnefa, A., Assimakopoulos, M., Livada, I., Pavlou, K., & Papaglastra, M. (2008). Experimental investigation of the air flow and indoor carbon dioxide concentration in classrooms with intermittent natural ventilation. *Energy and Buildings* 40(10), 1833-1843.
- Seem, J. (1987). *Modeling of heat transfer in buildings (PhD Thesis)*. Madison: Thesis, University of Wisconsin-Madison.
- Shih, T., Liou, W., Shabbir, A., Yang, Z., & Zhu, J. (1995). A New k- $\epsilon$  Eddy Viscosity Model for High Reynolds Number Turbulent Flows—Model Development and Validation. *Computers Fluids* 24(3), 227-238.

- Skistad, H., Mundt, E., Nielsen, P., Hagström, K., & Railio, J. (2004). *Displacement Ventilation in Non-Industrial Premises*. REHVA Guidebook 1: Brussels.
- Speziale, C., Sarkar, S., & Gatski, T. (1991). Modelling the pressure-strain correlation of turbulence : an invariant dynamical systems approach. *Journal of Fluid Mechanics* 227, 245-272.
- Spitler, J., Pedersen, C., Fisher, D., Menne, P., & Cantillo, J. (1991). An experimental facility for investigation of interior convective heat transfer. *ASHRAE Transactions* 97(1), 497-504.
- Stamou, A., & Katsiris, I. (2006). Verification of a CFD model for indoor airflow and heat transfer. *Building and Environment* 41(9), 1171-1181.
- Su, M., Chen, Q., & Chiang, C. (2001). Comparison of different subgrid-scale models of Large Eddy simulation for indoor airflow modeling. *ASME Transactions* 123, 628-639.
- Suh, W., Park, C., & Kim, D. (2011). Heuristic and meta-heuristic optimization for energy performance of a post office building. *Proceedings of the 12<sup>th</sup> Conference of International Building Performance Simulation Association* (pp. 704-711). Sydney: IBPSA.
- The European Portal for Energy Efficiency in Buildings*. (2010). Retrieved from <http://www.buildup.eu/en/learn/tools/esp-r>
- The Inside Story: A guide to indoor air quality* (1995). Washington DC: United States Environmental Protection Agency.
- Tian, Z., Tu, J., & Yeoh, G. (2006). On the numerical study of contaminant particle concentration in indoor air flow. *Building and Environment* 41, 1504-1514.
- Topp, C., Nielsen, P., & Heiselberg, P. (1999). Modelling Emission from Building Materials with Computational Fluid Dynamics. *Proceedings of the 8<sup>th</sup> International Conference on Indoor Air Quality and Climate* (pp. 737-742). Edinburgh: Aalborg University.
- Transient System Simulation Tool (TRNSYS) 17*. (2012). Retrieved from <https://sel.me.wisc.edu/trnsys/features/t17updates.pdf>
- Tu, J., Yeoh, G., & Liu, C. (2008). *Computational Fluid Dynamics: A Practical Approach*. Oxford: Butterworth-Heinemann.
- Underwood, C., & Yik, F. (2004). *Modelling methods for energy in buildings* (1<sup>st</sup> ed.). London: Blackwell Publishing Ltd.
- Versteeg, H., & Malalasekera, W. (1995). *Computational Fluid Dynamics: The finite volume method*. London: Addison Wesley Longman Ltd.

- Vieser, W., Esch, T., & Menter, F. (2002). *CFX Technical Report: Heat transfer predictions using advanced two-equation turbulence models*. CFX-VAL10/0602.
- Wang, B., Xia, X., & Zhang, J. (2014). A multi-objective optimization model for the life-cycle cost analysis and retrofitting planning of buildings. *Energy and Buildings* 77, 227-235.
- Wang, L., & Chen, Q. (2005). On Solution Characteristics of Coupling of Multizone and CFD Programs in Building Air Distribution Simulation. *Proceedings of the 9<sup>th</sup> International IBPSA Conference* (pp. 1315-1322). Montreal: IBPSA.
- Wang, L. (2007). *Coupling of multizone and CFD programs for building airflow distribution and contaminant transport simulations*. (PhD Thesis). Lafayette: Purdue University.
- Wang, L., & Wong, N. (2008). Coupled simulations for naturally ventilated residential buildings. *Automation in Construction* 17, 386-398.
- Wang, W., Zmeureanu, R., & Rivard, H. (2005). Applying multi-objective genetic algorithms in green building design optimization. *Building and Environment* 40(11), 1512-1525.
- Wargocki, P. (2009). Ventilation, thermal comfort, health and productivity. In D. Mumovic, & M. Santamouris, *A handbook of sustainable building design and engineering: An integrated approach to energy, health and operational performance*. London: Earthscan.
- Wetter, M., & Wright, J. (2004). Comparison of deterministic and probabilistic optimization algorithms for non-smooth simulation-based optimization. *Building and Environment* 39(8), 989-999.
- Wetter, M. (2009). *GenOpt Generic Optimization Program User Manual v. 3.0.0*, Technical Report LBNL-5419. Berkeley: Lawrence Berkeley National Laboratory.
- Wetter, M. (2011). *GenOpt 3.1.0: Generic Optimization Program User Manual*. Berkeley: Lawrence Berkeley National Laboratory.
- Wigginton, M., & Harris, J. (2002). *Intelligent Skins* (1<sup>st</sup> ed.). Oxford: Butterworth-Heinemann.
- Wilcox, D. (1988). Reassessment of the Scale-Determining Equation for Advanced Turbulence Models. *AIAA Journal* 26, 1299-1310.
- Wilcox, D. (1998). *Turbulence modeling for CFD*. La Cañada, California: DCW Industries.
- Wilson, J., & Templeman, A. (1976). An approach to the optimum thermal design of office buildings. *Building and Environment* 11(1), 39-50.

- World Health Organization.* (2018). Retrieved from Global Health Observatory (GHO) data: Mortality from household air pollution [http://www.who.int/gho/phe/indoor\\_air\\_pollution/burden/en/](http://www.who.int/gho/phe/indoor_air_pollution/burden/en/)
- Wu, F., Jacobs, D., Mitchell, C., Miller, D., & Karol, M. (2007). Improving Indoor Environmental Quality for Public Health: Impediments and Policy Recommendations. *Environmental Health Perspectives* 115(6), 953-957.
- Xing, H., Hatton, A., & Awbi, H. (2001). A study of the air quality in the breathing zone in a room with displacement ventilation. *Building and Environment* 36, 809-820.
- Xu, W., & Chen, Q. (2001a). A two-layer turbulence model for simulation indoor airflow Part I. Model development. *Energy and Buildings* 33, 613-625.
- Xu, W., & Chen, Q. (2001b). A two-layer turbulence model for simulation indoor airflow Part II. Applications. *Energy and Buildings* 33, 627-639.
- Yakot, V., & Orszag, S. (1986). Renormalization-group analysis of turbulence. *Physical Review Letters* 57(14), 1722–1724.
- Yan, D., & Jiang, Y. (2005). An overview of an integrated building simulation tool-Designer's simulation toolkit (DeST). *Proceedings of the Building Simulation 2005* (pp. 1393-1400). Montreal, Canada: IBPSA.
- Zhai, Z., Chen, Q., Klems, J., & Haves, P. (2001). Strategies for coupling energy simulation and computational fluid dynamics programs. *Proceedings of the 7<sup>th</sup> International IBPSA Conference* (pp. 59-66). Rio de Janeiro, Brazil: IBPSA.
- Zhai, Z., Chen, Q., Haves, P., & Klems, J. (2002). On approaches to couple energy simulation and CFD programs. *Building and Environment* 37(8), 857-864.
- Zhai, Z., & Chen, Q. (2003). Solution characters of iterative coupling between energy simulation and CFD programs. *Energy and Buildings* 35, 493-505.
- Zhai, Z., Gao, Y., & Chen, Q. (2004). Pressure boundary conditions in multi-zone and CFD program coupling. *Proceedings of the 1<sup>st</sup> National IBPSA-USA Conference*. Boulder: SimBuild 2004.
- Zhai, Z., Zhang, Z., Zhang, W., & Chen, Q. (2007). Evaluation of various turbulence models in predicting airflow and turbulence in enclosed environments by CFD: Part-1: summary of prevent turbulence models. *HVAC&R Research* 13(6), 853–870.
- Zhang, R., Lam, K., Yao, S., & Zhang, Y. (2012). Coupled EnergyPlus and CFD for Annual Natural Ventilation Simulation. *Proceedings of the 5<sup>th</sup> National Conference of IBPSA-USA* (pp. 329-336). Madison: Simbuild 2012.

Zhang, W., & Chen, Q. (2000). Large Eddy simulation of indoor airflow with a filtered dynamic subgrid scale model. *International Journal of Heat and Mass Transfer* 43, 3219-3231.

Zuo, W., Wetter, M., Li, D., Jin, M., Tian, W., & Chen, Q. (2014). Coupled simulation of indoor environment, HVAC and control system by using fast fluid dynamics and the Modelica buildings library. *Proceedings of the Building Simulation Conference 2014* (pp. 56-63). Atlanta, GA: Building Simulation Conference 2014.