

REFERENCES

- Archambault, G., Verreault, N., Riss, J. & Gentier, S. (1999). Revisiting Fecker-Rengers - Barton's methods to characterize joint shear dilatancy. *Rock Mechanics for Industry* (eds. Amadei, Kranz, Scotte & Smelie), Balkema (Rotterdam), pp. 187-198.
- Archambault, G., Fortin, M., Gill, D.E., Aubertin, M. and Ladanyi, B. (1990). Experimental investigations for an algorithm simulating the effect of variable normal stiffness on discontinuities shear strength. *Rock Joints* (eds. Barton & Stephansson.), Balkema (Rotterdam), pp. 141-148.
- Asef, M.R. and Reddish, D.J. (2002). "The impact of confining stress on the rock mass deformation modulus", *Geotechnique*, Vol. 52, No.4, pp. 235-241.
- Bandis, S. C. (1990). Mechanical properties of rock joints. *Rock Joints* (eds. Barton & Stephansson), Balkema (Rotterdam), pp. 125-139.
- Bandis, S. C., Lumsden, A. C. & Barton, N. R. (1983). Fundamentals of rock joint deformation. . *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 20, No. 6, pp. 249-268.
- Bandis, S., Lumsden, A.C. and Barton, N.R. (1981). Experimental studies of scale effects on the shear behaviour of rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 18, pp. 1-21.
- Barla, G., Forlati, F. and Zaninetti, A. (1985). Shear behaviour of filled discontinuities. *Proc. Int. Symp. on Fundamentals of Rock Joints, Bjorkliden*, 163-172.
- Barton, N. & Bandis, S. (1990). Review of predictive capabilities of JRC-JCS model in engineering practice. *Rock Joints* (eds. Barton & Stephansson), Balkema (Rotterdam), pp. 603-610.
- Barton, N.R. (1986). Deformation phenomena in jointed rock. *Geotechnique*, Vol. 36, No.2, pp. 147-167.

- Barton, N. (1976). Rock mechanics review, the shear strength of rock and rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 13, pp. 255-279.
- Barton, N. (1974). Review of shear strength of filled discontinuities in rock. Publication No. 105. Oslo: Norwegian Geotechnical Institute, 38p.
- Barton, N. (1973). Review of a new shear strength criterion for rock joints. *Engineering geology*, Vol. 7, pp. 287-332.
- Barton, N., Bandis, S. and Bakhtar, K. (1985). Strength, deformation and conductivity coupling of rock joints. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr.*, Vol. 22, No. 3, pp. 121-140.
- Barton, N. and Choubey, V. (1977). The shear strength of rock joints in theory and practice. *Rock Mechanics*, Vol. 10, pp. 1-54.
- Benmokrane, B. and Ballivy, G. (1989). Laboratory study of shear behaviour of rock joints under constant normal stiffness conditions. *Rock Mechanics as a Guide for Efficient Utilization of Natural Resources* (ed. Khair), Balkema (Rotterdam), pp. 899-906.
- Bertacchi, P., Zaninetti, A., Barla, G. and Forlati, F. (1986). Laboratory tests on the shear behaviour of filled discontinuities. *Proc. Int. Symp. on Engineering in Complex Rock Formation, Beijing, China*, pp. 262-270.
- Brady, B.H.G. and Brown, E.T. (1993). *Rock mechanics for underground mining 2nd ed*). Chapman & Hall, 571p.
- Brown, E. T. (2004). The mechanics of discontinua: engineering in discontinuous rock masses. John Jaeger Memorial Lecture, *Proc. 9th Australia New Zealand Conf. on Geomechs, Auckland*, Vol. 1, pp. 51-72.
- Brown, E.T. (1993). The nature and fundamentals of rock engineering. *Comprehensive Rock Engineering* (eds. Hudson, J.A., Brown, E.T., Fairhurst, C. and Hoek, E.), Pergamon (Oxford), Vol. 1, pp. 1-23.



- Brown, E.T. (1991). Strength models of rock with intermittent joints. *Journal of Soil Mechanics and Foundations Divisions*, ASCE, New York, Vol. 96, pp. 1935-1949.
- Chappell, B.A. (1975). Friction characteristic of graphite coated bedding joints in shale. *Int. J. Rock Mech. Min. Sci. & Geomech Abstr.*, Vol. 12, pp. 33-39.
- Cheng, F., Haberfield, C.M. and Seidel, J.P. (1996). Laboratory study of bonding and wall smear in rock socketed piles. *Proc. 7th ANZ Conf. on Geomechanics, Adelaide*, pp. 69-74.
- Chong, K.P., Harkins, J.S., Kuruppu, M.D. and Leskinen, A.I. (1987). Strain rate dependent mechanical properties of western oil shale. *Proc. 28th US Symp. Rock Mech., Tucson*, pp. 157-164.
- Charles, J.A. and Watts, K.S. (1980). The influence of confining pressure on the shear strength of compacted rockfill. *Géotechnique*, Vol. 30, No 4, pp. 353-367.
- Clark, J.I. and Mayerhof, G.G. (1972). The behaviour of piles driven in clay. An investigation of soil stress and pore pressure as related to soil properties. *Can. Geotech. J.*, Vol. 9, pp. 351-373.
- Cooray, P.G. (1961). Geology of the country around Rangala. *Ceylon Department of Mineralogy Memoir*, Vol. 2, 138p.
- Cooray, P.G. (1978). Geology of Sri Lanka. *Regional Conference on Geology and Mineral Resources of SE Asia, Bangkok, Thailand*, pp. 14-18.
- Cooray, P.G. (1983). Small-scale mining of graphite in SW Sri Lanka. *AGID News*. No. 34, pp. 4-8.
- Crawford, A.M. and Curran, J.H. (1981). The influence of shear velocity on the frictional resistance of rock discontinuities. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 18, pp. 505-515.
- Curran, J.H. and Leong, P.K. (1983). Influence of shear velocity on rock joint strength. *5th Int. Cong. Rock Mech., ISRM, Melbourne*, Vol. 1, pp. 235-240.

- de Toledo, P.E.C. & de Freitas, M.H. (1993). Laboratory testing and parameters controlling the shear strength of filled rock joints. *Géotechnique*, Vol. 43, No 1, pp. 1-19.
- de Toledo, P.E.C. & de Freitas, M.H. (1995). The peak shear strength of filled joints. *Fractured and Jointed Rock Masses* (eds. Myer, Cook, Goodman & Tsang), Balkema (Rotterdam), pp. 385-391.
- Dinalankara, D.M.S.K. and Dissanayake C.B. (1988). The geological setting of some major graphite deposits of Sri Lanka. *Journal of the Geological Society of Sri Lanka*. Vol. 1, pp. 18-25.
- Dissanayake, C.B. (1981). The origin of graphite of Sri Lanka. *Organic Geochemistry*, Vol. 3, pp. 1-7.
- Dissanayake, C.B. and Munasinghe, T. (1985). Reconstruction of the Precambrian sedimentary basin in the granulite belt of Sri Lanka. *Chemical geology*. Vol. 47, pp. 221-247.
- Donath, F.A., Fruth, L.S. and Olsson, W.A. (1972). Experimental study of frictional properties of faults. *Proc. 14th Symp. Rock Mech., Uni. Park, Penn., USA*, pp. 189-222.
- Duncan, J.M. and Chang, C.Y. (1970). Nonlinear analysis of stress and strain in soils. *J. Soil Mech. & Foundation Div., ASCE*, Vol. 96, No.5, pp. 1629 - 1653.
- Ehrle, H. (1990). Model material for shear tests of filled joints. *Mechanics of Jointed and Faulted Rock* (ed. Rossmannith), Balkema (Rotterdam), pp. 371-374.
- Eurenius, J. and Fagerstrom, H. (1969). Sampling and testing of soft rock with weak layers. *Geotechnique*, Vol.19, No. 1, pp. 133-139.
- Giuseppe, B. (1970). The shear strength of some rocks by laboratory tests. *Proc. 2nd Cong. ISRM, Belgrade*, Vol.2, pp. 3-24.
- Goodman, R.E. (1976). *Methods in Geological Engineering in Discontinuous Rock*. West Publishing company, St Paul. 472p.

- Goodman, R.E. (1970). The deformability of joints. *Determination of the insitu modulus of deformation of rocks*. Special Technical publication (ASTM), No. 477, Philadelphia: American Society for Testing and Materials, pp. 174-196.
- Haberfield, C.M. and Seidel, J.P. (1998). Some recent advances in the modelling of soft rock joints in direct shear. *Proc. Int. Conf. Geomech./Ground Control in Mining & Underground Construction, Wollongong* (eds. Aziz, N. & Indraratna, B), Vol. 1, pp. 71-84.
- Haberfield, C.M. and Johnston, I.W. (1994). A mechanistically based model for rough rock joints. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr.*, Vol. 31, No. 4, pp. 279-292.
- Haque, A. (1999). *Shear behaviour of soft rock joints under constant normal stiffness*. PhD thesis, University of Wollongong, Australia.
- Hatzor, Y.H. and Levin, M. (1997). The shear strength of clay-filled bedding planes in limestones-back analysis of a slope failure in a phosphate mine, Israel. *J. Geotechnical & Geological Engineering*, Vol. 15, pp. 263-282.
- Hencher, S.R. and Richards, L.R. (1989). Laboratory direct shear testing of rock discontinuities. *Ground Engineering*, pp. 24-31.
- Heuze, F.E. and Barbour, T.G. (1982). New models for rock joints and interfaces. *J. Geotech. Eng. Div., ASCE*, Vol. 108, No. GT5, pp. 757-776.
- Hoek, E. (1990). Estimating Mohr-Couloumb friction and cohesion values from the Hoek-Brown failure criterion. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 27, pp. 227-229.
- Hoek, E. (1983). Strength of jointed rock masses. *Geotechnique*, Vol. 33, No. 3, pp. 187-223.
- Hoek, E. and Brown, E.T. (1980). *Underground excavation in rock*. The Institution of Mining & Metallurgy, England.

- Hoek, E. (1977). Rock mechanics laboratory testing in the context of a consulting engineering organisation. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 14, pp. 93-101.
- Indraratna, B. and Welideniya, H.S. (2003). Shear behaviour of graphite infilled joints based on Constant Normal Stiffness (CNS) test conditions. *Proc. 10th Congr., Int. Soc. Rock Mech. – Technology roadmap for rock mechanics, Johannesburg*, Vol. 1, pp. 569-574.
- Indraratna, B. & Haque, A. (2000). *Shear behaviour of rock joints*. Balkema (Rotterdam), 164p.
- Indraratna, B., Haque, A. and Aziz, N. (1999). Shear behaviour of idealised joints under constant normal stiffness. *Géotechnique*, Vol. 49, No.3, pp. 331-355.
- Indraratna, B., Haque, A. & Aziz, N. (1998). Laboratory modelling of shear behavior of soft Joints under constant normal stiffness condition. *Geotechnical & Geological Engineering*, Vol. 16, pp. 17-44.
- Indraratna, B., Haque, A. and Aziz, N. (1997). Shear behaviour of soft joints using large-sacle shear apparatus. *Environmental and safety concerns in underground constructions- Proc. 1st Asian Rock Mech. Symp (ARMS'9)* (eds. Lee, H., Hyung-Sik, Y. & So-Keul, C.), Balkema (Rotterdam), Vol. 1, pp. 421-426.
- Indraratna, B., Herath, B. & Aziz, N. (1995). Characterization of surface roughness and its implications on the shear behaviour of joints. *Mechanics of jointed and faulted rock* (ed. H.P.Rossmannith), Balkema (Rotterdam), pp. 515-520.
- Indraratna, B. (1990). Development and applications of a synthetic material to simulate soft sedimentary rocks. *Géotechnique*, Vol. 40, No. 2, pp. 189-200.
- Jaeger, J.C. and Cook, N.G.W. (1979). *Fundamentals of Rock Mechanics, 3rd Edition*. Chapman and Hall, London.
- Johnston, I.W. and Lam, T.S.K. (1989). Shear behaviour of regular triangular concrete/rock joints-analysis. *J. Geotech. Eng., ASCE*, Vol. 115, No. 5, pp. 711-727.

- Johnston, I.W., Lam, T.S.K. and Williams, A.F. (1987). Constant normal stiffness direct shear testing for socketed pile design in weak rock. *Geotechnique*, Vol. 37, No. 1, pp. 83-89.
- Johnston, I.W. and Choi, S.K. (1986). A synthetic soft rock for laboratory model studies. *Geotechnique*, Vol. 36, No. 1, pp. 251-263.
- Julian P. Seidel. & Chris M. Haberfield. (2002). A theoretical model for rock joints subjected to constant normal stiffness direct shear. *International Journal of Rock Mechanics & Mining Sciences*, Vol. 39, pp. 539-553.
- Kanji, M.A. (1974). Unconventional laboratory tests for the determination of the shear strength of soil-rock contacts. *Proc. 3rd Congr. Int. Soc. Rock Mech., Denver*, Vol. 2, pp. 241-247.
- Katz, M.B., (1987). Graphite deposits of Sri Lanka; a consequence of granulite facies metamorphism. *Mineral Deposits*, Vol. 22, pp. 18-25.
- Katz, M.B. (1971). Precambrian metamorphic rocks of Ceylon. *Geologischen Rundschau*, Vol. 60, pp. 1523-1549.
- Kehelpannala, K.V.W. (1995). Origin of vein graphite in Sri Lanka – another view. *Handbook on Geology and Mineral Resources of Sri Lanka* (ed. Dahanayake, K). GEOSAS-II, Colombo, Sri Lanka, pp. 95-103.
- Kodikara, J.K. & Johnston, I.W. (1994). Shear behaviour of irregular triangular rock-concrete joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 31, No. 4, pp. 313-322.
- Kulatilake, P.H.S.W., Shou, G., Huang, T.H. and Morgan, R.M. (1995). New peak shear strength criteria for anisotropic rock joints. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr.*, Vol. 32, No. 7, pp. 673-697.
- Kulatilake, P.H.S. (1992). Joint network modelling and some scale effects in rock masses. *J. of Geomechanics*, Balkema (Rotterdam), Vol. 91, pp. 139-151.

- Kutter, H.K. and Rautenberg, A. (1979). The residual shear strength of filled joints in rock. *Proc. 4th Int. Congr. Rock Mech., Montreux*, Vol. 1, pp. 221-227.
- Ladanyi, B. & Archambault, G. (1977). Shear strength and deformability of filled indented joints. *Proc. 1st Int. Symp. Geotechnics of Structurally Complex Formations, Capri*, pp. 317-326.
- Ladanyi, B. and Archambault, G. (1970). Simulation of shear behaviour of a jointed rock mass. *Proc. 11th Symp. on Rock Mechanics, Urbana, Illinois*, Balkema (Rotterdam), pp. 105-125.
- Lam, T.S.K. and Johnston, I.W. (1989). Shear behaviour of regular triangular concrete/rock joints-evaluation. *J. Geotech. Eng., ASCE*, Vol. 115, No. 5, pp. 728-740.
- Lama, R.D. (1978). Influence of clay fillings on shear behaviour of joints. *Proc. 3rd Congr. Int. Assoc. Eng. Geol., Madrid*, Vol. 2, pp. 27-34.
- Lama, R.D. (1975). The concept of creep of jointed rocks and the status of research project A-6. SFB77, Inst. Soil Mech. & Rock Mech., Uni. Karlsruhe, Karlsruhe.
- Leichnitz, W. (1985). Mechanical properties of rock joints. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 22, No. 5, pp. 313-321.
- Lupini, J.F., Skinner, A.E. & Vaughan, P.R. (1981). The drained residual strength of cohesive soils. *Géotechnique*, Vol. 17, No. 2, pp. 181-213.
- Maksimovic, M. (1996). The shear strength components of a rough rock joint. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr.*, Vol. 33, No. 8, pp. 769-783.
- Michael Patrick Allen (1997), Understanding regression analysis, Plenum Publishing Corporation, New York, 216 p.
- Munasinghe, T. and Dissanayake, C.B. (1982). A plate tectonic model for the geologic evolution of Sri Lanka. *Journal of the Geological Society of India*, Vol. 23, pp. 369-380.

- Newland, P.L. and Alley, B.H. (1957). Volume changes in drained triaxial tests on granular materials. *Geotechnique*, Vol. 7, pp. 17-34.
- Nieto, A.S. (1974). *Experimental study of the shear stress-strain behaviour of clay seams in rock masses*. PhD thesis, University of Illinois, USA.
- Obert, L., Brady, B.T. and Schmechel, F.W. (1976). The effect of normal stiffness on the shear resistance of rocks. *Rock Mech. & Rock Eng.*, Vol. 8, pp. 57-72.
- Ohnishi, Y. & Dharmaratne, P. G. R. (1990). Shear behaviour of physical models of rock joints under constant normal stiffness conditions. *Rock Joints, Proc. Int. Conf. on Rock Joints, Loen* (eds. N. R. Barton & O. Stephansson), Balkema (Rotterdam), pp. 267-273.
- Olson, J.A. and Pollard, D.D. (1991). The initiation and growth of en echelon veins. *Journal of Structural Geology*, Vol. 13, pp. 595-608.
- Papaliangas, T., Hencher, S.R., Lumsden, A.C., and Manolopoulou, S. (1993). The effect of frictional fill thickness on the shear strength of rock discontinuities. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 30, No. 2, pp. 81-91.
- Papaliangas, T., Lumsden, A.C., Hencher, S.R. and Manolopoulou, S. (1990). Shear strength of modelled filled rock joints. *Rock Joints* (Barton & Stephansson eds.), Balkema (Rotterdam), pp. 275-282.
- Patton, F. D. (1966). Multiple modes of shear failure in rocks. *Proc. 1st Cong. Int. Soc. Rock Mech., Lisbon*, Vol. 1, pp. 509-513.
- Paulino Pereira, J. (1990a). Shear strength of filled discontinuities. *Proceedings of the International Conference on Rock Joints* (eds. Barton & Stephansson), Balkema (Rotterdam), pp. 283-287.
- Paulino Pereira, J (1990b). Mechanics of filled discontinuities. In *Mechanics of Jointed and Faulted Rock* (ed. Rossmannith), Balkema (Rotterdam), pp. 375-380.
- Pells, P.J.N. and Turner, R.M. (1978). *Theoretical and model studies related to footings and piles on rock*. Uni. Sydney research report R314 (March).



- Pereira, J.P. (1997). Rolling friction and shear behaviour of rock discontinuities filled with sand. *Int. J. Rock Mech. & Min. Sci.*, Vol. 34, paper No. 244. pp. 3-4.
- Phien-wej, N., Shrestha, U. B. & Rantucci, G. (1990). Effect of infill thickness on shear behaviour of rock joints. *Rock Joints, Proc. Int. Conf. on Rock Joints, Loen* (eds. N. R. Barton & O. Stephansson), Balkema (Rotterdam), pp. 289-294.
- Pierce, C. and Nelson Snith, R. (1950). Adsorption-desorptionhysterisis in relation to capillarity of adsorbents. *Journal of Physics & Colloidal Chemistry*, Vol. 54. 748p
- Priest, S. D. (1993). *Discontinuity analysis for rock engineering*. Chapman & Hall, London.
- Ramamurthy, T. (1994). Shear strength response of some geological materials in triaxial compression. *Int. J. Rock Mech. Min. sci. & Geomech. Abstr.*, Vol. 31, No. 1, pp. 9-22.
- Ramamurthy, T. and Arora, V.K. (1994). Strength predictions for jointed rocks in confined and unconfined states. *Int. J. Rock Mech. Min. Sci.*, Vol. 38, No. 1, pp. 683-697.
- Raymond H. Myers (1990), Classical and Modern regression with applications (second edition), PWS-KENT Publishing company, Boston. 488p.
- Rosso, R.S. (1976). A comparison of joint stiffness measurements in direct shear, triaxial compression, and in situ. *International Journal of Rock Mech. Min. Sci. & Geomechanics*, Vol. 13, pp. 167-190.
- Rowe, P.W., Barden, L. and Lee, I.K. (1964). Energy components during triaxial cell and direct shear tests. *Geotechnique*, Vol. 14, pp. 247-261.
- Saeb, S. and Amadei, B. (1990). Modelling joint response under constant or variable normal stiffness boundary conditions (Technical note). *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 27, No. 3, pp. 213-217.
- Saeb, S. and Amadei, B. (1992). Modelling rock joints under shear and normal loading. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, Vol. 29, No.3, pp. 267-278.

- Savage, R.H. (1948). Graphite lubrication. *Journal of applied physics*. Vol. 19.
- Seber G.A.F and Wild C.J. (1989), *Nonlinear regression*, John Wiley & Sons, USA, 768p.
- Siedel, J.P. & Haberfield, C.M. (2002). A theoretical model for rock joints subjected to constant normal stiffness direct shear. *International Journal of Rock Mechanics & Mining Sciences*, Vol. 39, pp. 539-553.
- Siedel, J.P. and Haberfield, C.M. (1995). The application of energy principles to the determination of the sliding resistance of rock joints. *Rock Mech. & Rock Eng.*, Vol. 28, No. 4, pp. 211-226.
- Siedel, J.P. & Haberfield, C.M. (1995). Towards an understanding of joint roughness, *Rock Mechanics and Rock Engineering*, Vol. 28, No 2, pp. 69-92.
- Sinha, U.N. and Singh, B. (2000). Testing of rock joints filled with gouge using a triaxial apparatus. *Int. J. Rock. Mech. Min. Sci.*, Vol. 37, pp. 963-981.
-  University of Moratuwa, Sri Lanka.
Sinas, C.A., Bandis, S.C. and Demiris, C.A. (1990). Experimental investigations andmodelling of rock joint behaviour under constant stiffness. *Rock Joints, Proc. Int. Conf. On Rock Joints, Loen* (eds. N. R. Barton & O. Stephansson), Balkema (Rotterdam), pp. 301-307.
- Spiegel, M.R. (1974). *Theory and problems of Fourier analysis with application to boundary value problems*. Schaum's outline series, McGraw-Hill Inc., 191p.
- Sun, W.H., Zheng, T.M. and Li, M.Y. (1981). The mechanical effect of the thickness of the weak intercalary layers. *Proc. Int. Symp. on weak rocks, Tokyo*, Vol.1, pp. 49-54.
- Summers, R. and Byerlee, J. (1977). A note on the effect of fault gauge composition on the stability of frictional sliding. *Int. J. Rock. Mech. Min. Sci. & Geomech. Abstr.* Vol. 14, pp. 155-160.

- Suorineni, F.T. and Tsidzi, K.E.N. (1990). Geomechanical characteristics of a pulverised infilling material of a shear zone. *Rock Joints* (Barton & Stephansson eds.), Balkema (Rotterdam), pp. 317-321.
- Tulinov, R. and Molokov, L. (1971). Role of joint filling material in shear strength of rocks. *ISRM Symp., Nancy*, Paper II-1 – II-24.
- Van Sint Jan, M.L. (1990). Shear tests of model rock joints under stiff normal loading. *Rock Joints* (Barton & Stephansson eds.), Balkema (Rotterdam), pp. 323-327.
- Wanhe, S. Tiemin, Z. and Mingying, L. (1981). The mechanical effect of the thickness of the weak intercalary layers. *Proc. Int. Symp. on Weak Rock, Tokyo*, pp. 49-54.
- Welideniya H.S. & Buddhima Indraratna (2004). The impact of joint orientation and the confining stress on the shear behaviour of graphite infilled joints. “To the eNZ of the Earth” The 9th Australia New Zealand Conference on Geomechanics, Auckland, New Zealand, pp. 253-259.
- Whittles, D.N. Yasar, E. Reddish, D.J. and Lloyd, P.W. (2002). Anisotropic strength and stiffness properties of some UK Coal Measure siltstones. *Quarterly Journal of Engineering Geology and Hydrogeology*, Vol.35, pp. 155-166.