

References

- Abrahamse, W., & Steg, L. (2009). How do socio-demographic and psychological factors relate to households' direct and indirect energy use and savings? *Journal of Economic Psychology, 30*(5), 711–720.
- Abrahamse, W., Steg, L., Vlek, C., & Rothengatter, T. (2005). A review of intervention studies aimed at household energy conservation. *Journal of environmental psychology, 25*(3), 273–291.
- Aflaki, A., Mahyuddin, N., Al-Cheikh Mahmoud, Z., & Baharum, M. R. (2015). A review on natural ventilation applications through building facade components and ventilation openings in tropical climates. *Energy and Buildings, 101*, 153–162. Retrieved from <http://dx.doi.org/10.1016/j.enbuild.2015.04.033> doi: 10.1016/j.enbuild.2015.04.033
- Agency, E. P. (2014). ENERGY STAR score technical reference. (September), 1–14.
- Al Garni, H., Kassem, A., Awasthi, A., Komljenovic, D., & Al-Haddad, K. (2016). A multicriteria decision making approach for evaluating renewable power generation sources in Saudi Arabia. *Sustainable Energy Technologies and Assessments, 16*, 137–150. Retrieved from <http://dx.doi.org/10.1016/j.seta.2016.05.006> doi: 10.1016/j.seta.2016.05.006
- AlAnzi, A., Seo, D., & Krarti, M. (2009). Impact of building shape on thermal performance of office buildings in Kuwait. *Energy Conversion and Management, 50*(3), 822–828. Retrieved from <http://dx.doi.org/10.1016/j.enconman.2008.09.033> doi: 10.1016/j.enconman.2008.09.033
- Alwetaishi, M. (2017). Impact of glazing to wall ratio in various climatic regions: A case study. *Journal of King Saud University - Engineering Sciences*, 1–13. Retrieved from <http://linkinghub.elsevier.com/retrieve/pii/S1018363916300381> doi: 10.1016/j.jksues.2017.03.001
- Andersen, R., Toftum, J., Andersen, K., & Olesen, B. (2009). Survey of occupant behaviour and control of indoor environment in danish dwellings. *Energy and Buildings, 41*(1), 11–16.

- ASHRAE. (n.d.). *ASHRAE Building Energy Quotient (bEQ)*. Retrieved 2016-08-15, from <http://buildingenergyquotient.org/index.html>
- ASHRAE. (2010). ANSI/ASHRAE Standard 55-2010. , 2010, 42. Retrieved from <http://shop.iccsafe.org/media/wysiwyg/material/8950P219-sample.pdf> doi: ISSN1041-2336
- ASHRAE. (2017). ANSI/ASHRAE Standard 55-2017 Thermal Environmental Conditions for Human Occupancy. , 2017, 42. doi: ISSN1041-2336
- Ballarini, I., & Corrado, V. (2009). Application of energy rating methods to the existing building stock: Analysis of some residential buildings in Turin. *Energy and Buildings*, 41(7), 790–800. doi: 10.1016/j.enbuild.2009.02.009
- Bambrook, S. M., Sproul, A. B., & Jacob, D. (2011). Design optimisation for a low energy home in Sydney. *Energy and Buildings*, 43(7), 1702–1711. Retrieved from <http://dx.doi.org/10.1016/j.enbuild.2011.03.013> doi: 10.1016/j.enbuild.2011.03.013
- Benoit, C., & Mazijn, B. (2009). Guidelines for social life cycle assessment of products: a social and socio-economic lca code of practice complementing environmental lca and life cycle costing, contributing to the full assessment of goods and services within the context of sustainable development.
- Berkhout, P. H. G., Muskens, J. C., & W. Velthuijsen, J. (2000). Defining the rebound effect. *Energy Policy*, 28(6-7), 425–432. doi: 10.1016/S0301-4215(00)00022-7
- Bichiou, Y., & Krarti, M. (2011). Optimization of envelope and HVAC systems selection for residential buildings. *Energy and Buildings*, 43(12), 3373–3382. Retrieved from <http://dx.doi.org/10.1016/j.enbuild.2011.08.031> doi: 10.1016/j.enbuild.2011.08.031
- Bletterie, B., Goršek, A., Abart, A., Heidl, M., Alet, P.-J., Baccaro, F., ... Yang, G. (2011). Quantification, challenges and outlook of pv integration in the power system: a review by the european pv technology platform a. (February 2016), 2937–2943.
- Botti, L., & Peypoch, N. (2013). Multi-criteria electre method and destination competitiveness. *Tourism Management Perspectives*, 6, 108–113.
- Brans, J.-P., Vincke, P., & Mareschal, B. (1986). How to select and how to rank projects: The promethee method. *European journal of operational research*, 24(2), 228–238.
- BRE. (2014). SAP 2012 The Government ' s Standard Assessment Procedure for Energy Rating of Dwellings. *Energy*(March), 174. Retrieved from <http://www.bre.co.uk/filelibrary/SAP/2009/SAP-2009{ }9-90.pdf> doi: 10

- .1007/s13398-014-0173-7.2
- Bre, F., Silva, A. S., Ghisi, E., & Fachinotti, V. D. (2016). Residential building design optimisation using sensitivity analysis and genetic algorithm. *Energy and Buildings*, 133, 853–866. Retrieved from <http://dx.doi.org/10.1016/j.enbuild.2016.10.025> doi: 10.1016/j.enbuild.2016.10.025
- Caird, S., Roy, R., & Herring, H. (2008). Improving the energy performance of UK households: Results from surveys of consumer adoption and use of low- and zero-carbon technologies. *Energy Efficiency*, 1(2), 149–166. doi: 10.1007/s12053-008-9013-y
- California Energy Commission. (2010). Efficiency Standards for Residential and Nonresidential Buildings. (December 2008), 169.
- Carlucci, S., Bai, L., de Dear, R., & Yang, L. (2018). Review of adaptive thermal comfort models in built environmental regulatory documents. *Building and Environment*, 137(2018), 73–89.
- Carrico, A. R., Vandenberghe, M. P., Stern, P. C., & Gardner, G. T. (2011). Energy and climate change: key lessons for implementing the behavioral wedge. *Geo. Wash. J. Energy & Envtl. L.*, 2, 61.
- Cartelle Barros, J. J., Lara Coira, M., de la Cruz López, M. P., & del Caño Gochi, A. (2015). Assessing the global sustainability of different electricity generation systems. *Energy*, 89, 473–489. doi: 10.1016/j.energy.2015.05.110
- Caruso, G., & Kämpf, J. H. (2015). Building shape optimisation to reduce air-conditioning needs using constrained evolutionary algorithms. *Solar Energy*, 118, 186–196. doi: 10.1016/j.solener.2015.04.046
- Ceylon Electricity Board. (2015). *Long Term Generation Expansion Plan 2015-2034* Ceylon Electricity Board (No. July). Retrieved from <http://pucsl.gov.lk/english/wp-content/uploads/2015/09/Long-Term-Generation-Plan-2015-2034-PUCSL.pdf>
- Chang, Y.-H., & Yeh, C.-H. (2001). Evaluating airline competitiveness using multiattribute decision making. *Omega*, 29(5), 405–415.
- Chitnis, M., Sorrell, S., Druckman, A., Firth, S. K., & Jackson, T. (2013). Turning lights into flights: Estimating direct and indirect rebound effects for UK households. *Energy Policy*, 55, 234–250. Retrieved from <http://dx.doi.org/10.1016/j.enpol.2012.12.008> doi: 10.1016/j.enpol.2012.12.008
- Chua, K. J., & Chou, S. K. (2010). Energy performance of residential buildings in Singapore. *Energy*, 35(2), 667–678. Retrieved from <http://dx.doi.org/10.1016/j.energy.2010.03.030> doi: 10.1016/j.energy.2010.03.030

- 10.1016/j.energy.2009.10.039 doi: 10.1016/j.energy.2009.10.039
- CIBSE. (2013). *Lighting Guide 9: Lighting for communal residential buildings*. Retrieved from <https://www.prospectmagazine.co.uk/magazine/who-are-we>
- Daniel, L., Soebarto, V., & Williamson, T. (2015). House energy rating schemes and low energy dwellings: The impact of occupant behaviours in Australia. *Energy and Buildings*, 88, 34–44. Retrieved from <http://dx.doi.org/10.1016/j.enbuild.2014.11.060> doi: 10.1016/j.enbuild.2014.11.060
- Del Cano, A., Gomez, D., & De La Cruz, M. P. (2012). Uncertainty analysis of sustainable design of concrete structures. *Construction and building materials*, 2012(37), 865–873.
- Department of Census and Statistics. (2012). *Census of Population and Housing* (Tech. Rep.). Retrieved from <http://www.statistics.gov.lk/pophousat/cph2011/pages/activities/reports/cph{ }2012{ }5per{ }rpt.pdf>
- Depecker, P., Menezo, C., Virgone, J., & Lepers, S. (2001). Design of buildings shape and energetic consumption. , 36, 627–635.
- Dietz, T. (2010). Narrowing the us energy efficiency gap. *Proceedings of the National Academy of Sciences*, 107(37), 16007–16008.
- Djongyang, N., Tchinda, R., & Njomo, D. (2010). Thermal comfort: A review paper. *Renewable and Sustainable Energy Reviews*, 14(9), 2626–2640. doi: 10.1016/j.rser.2010.07.040
- Druckman, A., & Jackson, T. (2008). Household energy consumption in the uk: A highly geographically and socio-economically disaggregated model. *Energy Policy*, 36(8), 3177–3192.
- Eddy, J., Alspach, P. F., Arens, E. A., Aynsley, R. M., Bean, R., Hartman, T. B., ... Humble, J. (2017). Thermal Environmental Conditions for Human Occupancy. , 2017.
- Edwards, C. (2000). Design rules of thumb for naturally ventilated office buildings in Canada.
- Energistyrelsen. (2014). *Forside*. Retrieved 2016-08-20, from <http://www.maerkdinbygning.dk/>
- Energy Star. (n.d.). *The difference between source and site energy*. Retrieved 2016-08-25, from <http://www.energystar.gov/buildings/facility-owners-and-managers/existing-buildings/use-portfolio-manager/understand-metrics/difference>
- Energy Star. (2014). Technical Reference: ENERGY STAR Score for Multi-

- family Housing in the United States. (November), 1–13. Retrieved from http://www.energystar.gov/buildings/sites/default/uploads/tools/ENERGYScoresforK12Schools_{_}Canada.pdf?6422-e094
- Enova SF. (n.d.). *Energimerking*. Retrieved 2016-09-01, from <http://energimerking.no/>
- Figueira, J., Mousseau, V., & Roy, B. (2005). Electre methods. In *Multiple criteria decision analysis: State of the art surveys* (pp. 133–153). Springer.
- Firth, S., Lomas, K., Wright, A., & Wall, R. (2008). Identifying trends in the use of domestic appliances from household electricity consumption measurements. *Energy and Buildings*, 40(5), 926–936.
- Frontczak, M., & Wargocki, P. (2011). Literature survey on how different factors influence human comfort in indoor environments. *Building and Environment*, 46(4), 922–937. Retrieved from <http://dx.doi.org/10.1016/j.buildenv.2010.10.021> doi: 10.1016/j.buildenv.2010.10.021
- Fuerst, F., McAllister, P., Nanda, A., & Wyatt, P. (2016). Energy performance ratings and house prices in Wales: An empirical study. *Energy Policy*, 92, 20–33. Retrieved from <http://dx.doi.org/10.1016/j.enpol.2016.01.024> doi: 10.1016/j.enpol.2016.01.024
- Gardner, G., & Stern, P. (2002). *Environmental problems and human behavior*. Pearson, Boston.
- Gatersleben, B., & Vlek, C. (1998). Household consumption, quality of life and environmental impacts: A psychological perspective and empirical study. In K. Noorman & A. Uiterkamp (Eds.), (pp. 141–179). Earthscan, London.
- Gaudreau, K. (2013). *Sustainability assessment of energy systems* (Unpublished doctoral dissertation). University of Waterloo.
- Gibson, R. B. (2001). *Specification of sustainability based environmental assessment decision criteria and implications for determining singificance in enviornemental assessment*. Canadian Environmental Assessment Agency Ottawa.
- Gibson, R. B. (2006). Sustainability assessment: basic components of a practical approach. *Impact assessment and project appraisal*, 24(3), 170–182.
- Golden, B. L., Wasil, E. A., & Harker, P. T. (1989). The analytic hierarchy process. *Applications and Studies*, Berlin, Heidelberg.
- Gomez-Mejia, Luis and Balkin, D. (2007). Optimisation of building shape and orientation for better energy efficient architecture. *Journal of Management Development*, 23(7), 635–648. doi: 10.1108/MBE-09-2016-0047
- Hachem, C., Athienitis, A., & Fazio, P. (2011). Parametric investigation of

- geometric form effects on solar potential of housing units. *Solar Energy*, 85(9), 1864–1877. Retrieved from <http://dx.doi.org/10.1016/j.solener.2011.04.027> doi: 10.1016/j.solener.2011.04.027
- Hadian, S., & Madani, K. (2015). A system of systems approach to energy sustainability assessment: Are all renewables really green? *Ecological Indicators*, 52, 194–206. Retrieved from <http://dx.doi.org/10.1016/j.ecolind.2014.11.029> doi: 10.1016/j.ecolind.2014.11.029
- Halwatura, R. (2014). Performance of Insulated Roofs with Elevated Outdoor Conditions Due to Global Warming. *Journal of Environmental Treatment Techniques*, 2(4), 134–142.
- Hammond, R. J. (1966). Convention and limitation in benefit-cost analysis. *Natural resource journal*, 1966(6), 195–222.
- Hensen, J. L. M. (1991). *On the thermal interaction of building structure and heating and ventilating system*. doi: 10.6100/IR353263
- Hinge, A., Cullen, A., Neely, B., & Taylor, C. (2014). Building Energy Rating Schemes Around The World : What Do We Know ? Diversity of Building Energy Rating Schemes. , 140–150.
- Hitchcock, G. (1993). An integrated framework for energy use and behaviour in the domestic sector. *Energy and Buildings*, 20(2), 151–157.
- International Energy Agency. (2010). Energy Performance Certification of Buildings - Policy Pathway. , 64.
- Isachsen, O., Grini, G., & Rode, W. (2010). Implementation of the EPBD in Norway Status in November 2010. (November), 1–12.
- Jato-Espino, D., Rodriguez-Hernandez, V. C., Jand Andres-Valeri, & Ballester-Munoz, F. (2014). A fuzzy stochastic multi-criteria model for the selection of urban pervious pavements. *Expert system applications*, 41(15), 6807–6817.
- Jedrzejuk, H., & Marks, W. (2002). Optimization of shape and functional structure of buildings as well as heat source utilization. Basic theory. *Building and Environment*, 37(12), 1379–1383. doi: 10.1016/S0360-1323(01)00101-9
- Kerkhof, A. C., Benders, R. M., & Moll, H. C. (2009). Determinants of variation in household co₂ emissions between and within countries. *Energy policy*, 37(4), 1509–1517.
- Klein, L., Kwak, J. Y., Kavulya, G., Jazizadeh, F., Becerik-Gerber, B., Varakantham, P., & Tambe, M. (2012). Coordinating occupant behavior for building energy and comfort management using multi-agent systems. *Automation in*

- Construction*, 22, 525–536. Retrieved from <http://dx.doi.org/10.1016/j.autcon.2011.11.012> doi: 10.1016/j.autcon.2011.11.012
- Krüger, E. L., & Rossi, F. A. (2011). Effect of personal and microclimatic variables on observed thermal sensation from a field study in southern Brazil. *Building and Environment*, 46(3), 690–697. Retrieved from <http://dx.doi.org/10.1016/j.buildenv.2010.09.013> doi: 10.1016/j.buildenv.2010.09.013
- Laustsen, J. (2008). Energy Efficiency Requirements in Building Codes , Energy Efficiency Policies for New Buildings. *Buildings*(March), 1–85. Retrieved from <http://www.iea.org/g8/2008/Building{ }Codes.pdf> doi: 10.1.1.378.1012
- Leipziger, D. (2013). Comparing Building Energy Performance Measurement -- A framework for energy efficiency assessment systems. *Chemistry &* Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/cbdv.200490137/abstract>
- Lund, C., & Biswas, W. (2008). A review of the application of lifecycle analysis to renewable energy systems. *Bulletin of Science, Technology & Society*, 28(3), 200–209.
- Mangkuto, R. A., Rohmah, M., & Asri, A. D. (2016). Design optimisation for window size, orientation, and wall reflectance with regard to various daylight metrics and lighting energy demand: A case study of buildings in the tropics. *Applied Energy*, 164, 211–219. Retrieved from <http://dx.doi.org/10.1016/j.apenergy.2015.11.046> doi: 10.1016/j.apenergy.2015.11.046
- Mansouri-Azar, I., Newborough, M., & Probert, D. (1996). Energy consumption in uk domestic households: impact of domestic electrical appliances. *Applied Energy*, 54(1996), 253–257.
- Marks, W. (1997). Multicriteria optimisation of shape of energy-saving buildings. *Building and Environment*, 32(4), 331–339. doi: 10.1016/S0360-1323(96)00065-0
- Masoso, O. T., & Grobler, L. J. (2010). The dark side of occupants' behaviour on building energy use. *Energy and Buildings*, 42(2), 173–177. doi: 10.1016/j.enbuild.2009.08.009
- Mirrahimi, S., Mohamed, M. F., Haw, L. C., Ibrahim, N. L. N., Yusoff, W. F. M., & Aflaki, A. (2016). The effect of building envelope on the thermal comfort and energy saving for high-rise buildings in hot-humid climate. *Renewable and Sustainable Energy Reviews*, 53, 1508–1519. doi: 10.1016/j.rser.2015

.09.055

- Mo, K., Burt, L., Hao, B., Cheng, J., Burr, A., & Kemkar, S. (2010). Comparative Analysis of U . S . and China Building Energy Rating and Labeling Systems China ' s MOHURD Rating and Labeling Program. *ACEEE Summer Study on Energy Efficiency in Buildings*, 256–269.
- Morishita, C., Fossati, M., Ordenes, M., Sorgato, M. J., Versage, R., & Lamberts, R. (2013). *Regulation for energy efficiency labeling of residential buildings of Brazil* (Tech. Rep.). Retrieved from <http://www.buildingrating.org/document/regulation-energy-efficiency-labeling-residential-buildings-brazil>
- NatHERS National Administrator. (2012). Nationwide House Energy Rating Scheme (NatHERS)- Software Accreditation Protocol. (June). Retrieved from <http://www.nathers.gov.au/files/publications/NatHERSSoftwareAccreditationProtocol-June2012.pdf>
- Natural Resources Canada. (2005). *EnerGuide for New Houses Administrative and Technical Procedures* (No. January).
- Neufert, E., & Neufert, P. (n.d.). *Architects' Data* (3rd Editio ed.).
- Nikolopoulou, M., & Steemers, K. (2003). Thermal comfort and psychological adaptation as a guide for designing urban spaces. *Energy and Buildings*, 35(1), 95–101. doi: PiiS0378-7788(02)00084-1\nDoi10.1016/S0378-7788(02)00084-1
- Oral, G. K., & Yilmaz, Z. (2002). The limit U values for building envelope related to building form in temperate and cold climatic zones. *Building and Environment*, 37(11), 1173–1180. doi: 10.1016/S0360-1323(01)00102-0
- Oral, G. K., & Yilmaz, Z. (2003). Building form for cold climatic zones related to building envelope from heating energy conservation point of view. *Energy and Buildings*, 35(4), 383–388. doi: 10.1016/S0378-7788(02)00111-1
- Ourghi, R., Al-Anzi, A., & Krarti, M. (2007). A simplified analysis method to predict the impact of shape on annual energy use for office buildings. *Energy Conversion and Management*, 48(1), 300–305. doi: 10.1016/j.enconman.2006.04.011
- Pohekar, S. D., & Ramachandran, M. (2004). Application of multi-criteria decision making to sustainable energy planning - A review. *Renewable and Sustainable Energy Reviews*, 8(4), 365–381.
- Polatidis, H., Haralambopoulos, D. A., Munda, G., & Vreeker, R. (2006). Selecting an appropriate multi-criteria decision analysis technique for renewable energy planning. *Energy Sources, Part B: Economics, Planning and Policy*,

- 1(2), 181–193. doi: 10.1080/009083190881607
- Poortinga, W., Steg, L., Vlek, C., & Wiersma, G. (2003). Household preferences for energy-saving measures: A conjoint analysis. *Journal of Economic Psychology*, 24(1), 49–64.
- PUCSL. (2011). *Electricity consumption patterns of consumers in sri lanka* (Report). Public Utilities Commission of Sri Lanka.
- Ranasinghe, A. (2011). Study on Requirements of Prospective Electricity Consumers and Fuel (electricity) Poverty & Affordability Conducted by. (April).
- RESNET. (2016). *RESNET HERs Index*. Retrieved 2016-08-13, from <http://www.hersindex.com>
- Rosenthal, H. (2004). *Sustainability assessment and indicator development: The electricity system in dalian, china* (Unpublished master's thesis). University of Waterloo.
- Santoyo-Castelazo, E., & Azapagic, A. (2014). Sustainability assessment of energy systems: Integrating environmental, economic and social aspects. *Journal of Cleaner Production*, 80, 119–138. Retrieved from <http://dx.doi.org/10.1016/j.jclepro.2014.05.061> doi: 10.1016/j.jclepro.2014.05.061
- Seth, S. (2011). BEE Star rating for buildings: An initiative to promote energy efficiency in buildings. *Renewable Energy (Akshay Urja)*, 4(5), 33–35.
- Shmelev, S. E. (2012). Climate change and renewable energy: how to choose the optimal pool of technologies. In *Ecological economics* (pp. 133–153). Springer.
- SLSEA. (2017). *Sri lanka energy balance*. <http://www.info.energy.gov.lk/>. (Accessed: 9 June 2017)
- SLSEA. (2018). *Sri lanka sustainable energy authority*. <http://www.energy.gov.lk>. (Accessed: 29 December 2018)
- Sólnes, J. (2003). Environmental quality indexing of large industrial development alternatives using ahp. *Environmental Impact Assessment Review*, 23(3), 283–303.
- Sonderegger, R. (1978). Movers and styers: the residents contribution to variation across houses in energy consumption for space heating. *Energy and building*, 1(1978), 313–324.
- Sonne, J., & Parker, D. (1998). Measured Ceiling Fan Performance and Usage Patterns : Implications for Efficiency and Comfort Improvement.
- Sri Lanka Sustainable Energy Authority. (2009). Code of practice for energy efficient buildings in Sri Lanka-2008.

- Steg, L. (2008). Promoting household energy conservation. *Energy policy*, 36(12), 4449–4453.
- Steg, L., Dreijerink, L., & Abrahamse, W. (2005). Factors influencing the acceptability of energy policies: a test of vbn theory. *Journal of Environmental Psychology*, 25(4), 415–425.
- Stein, J. R., & Meier, A. (2000). Accuracy of home energy rating systems. *Energy*, 25(January 1999), 339–354. doi: 10.1016/S0360-5442(99)00072-9
- Stern, P. C., Gardner, G. T., Vandenbergh, M. P., Dietz, T., & Gilligan, J. M. (2010). *Design principles for carbon emissions reduction programs*. ACS Publications.
- Strantzali, E., & Aravossis, K. (2016). Decision making in renewable energy investments: A review. *Renewable and Sustainable Energy Reviews*, 55, 885–898. Retrieved from <http://dx.doi.org/10.1016/j.rser.2015.11.021> doi: 10.1016/j.rser.2015.11.021
- Summerfield, A. J., Lowe, R., Bruhns, H., Caeiro, J., Steadman, J., & Oreszczyn, T. (2007). Milton keynes energy park revisited: Changes in internal temperatures and energy usage. *Energy and Buildings*, 39(7), 783–791.
- Sustainable Energy Authority of Ireland. (2015). Building Energy Rating. (February). Retrieved from http://www.seai.ie/Your{_}Building/BER/
- Urban Development Authority. (2005). *Planning and Building Regulations Made Easy* (Tech. Rep.). Urban Development Authority Sri Lanka.
- U.S Energy Information Administration. (2016). *International Energy Outlook 2016* (No. May). Retrieved from <http://www.eia.gov/forecasts/ieo/world.cfm>
- U.S. Green Building Council. (2018). *LEED BD+C: Homes — v4 - LEED v4*. Retrieved 5th February 2018, from <https://www.usgbc.org/credits/homes/v4-draft/eac13>
- Verhallen, T., & Van Raaij, W. (1981). Household behaviour and the use of natural gas. *Journal of Consumer Research*, 8(1981), 253–257.
- Walker, A. (2016). *Natural ventilation: WBDG Whole building design guide*. Retrieved from <http://www.wbdg.org/> doi: 10.1016/S0960-1481(99)00012-9
- Wall, R., & Crosbie, T. (2009). Potential for reducing electricity demand for lighting in households: An exploratory socio-technical study. *Energy Policy*, 37(3), 1021–1031.
- Wang, J.-J., Jing, Y.-Y., Zhang, C.-F., & Zhao, J.-H. (2009). Review on multi-criteria decision analysis aid in sustainable energy decision-making. *Renew-*

- able and sustainable energy reviews*, 13(9), 2263–2278.
- Wang, L., Nyuk, H. W., & Li, S. (2007). Facade design optimization for naturally ventilated residential buildings in singapore. *Energy and Buildings*, 39(8), 954–961.
- Williamson, T., Soebarto, V., Bennetts, H., & Radford, A. (2006). House / Home Energy Rating Schemes / Systems (HERS). *The 23rd Conference on Passive and Low Energy Architecture*(September), 6–8. Retrieved from [http://www.researchgate.net/publication/237548409{ }HouseHome{ }Energy{ }Rating{ }SchemesSystems{ }\(HERS\)](http://www.researchgate.net/publication/237548409{ }HouseHome{ }Energy{ }Rating{ }SchemesSystems{ }(HERS))
- Wong, P. S. P., Lindsay, A., Crameri, L., & Holdsworth, S. (2015). Can energy efficiency rating and carbon accounting foster greener building design decision? An empirical study. *Building and Environment*, 87, 255–264. Retrieved from <http://dx.doi.org/10.1016/j.buildenv.2015.02.006> doi: 10.1016/j.buildenv.2015.02.006
- Wood, G., & Newborough, M. (2002). Dynamic energy consumption indicators for domestic appliances: environment, behaviour and design. *Energy and building*, 35(2002), 821–841.
- Yohanis, Y. G., MOndol, J. D., Wright, A., & Norton, B. (2008). Real life energy use in the uk: How occupancy and dwelling characteristics affect domestic electricity use. *Energy and Buildings*, 40(6), 1053–1059.
- Zhou, P., Ang, B. W., & Poh, K. L. (2006). Decision analysis in energy and environmetnal modeling: An update. *Energy*, 31(14), 2604–2622.
- Zmeureanu, R., Fazio, P., DePani, S., & Calla, R. (1999). Development of an energy rating system for existing houses. *Energy and Buildings*, 29, 107–119. doi: 10.1016/S0378-7788(98)00037-1