

A Benchmark for Web Services

presented by

Narada Wickramage


supervised by

Dr. Sanjiva Weerawarana

Submitted to the Department of Computer Science and Engineering in partial fulfillment of the requirements for the degree of

Master of Science

at the University of Moratuwa, Sri Lanka



004 07

© University of Moratuwa, Sri Lanka. All rights reserved.

87788

Department of Computer Science and Engineering
University of Moratuwa, Sri Lanka
March 2007

University of Moratuwa



DECLARATION OF ORIGINALITY

This work has not previously been submitted for a degree or diploma in any university. To the best of my knowledge and belief, the dissertation contains no material previously published or written by another person except when due reference is made in the dissertation itself.

This dissertation, published in March 2007, is based on a research carried out from January 2003 to December 2003.

Date: 31-03-2007

UOM Verified Signature

Signature: (Dr. Sanjiya Weerawarana, Supervisor)

Date: Mark 21, '07

UOM Verified Signature


Signature: (Dr. Gihan Dias, Co-Supervisor)

Date: 31-03-2007

A Benchmark for Web Services

Submitted to the Department of Computer Science and Engineering in partial fulfilment of the requirements for the degree of Master of Science

Abstract. Even though there are several benchmarks developed to measure the performance of Web service frameworks, the general tendency of them is to simulate only theoretical scenarios such as streaming homogeneous data structures like arrays. On the other hand, the computer industry has an established culture of developing performance benchmarks imitating not only imaginary situations but also real world scenarios. This dissertation discusses whether it is quite necessary to test the performance of web service frameworks against such benchmarks that closely reproduce real world situations. This discussion is based on results obtained by running two benchmarks (namely one replicating 12 different real world scenarios that are optimum candidates for web service applications and another only simulating a theoretical situation) and concludes that the real world type Benchmark represents a reasonable subset of actual scenarios because the ranking of the leading Web services frameworks is consistent with Industry wide opinions [22] while statistically reaffirming the significance of using real world type benchmarks. Additionally, this dissertation identifies complexity of the SOAP messages involved in Web service transactions and size of the payloads those messages are carrying as two major factors that affect the round trip time of the SOAP messages and reveals that a framework that is good at handling complex SOAP messages may not deal with the messages that are carrying larger payloads equally well and provides statistical proof for that.



Acknowledgements

I am grateful to my supervisor Dr. Sanjiva Weerawarana being a continuous source of advice and inspiration to me. His guidance, style and understanding have helped me both academically and otherwise.

I am grateful to Dr. Gihan Dias for first allowing me to commence my MSc programme at the Department of Computer Science and Engineering, introducing me to Dr. Weerawarana, providing me with the necessary resources required to carry out research work and taking steps to waive off the course fee. He should also be thanked for the constructive feedback received from him at the progress review meetings and other instances.

I am grateful to Ms. Vishaka Nanayakkara for her assistance with collecting necessary research papers and other work.

I am grateful to Dr. Chathura de Silva and Ms. Nayanathara de Silva for their help with the SPSS package.

I am grateful to Dr. Sanath Jayasena for providing me with additional infrastructure.

I am grateful to Messrs. Krishnamoorthy Rajeevan and Ramesh de Silva for the arrangements they made to set up a testing environment to collect data.

Table of Contents

1	INT	RODUCTION	1
	1.1	Motivation	2
	1.2	Objective	3
	1.3	Literature Review	
	1.4	Overview	
	1.4.1		
	1.4.2		
	1.4.3		
	1.4.4		9
	1.4.5		
2	BAC	CKGROUND KNOWLEDGE	10
	2.1	Web Service	10
	2.2	RPC	11
	2.3	XML-RPC	12
	2.4	JAX-RPC	13
	2.5	SOAP	13
	2.6	WSDL	15
	2.7	Monitoring SOAP Messages	
	2.8	Benchmarking	16
3	PEI	RFORMANCE MODEL FOR ROUND TRIP TIME OF WEB SERVICE	
		ACTIONS	
4		SIGN OF THE BENCHMARK	
7			
	4.1	Benchmark I: Real World Situations	
	4.1.	Real World Scenario I: Application Programmers' Web Interface	
	4.1.	Ç	
	4.1.		
	4.1.		
	4.1.	` ' ' ' ' '	
	4.1.	$oldsymbol{1}$	
	4.1. 4.1.	$oldsymbol{\omega}$	
	4.1. 4.1.		
		reipal Companies	
	4.1.	•	
	4.1.		

	4.1. 4.2	12 Real World Scenario XXII: Zip Code Resolving Complexity and Payload of the Real World Benchmark Operations	49 51
	4.3	Benchmark II: Hypothetical Situations	
	4.4	Complexity and Payload of the Hypothetical Benchmark	. 53
5	IMI	PLEMENTATION OF THE BENCHMARK	
	5.1	Software used for implementing the Benchmark	
	5.2	Platforms used to run the Benchmark	
	5.3	Running the Benchmark	
6		TA PRESENTATION	
υ			
	6.1	Real World Benchmark	
	6.1.		
	6.1.		
	6.2	Hypothetical Benchmark	
	6.2.		
	6.2.		
	6.3	Data in Graphical Format	. /u
	6.3.		7.0
	()	Platform	. /(
	6.3.	2 Round Trip Time figures of the Hypothetical Benchmark on Solaris Platform	71
	6.3.	Flectronic Theses & Dissertations	. / 1
	0.5.	Platform	. 72
	6.3.	1 0 71	
		Platform	
7	ST	ATISTICAL ANALYIS OF DATA	. 73
	7.1	Derivation of Functions using Linear Regression - Real World Benchm	ark
			73
	7.1		
		nework is used on Solaris Platform	74
	7.1	· · · · · · · · · · · · · · · · · · ·	n)
	frai	nework is used on Solaris Platform	75
	7.1	· · · · · · · · · · · · · · · · · · ·	
		aris Platform	76
	7.1 Sol	.4 Linear Regression Analysis for RTT when WASP framework is used o aris Platform	
	7.1		/
		d on Solaris Platform	78
	7.1		
	Inv	ocation) is used on Windows Platform	79

		Linear Regression Analysis for RTT when GLUE framework (Dynar	
	Invocation	on) is used on Windows Platform	80
	7.1.8	Linear Regression Analysis for RTT when AXIS framework is used	on
	Windows	s Platform	81
	7.1.9	Linear Regression Analysis for RTT when WASP framework is used	on
	Windows	s Platform	82
	7.1.10	Linear Regression Analysis for RTT when AXISMORA framework	is
		Windows Platform	
	7.2 Der	ivation of Functions from above Data using Linear Regression -	
	Hypothetic	al Benchmark	84
	7.2.1	7.2.1 Linear Regression Analysis for RTT when GLUE framework (Static
		on) is used on Solaris Platform	
		Linear Regression Analysis for RTT when GLUE framework (Dynar	
		on) is used on Solaris Platform	
		Linear Regression Analysis for RTT when AXIS framework is used	
	Solaris P	latform	86
	7.2.4	Linear Regression Analysis for RTT when WASP framework is used	l on
		latform	
		Linear Regression Analysis for RTT when GLUE framework (Static	
	Invocation	on) is used on Windows Platform	88
	7.2.6	Linear Regression Analysis for RTT when GLUE framework (Dynamics)	mic
	Invocation	on) is used on Windows Platform	89
	7.2.7	Linear Regression Analysis for RTT when AXIS framework is used	on
		s Platform	
	7.2.8	Linear Regression Analysis for RTT when WASP framework is used	d on
	Window	Linear Regression Analysis for RTT when WASP framework is used s Platform	91
	7.3 Sur	nmary of Equations	92
8		SSION	
Ü		nimum execution times of an invoked process for justifying the Wo	
		lated overhead	
		formance Comparison of Web service frameworks using different	
		ons of operations	
	8.2.1	Online Store Operations	
	8.2.2	Transactions between Travel Agents and their Principals	
	8.2.3	Inter-Organization Instant Messaging	
	8.3 Ob	servations	100
	8.3.1	Justification of the Benchmark	
	8.3.2	Statistical Proof for the justification	101
	8.3.3	Other Observations	102
	8.4 Ob	taining a Common Value for all 43 Operations	102
Q	CONCI	USIONS AND FUTURE WORK	103

9.1	Summary of the Observations Made	103
9.2	Future Work	104
10	RECENT DEVELOPMENTS IN WEB SERVICE STACK	105
10.	1 From RPC to Document Style	105
10.	2 Message Exchange Patterns	105
10.	3 Making a Web service available at different endpoints over diverse	
pre	otocols	107
10.	.4 Testing for Non-Functional Requirements	108
10.	.5 No Support for Operation Overloading	108
10.	.6 Measuring Performance of Evolving Web Services	109
10.	.7 Support for Multiple Inheritance	109
11	REFERENCES	110



List of Figures

Figure 1.4:1 - Making a service available as a Web service	. 6
Figure 1.4:2 - Diagrammatic representation of the Benchmark	9
Figure 2.5:1- A method to be exposed as a Web service so that clients can make use of	
Figure 2.5:2- An HTTP Request carrying a SOAP message as its payload	
Figure 2.5:3 – An HTTP Response carrying a SOAP message as its payload	
Figure 2.8:1 – A Benchmarking Programme for Hardware Platforms	
Figure 4.1:1 – 1: Querying the availability of a Web service	
Figure 4.1:2 – 2: Querying the cost per transaction of a Web service	
Figure 4.1:3 – 3: Querying the version of a Web service	
Figure 4.1:4 – 4: Requesting a random number	
Figure 4.1:5 – 5: Requesting the number of working days in given country	
Figure 4.1:6 – 1: Sending Credit Card details as primitive data types for processing	
Figure 4.1:7 – 2: Sending Credit Card details as objects for processing	
Figure 4.1:7 – 2 : Sending Credit Card details as objects for processing	20
processing	20
Figure 4.1:10 The chiest involved in conding data to chart generation	
Figure 4.1:10 – The object involved in sending data to chart generation	30
Figure 4.1:11: 1 – Receiving a text message and a file from an IM user to be sent to	2.1
another user. Confirmation of receipt is sent back to the sender.	
Figure 4.1:12 – Receiving a text message and a file from an IM user to be sent to anoth	
user. Confirmation of receipt is not sent back to the sender.	31
Figure 4.1:13 – Receiving a text message from an IM users to be sent to another user.	21
Confirmation of receipt is sent back to the sender.	31
Figure 4.1:14 – Receiving a text message from an IM users to be sent to another user.	21
Confirmation of receipt is not sent back to the sender	31
Figure 4.1:15 – Receiving a file from an IM users to be sent to another user.	22
Confirmation of receipt is sent back to the sender.	32
Figure 4.1:16 – Receiving a file from an IM users to be sent to another user.	22
Confirmation of receipt is not sent back to the sender	
Figure 4.1:17 – Checking who is online	
Figure 4.1:18 – The object involved in checking who is online	
Figure 4.1:19 – Querying news	
Figure 4.1:20 – The objects involved in querying news.	. 33
Figure 4.1:21 – Collecting data regarding news users – implementation 1 (no data is	
passed.)	
Figure 4.1:22 - Collecting data regarding news users - implementation 2 (data is passe	
	. 34
Figure 4.1:23 – Searching fro products	. 35
Figure 4.1:24 – Ordering products.	. 35
Figure 4.1:25 – Tracking ordered products	
Figure 4.1:26 – Objects used in the Online Store operations	. 36
Figure 4.1:27 – Requesting a stock quote	

Figure 4.1:28 – Sending selling (or buying) instructions from one client of a stock broke	er
to the stock exchange	37
Figure 4.1:29 – Sending selling (or buying) instructions from 10 clients of a stock broke	er
to the	38
Figure 4.1:30 – Sending selling (or buying) instructions from 10 clients of a stock broke	er
to the stock exchange in one Web service transaction. (using arrays)	
Figure 4.1:31 – Sending selling (or buying) instructions from 100 clients of a stock	
broker to the stock exchange in one Web service transactions	38
Figure 4.1:32 – Sending selling (or buying) instructions from 100 clients of a stock	
broker to the stock exchange in one Web service transaction. (using arrays)	38
Figure 4.1:33 – Sending selling (or buying) instructions from 1000 clients of a stock	
broker to the stock exchange in one Web service transactions	39
Figure 4.1:34 – Sending selling (or buying) instructions from 1000 clients of a stock	
broker to the stock exchange in one Web service transactions (using arrays)	39
Figure 4.1:35 – Objects used in portfolio management operations	
Figure 4.1:36 – Receiving a purchase order.	
Figure 4.1:37 – Objects involved in receiving a purchase order.	
Figure 4.1:38 – Receiving an invoice	
Figure 4.1:39 – Objects involved in receiving an invoice	42
Figure 4.1:40 – Receiving travel ideas as maps	
Figure 4.1:41 – Receiving travel ideas as text	43
Figure 4.1:42 – Receiving available travel packages for a given tour plan	44
Figure 4.1:43 – Reserving a selected travel package	44
Figure 4.1:44 - Objects involved in transactions between travel agents and their princip	al
companies	45
Figure 4.1:45 - Querying Whols database for a given domain name	
Figure 4.1:46 – Objects involved in querying WhoIs database	
Figure 4.1:47 – Querying a web search engine	
Figure 4.1:48 – Objects involved in querying a web search engine	
Figure 4.1:49 - Receiving a list of names of the cities included for a given zip code	
Figure 4.1:50 - Receiving a list of zip codes for a given city name in a given state	49
Figure 4.1:51 – Receiving the postal address with the zip code for a postal address	
without the zip code	. 49
Figure 4.1:52 – Receiving the address of an organization with the zip code when the	
address does not contain the zip code	
Figure 4.1:53 – Objects involved in resolving zip codes	. 50
Figure 4.3:1 – Operations simulated in the hypothetical benchmark	. 52
Figure 4.3:2 – Objects involved in the hypothetical benchmark	. 52
Figure 4.4:1 – Complexity and Payload of SOAP messages used in the Hypothetical	
Benchmark	. 53
Figure 6.3:1 – Round Trip Time of All Operations in the Real World Benchmark on	70
Solaris Platform with respect to 4 Frameworks	. /0
Figure 6.3:2 – Round Trip Time of All Operations in the Hypothetical Benchmark on	71
Solaris Platform with respect to 4 Frameworks	. /1
Figure 6.3:3 – Round Trip Time of All Operations in the Real World Benchmark on	~ 1
Windows Platform with respect to 4 Frameworks	. /1

Figure 6.3:4 – Round Trip Time of All Operations in the Real World Benchmark on	
Windows Platform with respect to 4 Frameworks	72
Figure 7.3:1 – Summary of the Equations	92



List of Tables

Table 1.4.5:1 – Different types of Benchmarks
Table 1.4.5:2 – Relationships between different Benchmarks
Table 4.1.12:1 – Complexity and Payload of SOAP messages used in the Real World
Benchmark
Solaris Platform57
Table 6.1.1:2 – RTT values for Real World Benchmark with GLUE dynamic invocation
on Solaris Platform
Table 6.1.1:3 – RTT values for Real World Benchmark with AXIS on Solaris Platform 59
Table 6.1.1:4 – RTT values for Real World Benchmark with WASP on Solaris Platform
Table 6.1.1:5 – RTT values for Real World Benchmark with AXISMORA on Solaris
Platform
Table 6.1.2:1 – RTT values for Real World Benchmark with GLUE static invocation on
Windows Platform
Table 6.1.2:2 – RTT values for Real World Benchmark with GLUE dynamic invocation
·
on Windows Platform 63
Table 6.1.2:3 – RTT values for Real World Benchmark with AXIS on Windows Platform
T-11 (124 PTT 1 - C P 1 W 11P 1 - 1 - 2 W 19 PT 1 - 64
Table 6.1.2:4 – RTT values for Real World Benchmark with WASP on Windows
Platform
Table 6.1.2:5 – RTT values for Real World Benchmark with AXISMORA on Windows
Platform
Table 6.2.1:1 – RTT values for Hypothetical Benchmark with GLUE static invocation on Solaris
Table 6.2.1:2 - RTT values for Hypothetical Benchmark with GLUE dynamic invocation
on Solaris67
Table 6.2.1:3 – RTT values for Hypothetical Benchmark with AXIS on Solaris Platform
67
Table 6.2.1:4 - RTT values for Hypothetical Benchmark with WASP on Solaris Platform
Table 6.2.2:1 - RTT values for Hypothetical Benchmark with GLUE static invocation on
Windows Platform 68
Table 6.2.2:2 - RTT values for Hypothetical Benchmark with GLUE dynamic invocation
on Windows Platform
Table 6.2.2:3 – RTT values for Hypothetical Benchmark with AXIS on Windows
Platform69
Table 6.2.2:4 – RTT values for Hypothetical Benchmark with WASP on Windows
Platform
Table 7.2.8:1 – Minimum allowable durations of process execution so that the additional
overhead due to SOAP conversions are justified (Solaris Platform)
Table 8.2.1:1 – Round Trip Time of 3 operations in the Online Store scenario with GLUE
and AXIS
* · · · · · · · · · · · · · · · · · · ·

Table 8.2.1:2 - Ratios of the numbers of occurrences of various operations in the Onli	ne
Store scenario	96
Table 8.2.1:3 - Round Trip Time w. r. t. GLUE & AXIS when the Online Store scena	rio
is taken as a whole	97
Table 8.2.2:1 – Round Trip Time of 4 operations in the Transactions between Travel	
Agents and their Principals scenario with GLUE and AXIS	98
Table 8.2.2:2 – Ratios of the numbers of occurrences of various operations in the	
Transactions between the Travel Agents and their Principal Companies scenario	98
Table 8.2.2:3 - Round Trip Time w. r. t. GLUE & AXIS when the Online Store scena	rio
is taken as a whole	98
Table 8.2.3:1 – Round Trip Time of 4 operations in the Inter-Organization Instant	
Messaging scenario with GLUE and WASP	99



List of Equations

RTT = $f(c; p; s)$ Equation 2.8-1 RTT as a function	nction of complexity, Payload &
support from framework	23
RTT = f (c: p: s: e)Equation 2.8-2 RTT as a	function of Complexity, Payload,
Support from framework & Execution time	
RTT = $f(c; p)$ Equation 7.1-1 RTT as a fu	nction of complexity and payload
Common Value = $w_1t_1 + w_2t_2 + + w_it_i + + w_{43}t_{43}$	Equation 8.4-1 Equation
for a common value	102

