

REFERENCE

- Abdullah, R. T. (2013). Revisiting the Water Issue Across the Causeway: The Origins of Water Supply from Johor to Singapore. *Malaysian Journal of History, Politics & Strategy*, 40(July), 1–20.
- Alam, M. M., bin Toriman, M. E., Siwar, C., & Talib, B. (2011). Rainfall variation and changing pattern of agricultural cycle. *American Journal of Environmental Sciences*. <https://doi.org/10.3844/ajessp.2011.82.89>
- Ariyabandu, R. D. S., Panabokke, C. R., & Tennakoon, M. U. A. (n.d.). *Small Tank Systems in Sri Lanka: Issues and Considerations*.
- Aronica, G. T., & Lanza, L. G. (2005). Drainage efficiency in urban areas: a case study. *Hydrological Processes: An International Journal*, 19(5), 1105–1119.
- Asian Development Bank. (2010). *Jaffna and Kilinochchi Water Supply and Sanitation Project*.
- Balendran, V. S., Sirimanne, C. H. I., & Arumugam, S. (1968). Groundwater resources of Jaffna Peninsula. *Water Resources Board, Colombo*.
- Bandara, C. M. M. (n.d.). Village tank cascade systems of Sri Lanka: A Traditional technology of water and drought management, (Tik 6), 328–336.
- Bandara, C. M. M., Yatigammana, S., & Paranavithana, G. (2010). Scientific validation of some traditional land and water management practices under village tank cascade systems, 1–18.
- Berry, P., Yassin, F., Belcher, K., & Lindenschmidt, K.-E. (2017). An economic assessment of local farm multi-purpose surface water retention systems in a Canadian Prairie setting. *Applied Water Science*, (July). <https://doi.org/10.1007/s13201-017-0592-7>
- Chang, C. K., Ab Ghani, A., Zakaria, N., Yusof, M., Ayub, K., Lai, S., ... Ainan, A. (2008a). *Rehabilitation of Ex-Mining Pond and Existing Wetland for Integrated Storm Water Facilities*.
- Chang, C. K., Ab Ghani, A., Zakaria, N., Yusof, M., Ayub, K., Lai, S., ... Ainan, A. (2008b). *Rehabilitation of Ex-Mining Pond and Existing Wetland for Integrated Stormwater Management*.
- Choo, T. H., Huh, J. Y., Yoon, H. C., Yun, G. S., & Son, J. K. (2016). Method for new conceptual securing water resources: a case study of the Miryang multipurpose dam in Korea. *Environmental Earth Sciences*, 75(10), 857. <https://doi.org/10.1007/s12665-016-5598-1>
- Dharmasena, P. B. (2000). *Towards Efficient Civilization of Surface and Groundwater Resources in Food Production Under Small Tank Systems*.
- Environmental Protection Agency. (2009). *Stormwater Wet Pond and Wetland Management Guidebook*. Center For Watershed Protection. Retrieved from <https://www3.epa.gov/npdes/pubs/pondmgmtguide.pdf>
- Freeze, R. A. (1974). Streamflow generation. *Reviews of Geophysics*, 12(4), 627–647.

<https://doi.org/10.1029/RG012i004p00627>

- Government of Western Australia, & Department of Water. (2011). *Wellington Reservoir water balance simulations: A summary of the TwoRes modelling scenarios.*
- Güntner, A., Krol, M. S., Araújo, J. C. De, & Bronstert, A. (2004a). Simple water balance modelling of surface reservoir systems in a large data-scarce semiarid region. *Hydrological Sciences Journal*, 49(5). <https://doi.org/10.1623/hysj.49.5.901.55139>
- Güntner, A., Krol, M. S., Araújo, J. C. De, & Bronstert, A. (2004b). Simple water balance modelling of surface reservoir systems in a large data-scarce semiarid region. *Hydrological Sciences Journal*, 49(5). <https://doi.org/10.1623/hysj.49.5.901.55139>
- Gupta, A. K. (2016). *STORMWATER DRAINAGE AND URBAN FLOOD MITIGATION: Lateral Solutions.*
- Herath, S., & Ratnayake, U. (2004). Monitoring rainfall trends to predict adverse impacts—a case study from Sri Lanka (1964–1993). *Global Environmental Change*, 14, 71–79.
- Hidayathulla, M. S. M., & Karunaratna, G. R. R. (2013). Assessment of Groundwater Quality in Shallow Aquifers in Jaffna Peninsula. In *29th Technical Sessions of Geological Society of Sri Lanka* (Vol. 2013, pp. 109–113).
- Institute International Water Management. (2013). *Proceedings of the Senior Stakeholders' Meeting on Groundwater in the Jaffna Peninsula.*
- Itakura, J. (1995). *Water balance model for planning rehabilitation of a tank cascade irrigation system in Sri Lanka.*
- Janen, S. ., & Sivakumar, S. . (2014). Ground Water Quality Improvement of Jaffna Peninsula of Sri Lanka by Regulating Water Flow in the Lagoon Mouths. *International Journal of Scientific & Engineering Research*, 5(4), 973–978. Retrieved from <http://www.ijser.org>
- Jayakody, B. V. P. L., Mowjood, M. I. M., & Gunawardena, E. R. N. (2004). Modifying and Testing of a Cascade Water Balance Model Using a Mini Cascade System with two Tanks. *Tropical Agricultural Research*, 16, 159–170.
- Jayatilaka, C. J., Sakthivadivel, R., Shinogi, Y., Makin, I. W., & Witharana, P. (2001). *Predicting water availability in irrigation tank cascade systems: the cascade water balance model.* <https://doi.org/http://dx.doi.org/10.3910/2009.055>
- Joshua, W. D., Thushyanthy, M., & Nanthalagoban, N. (2013). Seasonal variation of water table and groundwater quality of the karst aquifer of the Jaffna Peninsula-Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 41(1), 3–12.
- Kandiah, R., & Miyamoto, K. (2016). Water budget in high drought-borne area in Jaffna district, Sri Lanka during Dry season. *International Journal of Environmental, Chemical, Ecological, Geological and Geophysical Engineering*, 10(5), 600–605.

- Klipsch, J. D., & Hurst, M. B. (2013). HEC-ResSim Reservoir System Simulation User's Manual.
- Kruijne, R., van Bakel, P. J. T., Adriaanse, P. I., & Boesten, J. J. T. I. (2008). *Surface water hydrology for the Cascade model – Study area “Drentsche Veenkoloniën.”*
- Kuganesan, S., & Sivakumar, S. S. (2016). River for Jaffna-Cultivating Productive Water from Salt Water Lagoons in Northern Sri Lanka-What the Water Balance of Elephant Pass Lagoon Demonstrates ? *International Journal of Scientific & Engineering Research*, 7(2).
- Kuller, M., Dolman, N. J., Vreeburg, J. H. G., & Spiller, M. (2017). Scenario analysis of rainwater harvesting and use on a large scale—assessment of runoff, storage and economic performance for the case study Amsterdam Airport Schiphol. *Urban Water Journal*, 14(3), 237–246. <https://doi.org/10.1080/1573062X.2015.1086007>
- Kumara, I. G. C. I., Rathnayaka, S. S. K., Mayadunne, M. M. C. M., & Rajapakse, R. R. G. R. (2013). Assessment of Groundwater Quality in Jaffna Peninsula. *Journal of Geological Society of Sri Lanka*, 15, 137–146.
- MaddumaBandara, C. M. (2009). *Village Tank Cascade Systems of Sri Lanka " How can people live on this planet sustainably and in harmony with nature "*.
- Mikunthan, T., Vithanage, M., Pathmarajah, S., Arasalingam, S., Ariyaratne, R., & Manthrithilake, H. (2013a). *Hydrogeochemical characterization of Jaffna's aquifer systems in Sri Lanka*. <https://doi.org/10.5337/2014.001>
- Mikunthan, T., Vithanage, M., Pathmarajah, S., Arasalingam, S., Ariyaratne, R., & Manthrithilake, H. (2013b). *Hydrogeochemical characterization of Jaffna's aquifer systems in Sri Lanka*. <https://doi.org/10.5337/2014.001>
- Minh, Q. T., Chi, T. N., & Toulouse, M. (2017). Toward a Crowdsourcing-Based Urban Flood Mitigation Platform. *Proceedings of the Eighth International Symposium on Information and Communication Technology - SoICT 2017*, (December), 301–308. <https://doi.org/10.1145/3155133.3155153>
- Mioduszewski, W., Querner, E. P., & Kowalewski, Z. (2014). The analysis of the impact of small retention on water resources in the catchment. *Journal of Water and Land Development*, 23(1), 41–51. <https://doi.org/10.1515/jwld-2014-0028>
- Nagarajan, R. (2013). Tank rehabilitation index for prioritization of lakes in semi arid regions - Geospatial approach. *International Journal of Geomatics and Geosciences*, 3(3), 525–537.
- Nanthini, T., Mikunthan, T., & Vijayaratnam, R. (2001). Some physico-chemical characters of groundwater in some (selected) water supply wells in the Jaffna peninsula. *Journal of the National Science Foundation of Sri Lanka*, 29(1–2), 81–95.
- National Water Supply and Drainage Board. (1989). *Design Manual D4 - GROUNDWATER*. Retrieved from <http://waterboard.lk/>
- Natural resources energy and science authority of Sri Lanka. (1991). *Natural Resources of Sri Lanka: Conditions and Trends*.

- Niemczynowicz, J. (1999). Urban hydrology and water management—present and future challenges. *Urban Water*, 1(1), 1–14.
- Panabokke, C. R. (2009a). *Small Village Tank Systems of Sri Lanka : Their Evolution, Setting, Distribution and Essential Functions*.
- Panabokke, C. R. (2009b). *Small Village Tank Systems of Sri Lanka : Their Evolution, Setting, Distribution and Essential Functions*.
- Panabokke, C. R., & Perera, A. P. G. R. L. (2005). *Groundwater Resources of Sri Lanka. Water Resources*.
- Panabokke, C. R., Tennakoon, M. U. A., & Ariyabandu, R. de. S. (n.d.). *Small Tank Systems in Sri Lanka: Issues and Considerations*.
- Panabokke, C. R., Wijayaratna, C . M., Sakthivadivel, R., & Fernando, N. (1996). *Nature of small tank CS and framework for rehabilitation of tanks withing them*.
- Perera, K. T. N., Wijayaratna, T. M. N., Manatunge, J. M. A., & Priyadarshana, T. (n.d.). A Methodology for Monitoring and Assessing Water Storage Status of Minor Tanks in Sri Lanka, 181–189.
- Ponrajah, A. J. P. (1984). *Design of Irrigation Headworks for Small Catchments*.
- Prabhu, M. V., & Venkateswaran, S. (2015). Delineation of Artificial Recharge Zones Using Geospatial Techniques in Sarabanga Sub Basin Cauvery River, Tamil Nadu. *Aquatic Procedia*, 4(Icwrcoe), 1265–1274. <https://doi.org/10.1016/j.aqpro.2015.02.165>
- Punthakey, J. F., & Gamage, N. P. D. (2006). Coupled Flow and Salinity Transport Modelling and Assessment of Groundwater Availability in the Jaffna Peninsula , Sri Lanka. In *32nd WEDC International Conference* (pp. 326–333).
- Qi, G., & Lixin, M. (2018). Study on evaluation and reconstruction of reservoir seepage field in high water cut stage based on analysis of seepage characteristics. *Journal of Petroleum Exploration and Production Technology*, 0(0), 0. <https://doi.org/10.1007/s13202-018-0476-x>
- Rajasooriyar, L., Mathavan, V., Dharmagunawardhane, H. A., & Nandakumar, V. (2002). *Groundwater quality in the Valigamam region of the Jaffna Peninsula, Sri Lanka. Geological Society, London, Special Publications* (Vol. 193). <https://doi.org/10.1144/GSL.SP.2002.193.01.14>
- Rajeswaran, R. S. T. B. (2005). *City Profile - Jaffna Municipal Council*.
- Rathnayaka, K., Malano, H., Maheepala, S., Nawarathna, B., George, B., & Arora, M. (2011). Review of residential urban water end-use modelling. *MODSIM 2011 - 19th International Congress on Modelling and Simulation - Sustaining Our Future: Understanding and Living with Uncertainty*, (December), 3321–3327.
- Roy, A. H., Wenger, S. J., Fletcher, T. D., Walsh, C. J., Ladson, A. R., Shuster, W. D., ... Brown, R. R. (2008). Impediments and solutions to sustainable, watershed-scale urban stormwater management: lessons from Australia and the United States. *Environmental Management*, 42(2), 344–359.
- Rutherford, I. D., Jerie, K., & Marsh, N. (2000). *A rehabilitation Manual for*

Australian streams (Vol. 2).

- Sakthivadivel, R., Fernando, N., Panabokke, C., & Wijayarathna, C. (1994). Guidance package for water development component of small tank cascade systems. *Iimi, Ifad.*
- Senthuran, A. (2016). *Ground Water Quality Analysis in the Chunnakam Area, Jaffna*.
- Shanmugarajah, K. (n.d.). Water resources development in Jaffna Peninsula. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-0013765991&partnerID=40&md5=caed1fc1763533312d66d276721afbef>
- Shinogi, Y., Makin, I. W., & Witharana, D. D. P. (1998). Simulation of the water balance in a dry zone tank cascade. Paper 68 of Session 2. Retrieved from <https://hdl.handle.net/10568/37996>
- Shinogi, Y., Makin, I. W., & Witharana, P. D. D. (n.d.). *Simulation of water balance in a dry zone cascade*.
- Sivakumar, S. . (2013). Reclamation of Land and Improve Water Productivity of Jaffna Peninsula of Northern Sri Lanka by Improving the Water Quality of the Lagoons. *The International Journal's Researcch Journal of Science and IT Management*, 20–27.
- Sivakumar, S. S. (2015). Irrigation Scheme Development and Management Strategy for Conflict Affected Northern and Eastern Province of Sri Lanka. *International Journal of Scientific & Engineering Research*, 6(8), 1004–1008.
- Somaratne, P. G., Jayakody, P., Molle, F., & Jinapala, K. (2005). *Small Tank Cascade Systems in the Walawe River Basin*.
- Somasiri, S. (1991). *Irrigation potential of minor tanks and their agricultural stability* (Vol. 147).
- Strange, W. L. (1928). *Indian Storage Reservoirs with Earthen Dams*.
- Subramanya, K. (2008). *Engineering Hydrology*. <https://doi.org/10.1016/B978-1-84334-528-2.50014-X>
- Sutharsiny, A., Manthrithilake, H., Pathmarajah, S., Thushyanthy, M., & Vithanage, M. (2014). Seasonal Variation of Nitrate-N in Groundwater: a Case Study From Chunnakam Aquifer, Jaffna Peninsula. *Ceylon Journal of Science (Physical Sciences)*, 18(18), 1–8.
- Sutharsiny, A., Pathmarajah, S., Thushyanthy, M., & Meththika, V. (2012). Characterization of Irrigation Water Quality of Chunnakam Aquifer in Jaffna Peninsula. *Tropical Agricultural Research*, 23(3), 237–248. <https://doi.org/10.4038/tar.v23i3.4661>
- Tennakoon, M. U. A. (1999). *The Evolution of Small Tank Cascade Systems Morphological features of the Rajarata*.
- Thushyanthy, M., & De Silva, C. S. (2012). Assessment of Groundwater Resources in Jaffna Limestone Aquifer. *Tropical Agricultural Research*, 23(2), 177–185.
- Time and Space Characteristics of runoff. (1976), (1974), 145–159.

- Tubau, I., Vázquez-Suñé, E., Carrera, J., Valhondo, C., & Criollo, R. (2017). Quantification of groundwater recharge in urban environments. *Science of the Total Environment*, 592, 391–402. <https://doi.org/10.1016/j.scitotenv.2017.03.118>
- Verstraeten, G., & Poesen, J. (2000). *Estimating trap efficiency of small reservoirs and ponds: methods and implications for the assessment of sediment yield*. *Progress in Physical Geography* (Vol. 24). <https://doi.org/10.1177/030913330002400204>
- Villarreal, E. L., Semadeni-Davies, A., & Bengtsson, L. (2004). Inner city stormwater control using a combination of best management practices. *Ecological Engineering*, 22(4–5), 279–298.
- Vincenzo, A. De, & Molino, B. (2013). The rehabilitation of a reservoir: A new methodological approach for calculating the sustainable useful storage capacity. *Agricultural Sciences*, 4(8), 46–50.
- Wijesekera, S. N. (2018). *Classification of Streamflow Observations for Water Management*. <https://doi.org/10.13140/RG.2.2.23605.58089>
- Zhang, L., Dawes, W. R., & Walker, G. R. (2001). Response of mean annual evapotranspiration to vegetation changes at catchment scale. *Water Resources Research*, 37(3), 701–708.
- Zhang, L., Walker, G. R. G., & Dawes, W. R. W. (2002). Water Balance Modelling: Concepts and Applications. *Regional Water and Soil Assessment for Managing Sustainable Agriculture in China and Australia*, (84), 31–47. Retrieved from http://www.researchgate.net/publication/228947764_Water_balance_modelling_concepts_and_applications/file/d912f51258ba62592b.pdf