

References

- Abid, S., Hassen, W., Achour, A., Skhiri, H., Maaroufi, K., Ellouz, F., Creppy, E. and Bacha, H., 2003. Ochratoxin A and human chronic nephropathy in Tunisia: is the situation endemic?. *Human & experimental toxicology*, 22(2), pp.77-84
- AbuZeid, K. and Elhatow, L., 2007. Impact of fluoride content in drinking water. In Arab Water Healthy Conference Egypt: Cairo.
- Aguilera, I., Daponte, A., Gil, F., Hernández, A.F., Godoy, P., Pla, A. and Ramos, J.L., 2008. Biomonitoring of urinary metals in a population living in the vicinity of industrial sources: a comparison with the general population of Andalusia, Spain. *Science of the total environment*, 407(1), pp.669-678.
- Akpata, E.S., Danfillo, I.S., Otoh, E.C. and Mafeni, J.O., 2009. Geographical mapping of fluoride levels in drinking water sources in Nigeria. *African health sciences*, 9(4).
- Amin, F., Talpur, F.N., Balouch, A., Surhio, M.A. and Bhutto, M.A., 2015. Biosorption of fluoride from aqueous solution by white—rot fungus Pleurotus eryngii ATCC 90888. *Environmental Nanotechnology, Monitoring & Management*, 3, pp.30-37.
- Apak, R., Tütem, E., Hügül, M. and Hizal, J., 1998. Heavy metal cation retention by unconventional sorbents (red muds and fly ashes). *Water Research*, 32(2), pp.430-440.
- Athuraliya, N.T., Abeysekera, T.D., Amerasinghe, P.H., Kumarasiri, R., Bandara, P., Karunaratne, U., Milton, A.H. and Jones, A.L., 2011. Uncertain etiologies of proteinuric-chronic kidney disease in rural Sri Lanka. *Kidney international*, 80(11), pp.1212-1221.

Athuraliya, T.N.C., Abeysekera, D.T.D.J., Amerasinghe, P.H., Kumarasiri, P.V.R. and Dissanayake, V., 2009. Prevalence of chronic kidney disease in two tertiary care hospitals: high proportion of cases with uncertain aetiology. *Ceylon Medical Journal*, 54(1).

Auerbach, S.M., Carrado, K.A. and Dutta, P.K., 2003. *Handbook of zeolite science and technology*. CRC press.

Bhatnagar, A., Kumar, E. and Sillanpää, M., 2011. Fluoride removal from water by adsorption—a review. *Chemical Engineering Journal*, 171(3), pp.811-840.

Biswas, K., Gupta, K. and Ghosh, U.C., 2009. Adsorption of fluoride by hydrous iron (III)-tin (IV) bimetal mixed oxide from the aqueous solutions. *Chemical Engineering Journal*, 149(1-3), pp.196-206.

Bober, J., Kwiatkowska, E., Kedzierska, K., Olszewska, M., Stachowska, E., Ciechanowski, K. and Chlubek, D., 2006. Fluoride aggravation of oxidative stress in patients with chronic renal failure. *Fluoride*, 39(4), p.302.

Borke, J.L. and Whitford, G.M., 1999. Chronic fluoride ingestion decreases 45Ca uptake by rat kidney membranes. *The Journal of nutrition*, 129(6), pp.1209-1213.

Calafat, A.M., 2012. The US National Health and Nutrition Examination Survey and human exposure to environmental chemicals. *International journal of hygiene and environmental health*, 215(2), pp.99-101.

Carlson, C.H., Armstrong, W.D. and Singer, L., 1960. Distribution and excretion of radiofluoride in the human. *Proceedings of the Society for Experimental Biology and Medicine*, 104(2), pp.235-239.

Carton, R.J., 2006. Review of the 2006 United States National Research Council report: fluoride in drinking water. *Fluoride*, 39(3), pp.163-172.

Celestian, A.J., Parise, J.B., Tripathi, A., Kvick, A. and Vaughan, G.M., 2003. (K₄Li₄) Al₈Ge₈O₃₂· 8H₂O: an Li⁺-exchanged potassium aluminogermanate with the zeolite gismondine (GIS) topology. *Acta Crystallographica Section C: Crystal Structure Communications*, 59(8), pp.i74-i76.

Cerdas, M\., 2005. Chronic kidney disease in Costa Rica. *Kidney International*, 68, pp.S31-S33.

Chandrajith, R., Nanayakkara, S., Itai, K., Aturaliya, T.N.C., Dissanayake, C.B., Abeysekera, T., Harada, K., Watanabe, T. and Koizumi, A., 2011. Chronic kidney diseases of uncertain etiology (CKDue) in Sri Lanka: geographic distribution and environmental implications. *Environmental geochemistry and health*, 33(3), pp.267-278.

Chandrajith, R., Padmasiri, J.P., Dissanayake, C.B. and Prematilaka, K.M., 2012. Spatial distribution of fluoride in groundwater of Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 40(4).

Chandrajith, R., Seneviratna, S., Wickramaarachchi, K., Attanayake, T., Aturaliya, T.N.C. and Dissanayake, C.B., 2010. Natural radionuclides and trace elements in rice field soils in relation to fertilizer application: study of a chronic kidney disease area in Sri Lanka. *Environmental Earth Sciences*, 60(1), pp.193-201.

Choudhary, R., Koppala, S. and Swamiappan, S., 2015. Bioactivity studies of calcium magnesium silicate prepared from eggshell waste by sol-gel combustion synthesis. *Journal of Asian Ceramic Societies*, 3(2), pp.173-177.

Chouhan, S. and Flora, S.J.S., 2008. Effects of fluoride on the tissue oxidative stress and apoptosis in rats: biochemical assays supported by IR spectroscopy data. *Toxicology*, 254(1-2), pp.61-67.

Chutia, P., Kato, S., Kojima, T. and Satokawa, S., 2009. Arsenic adsorption from aqueous solution on synthetic zeolites. *Journal of Hazardous Materials*, 162(1), pp.440-447.

- Cittanova, M.L., Lelongt, B., Verpont, M.C., Geniteau-Legendre, M., Wahbe, F., Prie, D., Coriat, P. and Ronco, P.M., 1996. Fluoride ion toxicity in human kidney collecting duct cells. *Anesthesiology: The Journal of the American Society of Anesthesiologists*, 84(2), pp.428-435.
- Colella, C., 1996. Ion exchange equilibria in zeolite minerals. *Mineralium Deposita*, 31(6), pp.554-562.
- Collins, T.F.X., Sprando, R.L., Shackelford, M.E., Black, T.N., Ames, M.J., Welsh, J.J., Balmer, M.F., Olejnik, N. and Ruggles, D.I., 1995. Developmental toxicity of sodium fluoride in rats. *Food and Chemical Toxicology*, 33(11), pp.951-960.
- Correa-Rotter, R., Wesseling, C. and Johnson, R.J., 2014. CKD of unknown origin in Central America: the case for a Mesoamerican nephropathy. *American journal of kidney diseases*, 63(3), pp.506-520.
- Cutrín, J.C., Zingaro, B., Camandola, S., Boveris, A., Pompella, A. and Poli, G., 2000. Contribution of γ glutamyl transpeptidase to oxidative damage of ischemic rat kidney. *Kidney international*, 57(2), pp.526-533.
- de Peña, Y.P. and Rondón, W., 2013. Linde type a zeolite and type Y faujasite as a solid-phase for lead, cadmium, nickel and cobalt preconcentration and determination using a flow injection system coupled to flame atomic absorption spectrometry. *American Journal of Analytical Chemistry*, 4(08), p.387.
- Devi, R.R., Umlong, I.M., Raul, P.K., Das, B., Banerjee, S. and Singh, L., 2014. Defluoridation of water using nano-magnesium oxide. *Journal of Experimental Nanoscience*, 9(5), pp.512-524.
- Dharma-Wardana, M.W.C., 2018. Chronic kidney disease of unknown etiology and the effect of multiple-ion interactions. *Environmental geochemistry and health*, 40(2), pp.705-719.

Dharma-Wardana, M.W.C., Amarasiri, S.L., Dharmawardene, N. and Panabokke, C.R., 2015. Chronic kidney disease of unknown aetiology and ground-water ionicity: study based on Sri Lanka. Environmental geochemistry and health, 37(2), pp.221-231.

Dissanayake, C.B. and Chandrajith, R., 2017. Groundwater fluoride as a geochemical marker in the etiology of chronic kidney disease of unknown origin in Sri Lanka. Ceylon Journal of Science, 46(2).

Djebaili, K., Mekhalif, Z., Boumaza, A. and Djelloul, A.X.P.S., 2015. XPS, FTIR, EDX, and XRD analysis of Al₂O₃ scales grown on PM2000 alloy. Journal of Spectroscopy, 2015.

Dote, T., Kono, K., Usuda, K., Nishiura, H., Tagawa, T., Miyata, K., Shimahara, M., Hashiguchi, N., Senda, J. and Tanaka, Y., 2000. Toxicokinetics of intravenous fluoride in rats with renal damage caused by high-dose fluoride exposure. International archives of occupational and environmental health, 73(1), pp.S90-S92.

Drinking Water Quality for the Period of October 2013 - September 2014, (PDF). Water Supplies Department, The Government of Hong Kong Special Administrative Region. www.wsd.gov.hk -Archived from the original (PDF) on 15 January 2019.

El-Minshawy, O. and Kamel, E.G., 2011. Diabetics on hemodialysis in El-Minia Governorate, Upper Egypt: five-year study. International urology and nephrology, 43(2), pp.507-512.

Ergun, E., Tor, A., Cengeloglu, Y. and Kocak, I., 2008. Electrodialytic removal of fluoride from water: Effects of process parameters and accompanying anions. Separation and Purification Technology, 64(2), pp.147-153.

Ertan, A. and Çakıcıoğlu-ÖZKAN, F., 2005. CO₂ and N₂ adsorption on the acid (HCl, HNO₃, H₂SO₄ and H₃PO₄) treated zeolites. Adsorption, 11(1), pp.151-156.

Ferrarini, S.F., Cardoso, A.M., Paprocki, A. and Pires, M., 2016. Integrated synthesis of zeolites using coal fly ash: element distribution in the products, washing waters and effluent. *Journal of the Brazilian Chemical Society*, 27(11), pp.2034-2045.

Freundlich, H.M.F., 1906. Over the adsorption in solution. *J. Phys. Chem.*, 57(385471), pp.1100-1107.

Gandhi, N., Sirisha, D., Shekar, K.C. and Asthana, S., 2012. Removal of fluoride from water and waste water by using low cost adsorbents. *International Journal of ChemTech Research*, 4(4), pp.1646-1653.

Ghorai, S. and Pant, K.K., 2005. Equilibrium, kinetics and breakthrough studies for adsorption of fluoride on activated alumina. *Separation and purification technology*, 42(3), pp.265-271.

Ghorai, S. and Pant, K.K., 2005. Equilibrium, kinetics and breakthrough studies for adsorption of fluoride on activated alumina. *Separation and purification technology*, 42(3), pp.265-271.

Gifford, F.J., Gifford, R.M., Eddleston, M. and Dhaun, N., 2017. Endemic nephropathy around the world. *Kidney international reports*, 2(2), pp.282-292.

Gogoi, S., Nath, S.K., Bordoloi, S. and Dutta, R.K., 2015. Fluoride removal from groundwater by limestone treatment in presence of phosphoric acid. *Journal of environmental management*, 152, pp.132-139.

Gunawardena, N. (2019, Jan 19). Science and politics of mass kidney failure in Sri Lanka. Retrieved from <http://groundviews.org/2019/01/19/science-and-politics-of-mass-kidney-failurein-sri-lanka/>

Ho, Y.S. and McKay, G., 1999. Pseudo-second order model for sorption processes. *Process biochemistry*, 34(5), pp.451-465.

Huang, C.J. and Liu, J.C., 1999. Precipitate flotation of fluoride-containing wastewater from a semiconductor manufacturer. *Water Research*, 33(16), pp.3403-3412.

Ileperuma, O.A., Dharmagunawardhane, H.A. and Herath, K.P.R.P., 2009. Dissolution of aluminium from sub-standard utensils under high fluoride stress: a possible risk factor for chronic renal failure in the North-Central Province. *Journal of the National Science Foundation of Sri Lanka*, 37(3).

Ingallinella, A.M., Pacini, V.A., Fernández, R.G., Vidoni, R.M. and Sanguinetti, G., 2011. Simultaneous removal of arsenic and fluoride from groundwater by coagulation-adsorption with polyaluminum chloride. *Journal of Environmental Science and Health, Part A*, 46(11), pp.1288-1296.

Inkovaara, J., Heikinheimo, R., Jarvinen, K., Kasurinen, U., Hanhijarvi, H. and Iisalo, E., 1975. Prophylactic fluoride treatment and aged bones. *Br Med J*, 3(5975), pp.73-74.

Jayasekara, J.M., Dissanayake, D.M., Adhikari, S.B. and Bandara, P., 2013. Geographical distribution of chronic kidney disease of unknown origin in North Central Region of Sri Lanka. *Ceylon Med J*, 58(1), pp.6-10.

Jayasekara, K.B., Dissanayake, D.M., Sivakanesan, R., Ranasinghe, A., Karunaratna, R.H. and Kumara, G.W.G.P., 2015. Epidemiology of chronic kidney disease, with special emphasis on chronic kidney disease of uncertain etiology, in the north central region of Sri Lanka. *Journal of epidemiology*, 25(4), pp.275-280.

Jayasekara, K.B., Dissanayake, D.M., Sivakanesan, R., Ranasinghe, A., Karunaratna, R.H. and Kumara, G.W.G.P., 2015. Epidemiology of chronic kidney disease, with special emphasis on chronic kidney disease of uncertain etiology, in the north central region of Sri Lanka. *Journal of epidemiology*, 25(4), pp.275-280.

Jayasumana, C., Fonseka, S., Fernando, A., Jayalath, K., Amarasinghe, M., Siribaddana, S., Gunatilake, S. and Paranagama, P., 2015. Phosphate fertilizer is a

main source of arsenic in areas affected with chronic kidney disease of unknown etiology in Sri Lanka. SpringerPlus, 4(1), p.90.

Jayasumana, C., Paranagama, P.A., Amarasinghe, M.D., Wijewardane, K.M.R.C., Dahanayake, K.S., Fonseka, S.I., Rajakaruna, K.D.L.M.P., Mahamithawa, A.M.P., Samarasinghe, U.D. and Senanayake, V.K., 2013. Possible link of chronic arsenic toxicity with chronic kidney disease of unknown etiology in Sri Lanka.

Jayatilake, N., Mendis, S., Maheepala, P. and Mehta, F.R., 2013. Chronic kidney disease of uncertain aetiology: prevalence and causative factors in a developing country. BMC nephrology, 14(1), p.180.

Jayawardana, D.T., Pitawala, H.M.T.G.A. and Ishiga, H., 2012. Geochemical assessment of soils in districts of fluoride-rich and fluoride-poor groundwater, north-central Sri Lanka. Journal of Geochemical Exploration, 114, pp.118-125.

Jayawardana, D.T., Udagedara, D.T., Silva, A.A.M.P., Pitawala, H.M.T.G.A., Jayathilaka, W.K.P. and Adikaram, A.M.N.M., 2016. Mixing geochemistry of cold water around non-volcanic thermal springs in high-grade metamorphic terrain, Sri Lanka. Chemie der Erde-Geochemistry, 76(4), pp.555-565.

Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A.Y.M. and Yang, C.W., 2013. Chronic kidney disease: global dimension and perspectives. The Lancet, 382(9888), pp.260-272.

Jiménez- Núñez, M.L., Olguín, M.T. and Solache- Ríos, M., 2007. Fluoride Removal from Aqueous Solutions by Magnesium, Nickel, and Cobalt Calcined Hydrotalcite- like Compounds. Separation Science and Technology, 42(16), pp.3623-3639.

Jing, C., Cui, J., Huang, Y. and Li, A., 2012. Fabrication, characterization, and application of a composite adsorbent for simultaneous removal of arsenic and fluoride. ACS applied materials & interfaces, 4(2), pp.714-720.

Kakavandi, B., Jonidi, A., Rezaei, R., Nasseri, S., Ameri, A. and Esrafily, A., 2013. Synthesis and properties of Fe₃O₄-activated carbon magnetic nanoparticles for removal of aniline from aqueous solution: equilibrium, kinetic and thermodynamic studies. *Iranian journal of environmental health science & engineering*, 10(1), p.19.

Karagas, M.R., Le, C.X., Morris, S.T.E.V.E.N., Blum, J.O.E.L., Lu, X.I.U.F.E.N., Spate, V.I.C.K.Y., Carey, M.A.R.K., Stannard, V.I.R.G.I.N.I.A., Klaue, B.J.O.E.R.N. and Tosteson, T.D., 2001. Markers of low level arsenic exposure for evaluating human cancer risks in a US population. *International journal of occupational medicine and environmental health*, 14(2), pp.171-175.

Knez, S., Strazisar, J., Golob, J. and Horvat, A., 2001. Agglomeration of zeolite in the fluidized bed. *Acta chimica slovenica*, 48(4), pp.487-504.

Kosmulski, M., 2009. pH-dependent surface charging and points of zero charge. IV. Update and new approach. *Journal of Colloid and Interface Science*, 337(2), pp.439-448.

Kovacheva, P., Arishtirova, K. and Vassilev, S., 2001. MgO/NaX zeolite as basic catalyst for oxidative methylation of toluene with methane. *Applied Catalysis A: General*, 210(1-2), pp.391-395.

Ku, Y. and Chiou, H.M., 2002. The adsorption of fluoride ion from aqueous solution by activated alumina. *Water, air, and soil pollution*, 133(1-4), pp.349-361.

Kumari, M.K.N., Pathmarajah, S., Dayawansa, N.D.K. and Nirmanee, K.G.S., 2016. Evaluation of groundwater quality for irrigation in Malwathu Oya cascade-I in Anuradhapura District of Sri Lanka. *Tropical Agricultural Research*, 27(4), pp.310-324.

Langmuir, I., 1938. Overturning and anchoring of monolayers. *Science*, 87(2266), pp.493-500.

Levine, K.E., Redmon, J.H., Elledge, M.F., Wanigasuriya, K.P., Smith, K., Munoz, B., Waduge, V.A., Periris-John, R.J., Sathiakumar, N., Harrington, J.M. and Womack, D.S., 2016. Quest to identify geochemical risk factors associated with chronic kidney disease of unknown etiology (CKDu) in an endemic region of Sri Lanka—a multimedia laboratory analysis of biological, food, and environmental samples. *Environmental monitoring and assessment*, 188(10), p.548.

Lough, J., Noonan, R., Gagnon, R. and Kaye, M., 1975. Effects of fluoride on bone in chronic renal failure. *Archives of pathology*, 99(9), pp.484-487.

Luan, I.O.B., 2010. Singapore water management policies and practices. *International Journal of Water Resources Development*, 26(1), pp.65-80.

Luke, J., 2001. Fluoride deposition in the aged human pineal gland. *Caries Research*, 35(2), pp.125-128.

Lydon, M.E., 2013. Properties of inorganically surface-modified zeolites and zeolite/polyimide nanocomposite membranes (Doctoral dissertation, Georgia Institute of Technology).

Ma, Y., Shi, F., Zheng, X., Ma, J. and Gao, C., 2011. Removal of fluoride from aqueous solution using granular acid-treated bentonite (GHB): Batch and column studies. *Journal of hazardous materials*, 185(2-3), pp.1073-1080.

Machiraju, R.S., Yaradi, K., Gowrishankar, S., Edwards, K.L., Attaluri, S., Miller, F., Grollman, A.P. and Dickman, K.G., 2009. Epidemiology of Uddhanam endemic nephropathy. *J Am Soc Nephrol*, 20, p.643A.

Mahramanlioglu, M., Kizilcikli, I. and Bicer, I.O., 2002. Adsorption of fluoride from aqueous solution by acid treated spent bleaching earth. *Journal of Fluorine Chemistry*, 115(1), pp.41-47.

Manafia, S. and Joughehdoustb, S., Production of zeolite using different methods.

Marier, J.R., 1977. Some current aspects of environmental fluoride. Science of the Total Environment, 8(3), pp.253-265.

Martín-Cleary, C. and Ortiz, A., 2014. CKD hotspots around the world: where, why and what the lessons are. A CKJ review series. Clinical kidney journal, 7(6), pp.519-523.

Mohan, D., Sharma, R., Singh, V.K., Steele, P. and Pittman Jr, C.U., 2012. Fluoride removal from water using bio-char, a green waste, low-cost adsorbent: equilibrium uptake and sorption dynamics modeling. Industrial & Engineering Chemistry Research, 51(2), pp.900-914.

Mohapatra, M., Anand, S., Mishra, B.K., Giles, D.E. and Singh, P., 2009. Review of fluoride removal from drinking water. Journal of environmental management, 91(1), pp.67-77.

Mortier, W.J., 1982. Compilation of extra framework sites in zeolites. Butterworth Scientific Limited on behalf of the Structure Commission of the International Zeolite Association.

Mozgawa, W., Król, M. and Bajda, T., 2011. IR spectra in the studies of anion sorption on natural sorbents. Journal of Molecular Structure, 993(1-3), pp.109-114.

Nanayakkara, S., Stmld, S., Abeysekera, T., Chandrajith, R., Ratnatunga, N., Edl, G., Yan, J., Hitomi, T., Muso, E., Komiya, T. and Harada, K.H., 2014. An integrative study of the genetic, social and environmental determinants of chronic kidney disease characterized by tubulointerstitial damages in the North Central Region of Sri Lanka. Journal of occupational health, 56(1), pp.28-38.

Nanayakkara, Shanika, Toshiyuki Komiya, Neelakanthi Ratnatunga, S. T. M. L. D. Senevirathna, Kouji H. Harada, Toshiaki Hitomi, Glenda Gobe, Eri Muso, Tilak Abeysekera, and Akio Koizumi. "Tubulointerstitial damage as the major pathological lesion in endemic chronic kidney disease among farmers in North

Central Province of Sri Lanka." Environmental health and preventive medicine 17, no. 3 (2012): 213.

National Institute of Public Health and Environmental Protection, Netherlands ,1989. Advice on limiting the arsenal of antimicrobial drugs for veterinary use, RIVM, rapportnummer 358471003, Bilthoven.

Noble, A., Amerasinghe, P., Manthrithilake, H. and Arasalingam, S., 2014. Review of literature on chronic kidney disease of unknown etiology (CKDu) in Sri Lanka (Vol. 158). IWMI.

O'donnell, J.K., Tobey, M., Weiner, D.E., Stevens, L.A., Johnson, S., Stringham, P., Cohen, B. and Brooks, D.R., 2010. Prevalence of and risk factors for chronic kidney disease in rural Nicaragua. *Nephrology Dialysis Transplantation*, 26(9), pp.2798-2805.

Official web page of Presidential Task force on Prevention of Kidney Disease of uncertain etiology- <http://www.presidentialtaskforce.gov.lk/en/kidney.html#> - accessed on 25.02.2019-

Oshima, K.H., Evans-Strickfaden, T.T., Highsmith, A.K. and Ades, E.W., 1996. The use of a microporous polyvinylidene fluoride (PVDF) membrane filter to separate contaminating viral particles from biologically important proteins. *Biologicals*, 24(2), pp.137-145.

Padilla, A. P., & Saitua, H. (2010). Performance of simultaneous arsenic, fluoride and alkalinity (bicarbonate) rejection by pilot-scale nanofiltration. *Desalination*, 257(1-3), 16-21.

Paranagama, D., 2014. Chronic kidney disease of unknown origin in Sri Lanka and its relation to drinking water supplies: Doctoral dissertation.

Paranagama, D., Jayasuriya, N. and Bhuiyan, M., 2013. Water quality parameters in relation to chronic kidney disease in Sri Lanka. In Capacity Building for Sustainability (pp. 173-183). University of Peradeniya.

Peraza, S., Wesseling, C., Aragon, A., Leiva, R., García-Trabanino, R.A., Torres, C., Jakobsson, K., Elinder, C.G. and Hogstedt, C., 2012. Decreased kidney function among agricultural workers in El Salvador. American Journal of Kidney Diseases, 59(4), pp.531-540.

Perera, T., Ranasinghe, S., Alles, N. and Waduge, R., 2018. Effect of fluoride on major organs with the different time of exposure in rats. Environmental health and preventive medicine, 23(1), p.17.

Pietrelli, L., 2005. Fluoride wastewater treatment by adsorption onto metallurgical grade alumina. Annali di Chimica: Journal of Analytical, Environmental and Cultural Heritage Chemistry, 95(5), pp.303-312.

Pinon-Miramontes, M., Bautista-Margulis, R.G., Perez-Hernandez, A., 2003. Removal of arsenic and fluoride from drinking water with cake alum and a polymeric anionic flocculent. Fluoride 36 (2), 122e128 (Research Report).

Podder, S., Chattopadhyay, A. and Bhattacharya, S., 2008. In vivo suppression by fluoride of chromosome aberrations induced by mitomycin-c in mouse bone marrow cells. Fluoride, 41(1), p.40.

Pontie, M., Buisson, H., Diawara, C.K. and Emiss-Tome, H., 2003. Studies of halide ions mass transfer in nanofiltration—application to selective defluorination of brackish drinking water. Desalination, 157(1-3), pp.127-134.

Popat, K.M., Anand, P.S. and Dasare, B.D., 1994. Selective removal of fluoride ions from water by the aluminium form of the aminomethylphosphonic acid-type ion exchanger. Reactive polymers, 23(1), pp.23-32.

Puri, B.K. and Balani, S., 2000. Trace determination of fluoride using lanthanum hydroxide supported on alumina. *Journal of Environmental Science & Health Part A*, 35(1), pp.109-121.

Rajapurkar, M.M., John, G.T., Kirpalani, A.L., Abraham, G., Agarwal, S.K., Almeida, A.F., Gang, S., Gupta, A., Modi, G., Pahari, D. and Pisharody, R., 2012. What do we know about chronic kidney disease in India: first report of the Indian CKD registry. *BMC nephrology*, 13(1), p.10.

Ramdani, A., Taleb, S., Benghalem, A. and Ghaffour, N., 2010. Removal of excess fluoride ions from Saharan brackish water by adsorption on natural materials. *Desalination*, 250(1), pp.408-413.

Ramesh, K. and Reddy, D.D., 2011. Zeolites and their potential uses in agriculture. In *Advances in agronomy* (Vol. 113, pp. 219-241). Academic Press.

Ramírez, A.M., Melo, P.G., Robles, J.M.A., Castro, M.E.S., Khamkure, S. and de León, R.G., 2013. Kinetic and thermodynamic study of arsenic (V) adsorption on P and W aluminum functionalized zeolites and its regeneration. *Journal of Water Resource and Protection*, 5(08), p.58.

Roncal-Jimenez, C., García-Trabanco, R., Barregard, L., Lanaspa, M.A., Wesseling, C., Harra, T., Aragón, A., Grases, F., Jarquin, E.R., González, M.A. and Weiss, I., 2016. Heat stress nephropathy from exercise-induced uric acid crystalluria: a perspective on Mesoamerican nephropathy. *American journal of kidney diseases*, 67(1), pp.20-30.

Roncal-Jimenez, C., Lanaspa, M.A., Jensen, T., Sanchez-Lozada, L.G. and Johnson, R.J., 2015. Mechanisms by which dehydration may lead to chronic kidney disease. *Annals of Nutrition and Metabolism*, 66(Suppl. 3), pp.10-13.

Rubasinghe, R., Gunatilake, S.K. and Chandrajith, R., 2015. Geochemical characteristics of groundwater in different climatic zones of Sri Lanka. *Environmental earth sciences*, 74(4), pp.3067-3076.

Sabolić, I., 2006. Common mechanisms in nephropathy induced by toxic metals. *Nephron Physiology*, 104(3), pp.p107-p114.

Samatya, S., Yüksel, Ü., Yüksel, M. and Kabay, N., 2007. Removal of fluoride from water by metal ions (Al^{3+} , La^{3+} and ZrO_2^{+}) loaded natural zeolite. *Separation Science and Technology*, 42(9), pp.2033-2047.

Sanoff, S.L., Callejas, L., Alonso, C.D., Hu, Y., Colindres, R.E., Chin, H., Morgan, D.R. and Hogan, S.L., 2010. Positive association of renal insufficiency with agriculture employment and unregulated alcohol consumption in Nicaragua. *Renal failure*, 32(7), pp.766-777.

Sehn, P., 2008. Fluoride removal with extra low energy reverse osmosis membranes: three years of large scale field experience in Finland. *Desalination*, 223(1-3), pp.73-84.

Senevirathna, L., Abeysekera, T., Nanayakkara, S., Chandrajith, R., Ratnatunga, N., Harada, K.H., Hitomi, T., Komiya, T., Muso, E. and Koizumi, A., 2012. Risk factors associated with disease progression and mortality in chronic kidney disease of uncertain etiology: a cohort study in Medawachchiya, Sri Lanka. *Environmental health and preventive medicine*, 17(3), p.191.

SenGupta, A.K., 2017. Ion Exchange in Environmental Processes: Fundamentals, Applications and Sustainable Technology. John Wiley & Sons.

Shao, D.D., Fan, Q.H., Li, J.X., Niu, Z.W., Wu, W.S., Chen, Y.X. and Wang, X.K., 2009. Removal of Eu (III) from aqueous solution using ZSM-5 zeolite. *Microporous and Mesoporous Materials*, 123(1-3), pp.1-9.

Shimelis, B., Zewge, F. and Chandravanshi, B.S., 2006. Removal of excess fluoride from water by aluminum hydroxide. *Bulletin of the Chemical Society of Ethiopia*, 20(1), pp.17-34.

Shuhua, X., Ziyou, L., Ling, Y., Fei, W. and Sun, G., 2012. A role of fluoride on free radical generation and oxidative stress in BV-2 microglia cells. *Mediators of inflammation*, 2012.

Simon, M.J.K., Beil, F.T., Rüther, W., Busse, B., Koehne, T., Steiner, M., Pogoda, P., Ignatius, A., Amling, M. and Oheim, R., 2014. High fluoride and low calcium levels in drinking water is associated with low bone mass, reduced bone quality and fragility fractures in sheep. *Osteoporosis International*, 25(7), pp.1891-1903.

Šljivić, M., Smičiklas, I., Pejanović, S. and Plečaš, I., 2009. Comparative study of Cu²⁺ adsorption on a zeolite, a clay and a diatomite from Serbia. *Applied Clay Science*, 43(1), pp.33-40.

Spencer H, Lewin I, Fowler J, Samachson J. Effect of sodium fluoride on calcium absorption and balances in man. *Am J Clin Nutr* 1969;22:381–90

Sri Lankan Standard Institute. (2013) SLS standard 614:2013. Colombo: Sri Lankan Standard Institute, Sri Lanka.

Sudasinghe, M. I, 2016. “Water quality data of CKDu prevalent areas”, University of Moratuwa

Tor, A., 2006. Removal of fluoride from an aqueous solution by using montmorillonite. *Desalination*, 201(1-3), pp.267-276.

Tor, A., Danaoglu, N., Arslan, G. and Cengeloglu, Y., 2009. Removal of fluoride from water by using granular red mud: batch and column studies. *Journal of hazardous materials*, 164(1), pp.271-278.

Tripathi, A., Parise, J.B., Kim, S.J., Lee, Y., Johnson, G.M. and Uh, Y.S., 2000. Structural changes and cation site ordering in Na and K forms of aluminogermanates with the zeolite gismondine topology. *Chemistry of materials*, 12(12), pp.3760-3769.

Vithanage, M. and Bhattacharya, P., 2015. Fluoride in drinking water: health effects and remediation. In CO₂ Sequestration, Biofuels and Depollution (pp. 105-151). Springer, Cham.

Vos, T., Barber, R.M., Bell, B., Bertozzi-Villa, A., Biryukov, S., Bolliger, I., rson, F., Davis, A., Degenhardt, L., Dicker, D. and Duan, L., 2015. Global Burden of Disease Study 2013 Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: A systematic analysis for the Global Burden of Disease Study 2013. *Lancet*, 386(9995), pp.743-800.

Wanasinghe, W.C.S., Gunarathna, M.H.J.P., Herath, H.M.P.I.K. and Jayasinghe, G.Y., 2018. Drinking Water Quality on Chronic Kidney Disease of Unknown Aetiology (CKDu) in Ulagalla Cascade, Sri Lanka. Sabaragamuwa University, 16(1), pp.17-27.

Wang, S.G., Ma, Y., Shi, Y.J. and Gong, W.X., 2009. Defluoridation performance and mechanism of nano- scale aluminum oxide hydroxide in aqueous solution. *Journal of Chemical Technology & Biotechnology: International Research in Process, Environmental & Clean Technology*, 84(7), pp.1043-1050.

Wang, Y., Zhu, J.H., Cao, J.M., Chun, Y. and Xu, Q.H., 1998. Basic catalytic behavior of MgO directly dispersed on zeolites by microwave irradiation. *Microporous and mesoporous materials*, 26(1-3), pp.175-184.

Wanigasuriya, K., 2012. Aetiological factors of Chronic Kidney Disease in the North Central Province of Sri Lanka: A review of evidence to-date.

Wanigasuriya, K., 2014. Update on uncertain etiology of chronic kidney disease in Sri Lanka's north-central dry zone. *MEDICC review*, 16, pp.61-65.

Wanigasuriya, K.P., Peiris-John, R.J. and Wickremasinghe, R., 2011. Chronic kidney disease of unknown aetiology in Sri Lanka: is cadmium a likely cause?. *BMC nephrology*, 12(1), p.32.

Wasana, H.M., Perera, G.D., De Gunawardena, P.S. and Bandara, J., 2015. The impact of aluminum, fluoride, and aluminum–fluoride complexes in drinking water on chronic kidney disease. *Environmental Science and Pollution Research*, 22(14), pp.11001-11009.

Wasana, H. M., Perera, G. D., Gunawardena, P. D. S., Fernando, P. S., & Bandara, J. (2017). WHO water quality standards Vs Synergic effect (s) of fluoride, heavy metals and hardness in drinking water on kidney tissues. *Scientific Reports*, 7, 42516.

Weber, T.W. and Chakravorti, R.K., 1974. Pore and solid diffusion models for fixed- bed adsorbers. *AIChE Journal*, 20(2), pp.228-238.

Wickramarathna, S., Balasooriya, S., Diyabalanage, S. and Chandrajith, R., 2017. Tracing environmental aetiological factors of chronic kidney diseases in the dry zone of Sri Lanka—A hydrogeochemical and isotope approach. *Journal of Trace Elements in Medicine and Biology*, 44, pp.298-306.

Wilhelm, M., Ewers, U. and Schulz, C., 2004. Revised and new reference values for some trace elements in blood and urine for human biomonitoring in environmental medicine. *International journal of hygiene and environmental health*, 207(1), pp.69-73.

Wimalawansa, S.J. and Wimalawansa, S.A., 2014. Impact of changing agricultural practices on human health: chronic kidney disease of multi-factorial origin in Sri Lanka.

Wimalawansa, S.J., 2015. Escalating chronic kidney diseases of multi-factorial origin (CKD-mfo) in Sri Lanka: causes, solutions, and recommendations—update and responses. *Environmental health and preventive medicine*, 20(2), p.152.

Wu, H., Zhang, J., Wei, Q., Zheng, J. and Zhang, J., 2013. Transesterification of soybean oil to biodiesel using zeolite supported CaO as strong base catalysts. *Fuel Processing Technology*, 109, pp.13-18.

- Xiong, X., Liu, J., He, W., Xia, T., He, P., Chen, X., Yang, K. and Wang, A., 2007. Dose–effect relationship between drinking water fluoride levels and damage to liver and kidney functions in children. *Environmental Research*, 103(1), pp.112-116.
- XU, Q.L., LI, T.C. and YAN, Y.J., 2008. Effects of CaO-modified zeolite on one-step synthesis of dimethyl ether. *Journal of Fuel Chemistry and Technology*, 36(2), pp.176-180.
- Yuh-Shan, H., 2004. Citation review of Lagergren kinetic rate equation on adsorption reactions. *Scientometrics*, 59(1), pp.171-177.
- Zager, R.A. and Iwata, M., 1997. Inorganic fluoride. Divergent effects on human proximal tubular cell viability. *The American journal of pathology*, 150(2), p.735.
- Zager, R.A. and Iwata, M., 1997. Inorganic fluoride. Divergent effects on human proximal tubular cell viability. *The American journal of pathology*, 150(2), p.735.
- Zhao, B., Zhang, Y., Dou, X., Wu, X. and Yang, M., 2012. Granulation of Fe–Al–Ce trimetal hydroxide as a fluoride adsorbent using the extrusion method. *Chemical Engineering Journal*, 185, pp.211-218.
- Zholobenko, V., Chapple, A., Rhodes, N. and Stuart, J., 1998. Structural transitions in zeolite P An in situ FTIR study. *Journal of the Chemical Society, Faraday Transactions*, 94(12), pp.1779-1781.