

## REFERENCES

- [1] BICC Cables, *Electric Cables Handbook*. 1997.
- [2] B. Qiao, “analyses,” 2016.
- [3] E. Eroglu, I. Guney, I. Gunes, and E. Sener, “Mathematical modeling of heat effect on cable insulation,” *Acta Phys. Pol. A*, vol. 131, no. 3, pp. 539–541, 2017.
- [4] A. Tzimas, S. Rowland, L. A. Dissado, M. Fu, and U. H. Nilsson, “Effect of long-time electrical and thermal stresses upon the endurance capability of cable insulation material,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 16, no. 5, pp. 1436–1443, 2009.
- [5] T. J. Lewis, J. P. Llewellyn, M. J. Van Der Sluijs, J. Freestone, and R. N. Hampton, “A new model for electrical ageing and breakdown in dielectrics,” *Dielectr. Mater. Meas. Appl. Seventh Int. Conf.*, no. September, pp. 220–224, 1996.
- [6] G. Mazzanti, G. C. Montanari, and L. A. Dissado, “Electrical aging and life models: The role of space charge,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 12, no. 5, pp. 876–890, 2005.
- [7] Y. L. Chong, G. Chen, and Y. F. F. Ho, “Temperature effect on space charge dynamics in XLPE insulation,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 14, no. 1, pp. 65–76, 2007.
- [8] M. Fu, G. Chen, L. Dissado, and J. Fothergill, “Influence of thermal treatment and residues on space charge accumulation in XLPE for DC power cable application,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 14, no. 1, pp. 53–64, 2007.
- [9] T. Salivon, X. Colin, and R. Comte, “Degradation of XLPE and PVC cable insulators,” *Annu. Rep. - Conf. Electr. Insul. Dielectr. Phenomena, CEIDP*, vol. 2015-Decem, pp. 656–659, 2015.
- [10] C. Dang, J. L. Parpal, and J. P. Crine, “Electrical aging of extruded dielectric cables: Review of existing theories and data,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 3, no. 2, pp. 237–247, 1996.
- [11] A. Rawangpai, B. Maraungsri, and N. Chomnawang, “Artificial Accelerated Ageing Test of 22 kV XLPE Cable for Distribution System Applications in Thailand,” *Int. J. Electr. Comput. Energ. Electron. Commun. Eng.*, vol. 4, no. 5, pp. 797–802, 2010.
- [12] M. Celina, K. T. Gillen, and R. A. Assink, “Accelerated aging and lifetime prediction: Review of non-Arrhenius behaviour due to two competing processes,” *Polym. Degrad. Stab.*, vol. 90, no. 3, pp. 395–404, 2005.

- [13] M. H. Shwehdi, M. A. Morsy, and A. Abugurain, “Thermal aging tests on XLPE and PVC cable insulation materials of Saudi Arabia,” *2003 Annu. Rep. Conf. Electr. Insul. Dielectr. Phenom.*, pp. 176–180, 2003.
- [14] N. Bowler and S. Liu, “Aging Mechanisms and Monitoring of Cable Polymers,” *Progn. Heal. Manag. Soc.*, no. July 2015, pp. 1–12, 2015.
- [15] F. Awaja, S. Zhang, M. Tripathi, A. Nikiforov, and N. Pugno, “Progress in Materials Science Cracks , microcracks and fracture in polymer structures : Formation , detection , autonomic repair,” *Prog. Mater. Sci.*, vol. 83, pp. 536–573, 2016.
- [16] V. Babrauskas and F. Science, “Low-Voltage Pvc Wires , Cables , and,” *Communications*, no. October, pp. 291–309, 2005.
- [17] V. Balek, “LIFETIME SIMULATION AND THERMAL CHARACTERIZATION OF PVC CABLE INSULATION MATERIALS,” pp. 1–8, 2005.
- [18] J. L. Mead, Z. Tao, and H. S. Liu, “Insulation materials for wire and cable applications,” *Rubber Chem. Technol.*, vol. 75, no. 4, pp. 701–712, 2002.
- [19] W. a Thue, *Power Cable Engineering edited by*. 1999.
- [20] A. M. A. Abu-gurain, “Investigation and analysis of thermal aging of xlpe and pvc cable insulation materials manufactured in master of science in electrical engineering king fahd university of petroleum & minerals dhahran , Saudi Arabia june 2003 king fahd univeraity of petrol,” no. June, 2003.
- [21] S.-P. Chan, “The Electrical Engineering Handbook: Section I – Circuits,” *Signal Processing*, 2000.
- [22] C. Mayoux, “Degradation of insulating materials under electrical stress,” *IEEE Trans. Dielectr. Electr. Insul.*, vol. 7, no. 5, pp. 590–601, 2000.
- [23] R. Mikael, “Effects of Thermal Aging on Polymer Thin Film Insulations for Capacitor Applications,” no. October, p. 127, 2014.
- [24] B. E. Tahira, M. I. Khan, R. Saeed, and S. Akhwan, “A Review: Thermal Degradation and Stabilization of Poly (Vinyl Chloride),” *Int. J. Res.*, vol. 1, no. 6, pp. 732–750, 2014.
- [25] Y. Shashoua, “Inhibiting the deterioration of plasticized poly (vinyl chloride),” *Chem. Eng.*, vol. PhD, 2001.
- [26] F. P. Reding, E. R. Walter, and F. J. Welch, “Glass Transition and Melting Point of Poly ( vinyl Chloride ),” vol. 56, pp. 225–231, 1962.
- [27] S. Edition, “Handbook of Radical Polymerization,” 2002.
- [28] K. Anandakumaran and D. J. Stonkus, “Assessment of oxidative thermal degradation of crosslinked polyethylene and ethylene propylene rubber cable insulation,” *Polym. Eng. Sci.*, vol. 32, no. 18, pp. 1386–1393, 1992.

- [29] P. Hyvönen, Prediction of insulation degradation of distribution power cables based on chemical analysis and electrical measurements. 2008.
- [30] H. Utschick *et al.*, “Investigations on the thermal degradation of post-chlorinated polyvinyl chloride,” *Thermochim. Acta*, vol. 234, no. C, pp. 139–151, 1994.
- [31] F. V. J. Luston, V. Pastusakova, “From Polypropylene,” *Appl. Polym. Sci.*, vol. 48, pp. 555–562, 1993.
- [32] R. G. Lorenzini, W. M. Kline, C. C. Wang, R. Ramprasad, and G. A. Sotzing, “The rational design of polyurea & polyurethane dielectric materials,” *Polym. (United Kingdom)*, vol. 54, no. 14, pp. 3529–3533, 2013.
- [33] A. R. Verma and B. S. Reddy, “Accelerated aging studies of silicon-rubber based polymeric insulators used for HV transmission lines,” *Polym. Test.*, vol. 62, pp. 124–131, 2017.
- [34] T. Seguchi, K. Tamura, T. Ohshima, A. Shimada, and H. Kudoh, “Degradation mechanisms of cable insulation materials during radiation-thermal ageing in radiation environment,” *Radiat. Phys. Chem.*, vol. 80, no. 2, pp. 268–273, 2011.
- [35] Z. P. Huang, H. Y. Nie, Y. Y. Zhang, L. M. Tan, H. L. Yin, and X. G. Ma, “Migration kinetics and mechanisms of plasticizers, stabilizers at interfaces of NEPE propellant/HTPB liner/EDPM insulation,” *J. Hazard. Mater.*, vol. 229–230, pp. 251–257, 2012.
- [36] G. Wypych, “Principles of Thermal Degradation,” *PVC Degrad. Stab.*, pp. 79–165, 2015.
- [37] M. G. Garavaglia, “Plasticizer Characterization by TG-IR.”
- [38] Ž. Mrklić, D. Rušić, and T. Kovačić, “Kinetic model of the evaporation process of benzylbutyl phthalate from plasticized poly(vinyl chloride),” *Thermochim. Acta*, vol. 414, no. 2, pp. 167–175, 2004.
- [39] V. V. Krongauz, Y. P. Lee, and A. Bourassa, “Kinetics of thermal degradation of poly(vinyl chloride): Thermogravimetry and spectroscopy,” *J. Therm. Anal. Calorim.*, vol. 106, no. 1, pp. 139–149, 2011.
- [40] J. Chen, X. A. Nie, J. C. Jiang, and Y. H. Zhou, “Thermal degradation and plasticizing mechanism of poly(vinyl chloride) plasticized with a novel cardanol derived plasticizer,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 292, no. 1, 2018.
- [41] C. E. Wilkes, C. A. Daniels, J. W. Summers, L. G. Krauskopf, and A. Godwin, “PVC Handbook 5 Plasticizers,” *PVC Handb.*, p. 170.193, 2005.
- [42] M. Beneš, V. Plaček, G. Matuschek, A. Kettrup, K. Györyová, and V. Balek, “Characterization of PVC cable insulation materials and products obtained after removal of additives,” *J. Appl. Polym. Sci.*, vol. 99, no. 3, pp. 788–795, 2006.

- [43] Q. Yu and A. P. S. Selvadurai, "Mechanical behaviour of a plasticized PVC subjected to ethanol exposure," *Polym. Degrad. Stab.*, vol. 89, no. 1, pp. 109–124, 2005.
- [44] C. Wang *et al.*, "Diffusion of di(2-ethylhexyl)phthalate in PVC quantified by ATR-IR spectroscopy," *Polym. (United Kingdom)*, vol. 76, pp. 70–79, 2015.
- [45] K. Z. Gumargalieva, V. B. Ivanov, G. E. Zaikov, J. V. Moiseev, and T. V. Pokholok, "Problems of ageing and stabilization of poly(vinyl chloride)," *Polym. Degrad. Stab.*, vol. 52, no. 1, pp. 73–79, 1996.
- [46] M. Ekelund, H. Edin, and U. W. Gedde, "Long-term performance of poly(vinyl chloride) cables. Part 1: Mechanical and electrical performances," *Polym. Degrad. Stab.*, vol. 92, no. 4, pp. 617–629, 2007.
- [47] F. Djouani, I. Mkacher, X. Colin, Y. Brument, and A. Cristiano-Tassi, "Evaporation kinetics of DIDP plasticizer from PVC," *AIP Conf. Proc.*, vol. 1599, pp. 218–221, 2014.
- [48] M. Brebu *et al.*, "Study of the natural ageing of PVC insulation for electrical cables," *Polym. Degrad. Stab.*, vol. 67, no. 2, pp. 209–221, 2000.
- [49] Ž. Mrklić and T. Kovačić, "Thermogravimetric investigation of volatility of dioctyl phthalate from plasticized poly(vinyl chloride)," *Thermochim. Acta*, vol. 322, no. 2, pp. 129–135, 1998.
- [50] D. E. Gavrila, "Studies of Degradation of Plasticized Polyvinyl Chloride ( PPVC )," vol. 6, no. 1, pp. 56–63, 2016.
- [51] N. C. Amato B, Karl S, "Phthalate plasticizers," *April 6, 2001*, vol. CE 435. pp. 1–13, 2001.
- [52] E. Linde and U. W. Gedde, "Plasticizer migration from PVC cable insulation - The challenges of extrapolation methods," *Polym. Degrad. Stab.*, vol. 101, no. 1, pp. 24–31, 2014.
- [53] A. T. Mohamed, "Experimental enhancement for dielectric strength of polyethylene insulation materials using cost-fewer nanoparticles," *Int. J. Electr. Power Energy Syst.*, vol. 64, pp. 469–475, 2015.
- [54] G. WYPYCH, "11 – Plasticizers Use and Selection for Specific Polymers," *Handb. Plast.*, pp. 298–299, 2017.
- [55] S. O. F. Wire, "Cable Designers Guide," pp. 7–19.
- [56] G. Wypych, *Degradation & Stabilization*. 2015.
- [57] S. J. Ren and Q. H. Sun, "The Law of Insulation Failure of ZR-VV Cables under the Circumstances of Different Thermal Environments," *Procedia Eng.*, vol. 135, pp. 362–367, 2016.
- [58] K. A. Mauritz, R. F. Storey, and S. E. George, "A General Free Volume Based Theory for the Diffusion of Large Molecules in Amorphous Polymers above Tg

- . 1 . Application to Di-n-alkyl Phthalates in PVC,” pp. 441–450, 1990.
- [59] M. Amin and M. Salman, “Aging of polymeric insulators (an overview),” *Rev. Adv. Mater. Sci.*, vol. 13, no. 2, pp. 93–116, 2006.
- [60] L. A. Dissado and J. C. Fothergill, *Electrical Degradation and Breakdown in Polymers*. 1992.
- [61] M. Marzinotto, G. Mazzanti, C. Mazzetti, M. Pompili, C. Santulli, and P. Schiaffino, “Investigation on thermal endurance of PVC compounds for low voltage cable insulation,” *Annu. Rep. - Conf. Electr. Insul. Dielectr. Phenomena, CEIDP*, pp. 49–52, 2007.
- [62] N. Akmal, M. Jamail, Z. A. Haron, A. Ponniran, Q. E. Kamarudin, and N. A. Jalaludin, “Partial Discharge Detection for Condition Monitoring Of an 11-kV XLPE Cable,” pp. 1–4, 2009.
- [63] T. Kovačić and Ž. Mrklić, “The kinetic parameters for the evaporation of plasticizers from plasticized poly(vinyl chloride),” *Thermochim. Acta*, vol. 381, no. 1, pp. 49–60, 2002.
- [64] L. Audouin and J. Verdu, “THERMAL AGEING OF PLASTICIZED PVC EFFECT OF LOSS KINETICS ON PLASTICIZER,” pp. 262–265, 1994.
- [65] M. Ekelund, B. Azhdar, M. S. Hedenqvist, and U. W. Gedde, “Long-term performance of poly(vinyl chloride) cables, Part 2: Migration of plasticizer,” *Polym. Degrad. Stab.*, vol. 93, no. 9, pp. 1704–1710, 2008.
- [66] X. Zhang and F. Zhang, “Study on the Thermal Degradation Behaviors of the Sheath and Insulation Materials of FR-PVC Cables,” *Adv. Mater. Res.*, vol. 550–553, pp. 914–918, 2012.
- [67] Marcelo M. Hirschler, *Electrical Insulating Materials: International Issues*, vol. 172, no. 4366. 2000.
- [68] C. L. Beyler and M. M. Hirschler, “Thermal Decomposition of Polymers,” *SPE Handb. Fire Prot. Eng.*, pp. 110–131, 2001.
- [69] P. C. Lodi and B. de S. Bueno, “Thermo-gravimetric analysis (TGA) after different exposures of high density polyethylene (HDPE) and poly vinyl chloride (PVC) geomembranes,” *Electron. J. Geotech. Eng.*, vol. 17 W, pp. 3339–3349, 2012.
- [70] G. Chen, “Review of High Voltage Direct Current Cables,” *CSEE J. Power Energy Syst.*, vol. 1, no. 2, pp. 9–21, 2015.
- [71] K. Anandakumaran and D. J. Stonkus, “Determination of PVC cable insulation degradation,” *J. Vinyl Technol.*, vol. 14, no. 1, pp. 24–28, 1992.
- [72] Bahra Cables Company, “Low Voltage Power Cables,” 2011.
- [73] P. D. Calvert, N. C. Billingham, and M. Sciences, “Loss of Additives from Polymers : A Theoretical Model,” vol. 24, pp. 357–370, 1979.

- [74] A. V Dedov, V. P. Stolyarov, O. V Pitikova, and V. G. Nazarov, “Approaches to modelling the kinetics of extraction of plasticisers from polyvinyl chloride,” vol. 5, no. 5, pp. 36–39, 2014.
- [75] M. Ekelund, B. Azhdar, and U. W. Gedde, “Evaporative loss kinetics of di(2-ethylhexyl)phthalate (DEHP) from pristine DEHP and plasticized PVC,” *Polym. Degrad. Stab.*, vol. 95, no. 9, pp. 1789–1793, 2010.
- [76] J. Luston, V. Pastusakova, and F. Vass, “Volatility of Additives from Polymers . Concentration Dependence and Crystallinity Effects.”
- [77] M. Beneš, N. Milanov, G. Matuschek, A. Kettrup, V. Pla<sup>1</sup>ek, and V. Balek, “Thermal Degradation of Pvc Cable Insulation Studied By Simultaneous Tg-Ftir and Tg-Ega Methods,” *J. Therm. Anal. Calorim.*, vol. 78, pp. 621–630, 2004.
- [78] A. L. Petrou, M. Roulia, and K. Tampouris, “The use of the Arrhenius equation in the study of deterioration and of cooking of foods,” *Sci. Environ. Soc.*, vol. 3, no. 1, pp. 87–97, 2002.
- [79] A. Jiménez, A. Iannoni, L. Torre, and J. M. Kenny, “Kinetic modeling of the thermal degradation of stabilized PVC plastisols,” *J. Therm. Anal. Calorim.*, vol. 61, no. 2, pp. 483–491, 2000.