

REFERENCES:

1. Allen, T., & Baudet, M. G. (1977). The limits of gravitational sedimentation. *Powder Technology*, 18(2), 131-138.
2. Arai, T., Yazaki, T., & Otsubo, Y. (2007). "Control of rheology and sedimentation behavior of colloidal suspensions." *NIHON REOROJI GAKKAISHI*, 35(2), 61-67.
3. Bhatti, J. I. (1986). "Clusters formation during sedimentation of dilute suspensions." *Separation Science and Technology*, 21 (9): 953–967
4. Binnie, C., Kimber, M., Smethurst, G., & Smethurst, G. (2002). *Basic water treatment*. Thomas Telford.
5. Bratby, J. (2016). *Coagulation and flocculation in water and wastewater treatment*. IWA publishing.
6. Chen, L. C., Lee, D. J., & Chou, S. S. (2006). "Charge reversal effect on blanket in full-scale floc blanket clarifier." *Journal of Environmental Engineering*, 132(11), 1523-1526.
7. Chen, L. C., Sung, S. S., Lin, W. W., Lee, D. J., Huang, C., Juang, R. S., & Chang, H. L. (2003). "Observations of blanket characteristics in full-scale floc blanket clarifiers." *Water science and technology*, 47(1), 197-204.
8. Ching, H. W., Tanaka, T. S., & Elimelech, M. (1994). "Dynamics of coagulation of kaolin particles with ferric chloride." *Water research*, 28(3), 559-569.
9. Cocco, R., A. Issangya, S. B. Reddy Karri, T. Freeman, H. M. Jaeger, & T. M. Knowlton. (2017). "Small-scale particle interactions are having significant effects on global fluidized bed behavior." *Kona Powder Particle Journal*, 34, 155–167
10. Concha, F., & Almendra, E. R. (1979). Settling velocities of particulate systems, 1. Settling velocities of individual spherical particles. *International Journal of Mineral Processing*, 5(4), 349-367.
11. Concha, F., & Almendra, E. R. (1979). Settling velocities of particulate systems, 2. Settling velocities of suspensions of spherical particles. *International Journal of Mineral Processing*, 6(1), 31-41.
12. Davies, R. 1968. "The experimental study of the differential settling of particles in suspension at high concentrations." *Powder Technology*, 2(1): 43–51.
13. Dwivedi, P. N., & Upadhyay, S. N. (1977). Particle-fluid mass transfer in fixed and fluidized beds. *Industrial & Engineering Chemistry Process Design and Development*, 16(2), 157-165.
14. Degremont (2007). *Water Treatment Plant Design*, France.
15. Ekama, G.A., Barnard, J.L., Gu' nthert, F.W., Krebs, P., McCorquodale, J.A., Parker, D.S., & Wahlberg, E.J. (1997). "Secondary Settling Tanks: Theory, Modelling and Operation." *IAWQ Scientific and Technical Report No. 6. International Association on Water Quality*, London.
16. El-Nahhas, K. (2009). "Water Treatment Plant Optimization by Controlling the Suspended Solids Physicochemical Environment." *In 13th International Water Technology Conference, IWTC13, Hurghada, Egypt* (pp. 1085-1097).

17. Fitzpatrick, C. S. B., Fradin, E., & Gregory, J. (2004). "Temperature effects on flocculation, using different coagulants." *Water Science and Technology*, 50(12), 171-175.
18. Goula, A. M., Kostoglou, M., Karapantsios, T. D., & Zouboulis, A. I. (2008). "The effect of influent temperature variations in a sedimentation tank for potable water treatment—A computational fluid dynamics study." *Water research*, 42(13), 3405-3414.
19. Gould, B. (1969). "Sediment distribution in upflow." *Aust. Civ. Eng.* 10(9), 27–29.
20. Gould, B. W. 1974. "Hindered settling and sludge blanket clarifiers." *Effluent Water Treatment Journal* (14) (3): 131–135.
21. Gregory, R. (1979), "Floc blanket clarification", In *WRC technical report*, TR111, Water Research Centre, Medmenham, UK
22. Gregory, R., Head, R. & Graham, N. (1996). "Blanket Solids Concentration in Floc Blanket Clarifiers." *Proc. Gothenburg Symp.*, Edinburgh, UK.
23. Gudipaty T., Stamm M.T., Luthur S., Cheung L, Jiang L., & Zohar Y. (2011), "Cluster formation and growth in microchannel flow of dilute particle suspensions," *Microfluidics Nanofluidics*, 10, 661-669
24. Ham, J. M., & Homsy, G. M. (1988). Hindered settling and hydrodynamic dispersion in quiescent sedimenting suspensions. *International journal of multiphase flow*, 14(5), 533-546.
25. Harper, D.M., & Bullock, J.A. (1981). "Developments in Hydrobiology, Rutland Water- Decade of Change, *Proceedings of the conference.*" Leicester, U.K.
26. Head, R., Hart, J. & Graham, N. (1997). "Simulating the effect of blanket characteristics on the floc blanket clarification process." *Water Science and Technology* 36(4), 77–82
27. Hurst, M., Weber-Shirk, M., & Lion, W. L. (2010). "Parameters affecting steady-state floc blanket Performance," *Journal of water supply research and technology- AQUA*, 59(5), 312-323
28. Hurst, M., M. Weber-Shirk, P. Charles, and L. W. Lion. 2014a. "Apparatus for observation and analysis of floc blanket formation and performance." *Journal of Environmental Engineering*, 140 (1): 11–20.
29. Hurst, M., M.Weber-Shirk, and L.W. Lion. 2014b. "Image analysis of floc blanket dynamics: Investigation of floc blanket thickening, growth and steady state." *Journal of Environmental Engineering*, 140(4):04014005-1–04014005-10.
30. Illangasinghe, W., Ratnayaka, N., Manatunge, J. & Jayasuriya, N. (2016). "Optimum coagulant dose for the operation of pulsed sludge blanket clarifiers." *Proceedings of 8th International Perspective on Water Resources and the Environment*, ASCE-EWRI, Colombo, Sri Lanka.
31. Illangasinghe W., Ratnayaka N., Manatunge J. & Jayasuriya, N. (2019). "Cohesivity, Formation of Particle Clusters and Blanket Settling Velocity in a Fluidized Bed." *Journal of Environmental Engineering*, 145(4), 04019003

32. Jarvis, P., Jefferson, B., & Parsons, S. A. (2006). "Floc structural characteristics using conventional coagulation for a high doc, low alkalinity surface water source." *Water research*, 40(14), 2727-2737.
33. Joudah, R.A. (2014). "Effect of Temperature on Floc Formation Process Efficiency and Subsequent Removal in Sedimentation Process." *Journal of Engineering and Development*, 18(4), 1813- 7822.
34. Kaye, B.H., and Boardman R.P. (1962). "Cluster formation in dilute suspensions." *3rd Congress of the European Federation of Chemical Engineers*, London, Paper A17.
35. Kocamemi, B. A., "Chapter 7, Coagulation & Flocculation." *Department of Environmental Engineering, Marmara University, Turkey*. Retrieved from http://mimoza.marmara.edu.tr/~bilge.alpaslan/enve301/Lectures/Chp_7.pdf.
36. Kocamemi, B.A., "Chapter 10, Sedimentation." *Department of Environmental Engineering, Marmara University, Turkey*. Retrived from http://mimoza.marmara.edu.tr/~bilge.alpaslan/enve301/Lectures/Chp_10.pdf.
37. Kotlyar, L.S., Sparks, B.D., LePage, Y., Woods, J. R. (1998). "Effect of particle size on the flocculation behavior of ultra-fine clays in salt solutions". *National Research Council of Canada, Clay Minerals*, 33, 013-107.
38. Lau, Y.L. (1994). "Temperature effect on settling velocity and deposition of cohesive sediments". *Journal of Hydraulic Research*, 33, 41–52.
39. Lee, C. H. (1989). "Modeling of batch hindered settling." Ph.D. thesis, College of Earth and Mineral Sciences, Pennsylvania State Univ.
40. Mahmood, F., Pimblett, J.G., Grace, N.O. & Grayman, W.M., (2005). "Evaluation of water mixing characteristics in distribution system storage tanks". *Journal of American Water Works Association* 97(3), 74–88.
41. Matsui, Y., Yuasa, A., Furuya, Y., Kamei, T. (1998). "Dyanmic analysis of cogulation with alum and PACl." *AWWA* 90(10), 96-106
42. McCorquodale, J.A. & Zhou, S. (1993). "Effects of hydraulic and solids loading on clarifier performance". *Journal of Hydraulic Research*, 31(4), 461–477.
43. Mirza, S. R. J. F., & J. F. Richardson. (1979). "Sedimentation of suspensions of particles of two or more sizes." *Chemical Engineering Science*. 34(4):447–454.
44. Weber-Shirk, M.L. & Lion, W. L. (2010) "Flocculation model and collision potential for reactors with flows characterized by high Peclet numbers." *Water Research*, 44, 5180-5187
45. Oliver, D. R. (1961). "The sedimentation of suspension of closely-sized spherical particles." *Chemical Engineering Science*. 15(3–4): 230–242.
46. Packham, R. F. (1965). Some studies of the coagulation of dispersed clays with hydrolyzing salts. *Journal of Colloid Science*, 20(1), 81-92.
47. Reynolds, T. D. & Richards, P. A. (1996). "Unit Operations and Processes in Environmental Engineering". *PWS Publishing Company*, Boston, Massachusetts.
48. Richard H, Heart, J., and Graham, N. (1997). "Simulating the effect of blanket characteristics on the floc blanket clarification process", *Water Science and Technology*, 36(4), 77–84.

49. Richardson, J.F. & Zaki, W.M. (1954). "Sedimentation and fluidisation: Part I", *Trans. Institution of Chemical Engineers*, 32, 35-53.
50. Smith, J.E., Renner, R.C., Hegg B. A., and Bender, J. H. (1991). "Upgrading Existing or Designing New Drinking Water Treatment Facilities" *William Andrew Inc., Noyes Data Corporation*, Library of Congress Catalog Card Number: 90-23205, ISBN: 0-8155-1262-7.
51. Steinour, H. H. (1944). Rate of sedimentation. *Industrial & Engineering Chemistry*, 36(9), 840-847.
52. Su, S.T., Wu, R.M., and Lee, D.J. (2003). "Blanket dynamics in upflow suspended bed." *Chemical Engineering Department, National Taiwan University*, Taipei 10617, Taiwan
53. Su, S. T., R. M. Wu, and D. J. Lee. (2004). "Blanket dynamics in upflow suspended bed." *Water Research* 38(1): 89–96.
54. Sung, S., Lee, J. and Wu, R. (2005). "Steady-state solid flux plot of blanket in upflow suspended bed". *Journal of Chinese Institute of Chemical Engineering*, 36(4), 385–391.
55. Taebi-Harandy, A., & Schroeder, E.D. (2000). "Formation of density currents in secondary clarifier". *Water Research*, 34(4), 1225–1232.
56. TeKippe, R.J., & Cleasby, J.L. (1968). "Model studies of a peripheral feed settling tank". *Proceedings of the American Society of Civil Engineers*, 94(SA1), 85–102.
57. Treatment, W. (2014, September). "Schematic of Pulsator Clarifier" *Water Treatment*, , Retrieved from <http://www.thewatertreatments.com/wastewater-sewage-treatment/clariflocculator/attachment/schematic-pulsator-clarifier/>
58. Treatment, W. (1995). Principles and practices of water supply operations. *Denver: AWWA*.
59. Water Technologies & Solutions (2018, April), *SUEZ*, Retrieved From <https://www.suezwatertechnologies.com/>
60. Weber W. J. (1972). "Physicochemical Processes for water quality control." *Wiley Inter science*, New York, Chapter 2, 61-75
61. Weber-Shirk, M.L. & Lion, L.W. (2010). "Flocculation model and collision potential for reactors with flow characterized by high Peclet numbers", *Water Research*, 44(18), 5180-5187
62. Wells, S.A., & LaLiberte, D.M. (1998). "Winter temperature gradients in circular clarifiers". *Water Environment and Research* 70(7), 1274–1279.
63. Winkler, G. (2012). *Image analysis, random fields and Markov chain Monte Carlo methods: a mathematical introduction* (Vol. 27). Springer Science & Business Media.
64. Wu, G. D., & Lo, S. L. (2010). Effects of data normalization and inherent-factor on decision of optimal coagulant dosage in water treatment by artificial neural network. *Expert Systems with Applications*, 37(7), 4974-4983.
65. Xiao, F., Yi, P., Pan, X.R., Zhang, & B.J., Lee, C. (2010). "Comparative study of the effects of experimental variables on growth rates of aluminum and iron

- hydroxide flocs during coagulation and their structural characteristics.” *Deslination*, Elsevier Publication, 250, 902-907
66. Yang, W.J, Wu, S. J., Li, Y. H., Liao, H. C., Yang, C. Y., Shih, K. L., & Wu, R. M. (2010). “Hydrodynamic Behavior of Flow in a Drinking Water Treatment Clarifier”, *Computational Fluid Dynamics*, Book edited by: Hyoung Woo OH,, ISBN 978-953-7619-59-6, pp. 420, *INTECH*, Croatia. Retrieved from <http://www.intechopen.com>
 67. Zaidi, A., Tsuji, T., & Tanaka, T. (2015). “Hindered Settling Velocity & Structure formation during particle settling by Direct Numerical Simulation.” *Procedia Engineering*, 102 1656 – 1666
 68. Zimmels, Y. (1985). Theory of density separation of particulate systems. *Powder technology*, 43(2), 127-139.
 69. Zhou, S., McCorquodale, J.A. (1992). “Influence of skirt radius on performance of circular clarifiers with density stratification”. *International Journal of Numerical Methods in Fluids*, 14(4), 919.