

REFERENCES

- [1] Chaa V., Bo M.W. Arulrajah A. , Na Y.M., “Overview of densification of granular soil by deep compaction methods,” in *International Conference on Ground Improvement Technique*, Macau, 1997.
- [2] Babak Hamidi , Hamid Nikraz and Serge Varaksin, “Application of Dynamic Compaction in Reclamation Roads,” in *Australian Geomechanics Society Sydney Chapter Symposium*, Sydney, 2012.
- [3] Sladen, J.A. & Hewitt, K.J. , “Influence of Placement Method on the In-situ Density of Hydraulic Sand Fills,” *Canadian Geotechnical Journal*, vol. 26, no. 3, pp. 453-466, 1989.
- [4] H.E. Ali and J.S. Damgaard, “GEOTECHNICAL ASPECTS OF COASTAL RECLAMATION PROJECTS,” in *7th International Conference on Asian and Pacific Coasts* , Indonesia, 2013.
- [5] “Geotechnical recommendations for the design of maritime and harbour works - Maritime Works Recommendations,” Spanish National Port Authorities, 1994.
- [6] P. Menge, K. Vinck , M. Van den Broeck, P.O. Van Impe & W.F. Van Impe, “Evaluation of relative density and liquefaction potential with CPT in reclaimed calcareous sand,” *Geotechnical and Geophysical Site Characterisation*5, 2016.
- [7] M.W. Bo Duc, Y.M.Na, A. Arulraj and M.F. Chang, “Densification of Granular Soil by Dynamic Compaction,” in *Institute of Civil Engineers -Ground Improvement*, 2009.
- [8] H. Tsuchida, “Predictions and countermeasure against the liquefaction in sand deposit,” in *Seminor on Port and Harbour*, Yokohama, 1970.
- [9] Y. Tan, G. Lin , S.G. Paikowsky and J. Fang, “Evaluation of Compaction Effects on Granular Backfill Using CPT,” in *Geotechnical Special Publication No172, American Society of Civil Engineers*, Denver, Colorado, 2007.
- [10] J. Michell, “Soil Improvement -State of the Art,” in *10th International Conference o Soil Mechnics and Foundation Engineering* , Stockholm, 1982.
- [11] P. K. Robertson, “Soil Behavior Type from the CPT: an update,” 2010.
- [12] K. R. Massarsch, “Deep Soil Compaction Using Vibratory Probes,” in *ASTM symposium on Design, Construction and Testing of Deep Foundation Improving: Stone Columns and Related Technique*, 1991.
- [13] Y. Tan, “Sheet pile wall design and performance in peat,” Doctoral Thesis, University of Massachusetts Lowell.
- [14] Massarsch, K.R., Fellenius, B.H., “Vibro Compaction of Coarse Grained Soils,” *Candian geotechnical Journal*, vol. 39, no. 3, pp. 695 -709, 2002.
- [15] Hamidi, B. , Nikraz, H & Varaksin, S., “Ground Improvement Acceptance Criteria,” in *14th Asian Regional Conference on Soil Mechnics and Geotechnical Engineering*, Hong Kong, 2011.
- [16] P.O. Van Impe , W.F. Van Impe, A. Manzotti, P. Menge, M. Van den Broeck, K. Vinck, “Compaction control and related stress-strain behaviour of off-shore land reclamation with calcareous sands,” *Soils and Foundations*, vol. 55, no. 6, pp. 1474-1486, 2015.
- [17] American Society for Testing and Materials, “Standard Practice for Wet Preparation of Soil Samples for Particle Size Analysis and Determination of Soil Consultants,” *Annula Books of Standard*, vol. 4.08, pp. 270- 272, 1989.

- [18] Youssef Gomma and Gihan Abdelrahman, "Correlations Between Relative Density and Compaction Test Parameters," in *12th International Colloquium on Structural and Geotechnical Engineering*, Egypt, 2007.
- [19] Cubrinovski, M. & Ishihara, K., "Emperical Correlation between SPT N-value an Relative Density of Sandy Soils," *Soils and Foundations*, vol. 39, no. 5, pp. 61-71, 1999.
- [20] P. K. Roberson, "Suggested QC criteria for deep compaction using the CPT," in *Geotechnical and Geophysical Site Charactersation 5*, Sydney, 2016.
- [21] R. Craig, *Soil Mechanics*, London: Chapman & Hall , 1974.
- [22] J. Schmertmann, "An Updated Correlation between Relative Denisity D_r and Fugro-Type Electric Cone Bearing , q_c ," Contract Report DACW, Wes.Vicksburg. Miss., 1976.
- [23] Tom Lunne , Peter K. Robertson, John J.M. Powel, "Cone Penetration Testing in Geotechnical Practice," *Soil Mechanics and Foundation Engineering*, vol. 46, no. 9, 2009.
- [24] P. W. Mayne, "Cone Penetration Testing State-of-Practice," Transportation Research Board , 2007.
- [25] Biryaltseva, T., Lunne, T Kreiter, S., Moerz,T., "Relative density prediction based on in-situ laboratoryu measurements of shear wave velocity," in *International conference of geotechnical and geophysical site characterization, ISC'5*.
- [26] Kulhawy, F.H. & Mayne, P.H. , "Manual on Estimating Soil Properties for Foundation Design," Electric Power Research Institute (EPRI), 1990.
- [27] P.K. Robertson , C.E.Wride, "Evaluation cyclic liquefaction potential using the cone penetration test," *NRC Canada*, pp. 442-459, 1998.
- [28] Seed, H.B. and Idriss, I.M. , "Simplified procedure for Evaluating Soil Liquefaction potential," *Journal of Soil Mechanics and Foundation Division (ASCE)*, vol. 97, no. SM9, pp. 1249-1273, 1971.
- [29] Liao, S.S.C, and Whitman, R.V., "A catalog of liquefaction and non-liquefaction occurances during earthquake," Cambridge , Mass., 1986.
- [30] Juang, C.H. and Jiang, T., "Assessing probabilistic methods for liquefaction potential evaluation.," in *Soil Dynamics and Liquefaction* , Reston, V.A, ASCE, 2000, p. GSP107.
- [31] Degan ,W. , Baez, F., Rose, M, "Dry bottom freed stone columns at Pier 400 -An evaluation of CPT based soil classification before and after treatment," in *US-Japan Workshop on " New Application and Challenging Soils for Ground Improvment Technologies*, Kyoto, Japan, 2005.
- [32] K. Massarsch, Deep compaction of granular soils, State- of- art report,Lecture Series: A Look Back for Future Geotechnics, New Delhi & Calcutta: Oxford & IBH Publishing Co. Pvt. Ltd., 1999, pp. 181-223.
- [33] F. Schlosser, "Improvement and reinforcement of soils," in *4th International Conference on Soil Mechanics and Foundation Engineering* , ICSMFE, Hamburg, 1997.
- [34] Smoltczyk, U, "Deep Compaction," in *8th European Conference on Soil Mechanics and Foundation Engineering*, Finland, 1983.
- [35] Merrifield, C.M. and Davis, M.C.R., "A study of low energy dynamic compaction: Field Trials and centrifugal modelling," *Geotechnique*, vol. 50, no. 6, pp. 675-681, 2000.
- [36] Mayne, P.W., Jones, J.S. and Dumas, J.C. , "Ground response to dynamic compaction," *Journal of Geotechnical Engineering* , ASCE, vol. 110, no. GT6, pp. 757-773, 1984.

- [37] R. Lukas, "Dynamic Compaction for highway construction Vol. 1: Design and Construction Guide Line," Report No. FHWA/RD-86/133 Federal Highway Administration, Department of Transport, Washington D.C. USA, 1986.
- [38] R. G. Lukas, "Geotechnical Engineering Circular 1 (Dynamic Compaction)," Federal Highway Administration, US, 1995.
- [39] Chaumeny, J.L., Hechat, T., Kirstein, J. Krings, M., Lutz, B., "Dynamic Consolidation for the intersection of an Active Sinkhole area in the Course of the Federal Highway," in *4th Hanz Lorenz Symposium*, Berlin, Germany, 2008.
- [40] M. Soltraitement, "Uddevalla Shipyard (Sweden) Dynamic Consolidation Final Report," Menard Soltraitement, 1978.
- [41] Varaksin, S., Hamidi, B. & Aubert, J., "Abu Dhabi's New Corniche Road Ground Improvement," in *2nd Gulf Conference on Roads*, Abu Dhabi, UAE, 2004.
- [42] Rollins, K.M., Rogers, G.W., "Mitigation Measures for Small Structures on Collapsible Alluvial Soil," *Journal of Geotechnical Engineering*, vol. ASCE, no. 120, pp. 1533 - 1533.
- [43] A. O. C. Perucho, "Dynamic Consolidation of a saturated plastic clayey Fill," *Ground Improvement*, vol. 10, pp. 55-68, 2006.
- [44] Cognon, J., Liausu, P., Vialard, R., "Combination of the Drains and Surcharge Method with Dynamic Compaction," in *8th European Conference on Soil Mechanics and Foundation Engineering*, Helsinki, Finland, AA Balkema Rotterdam, Netherlands, 1983.
- [45] M. Soltraitement, "Palm Island STP Tanks Final Report," Dubai, 2004.
- [46] Susana López-Querol, Jaime Pecob, Juana Arias-Trujillo, "Numerical modeling on vibroflotation soil improvement techniques using a densification constitutive law," *Soil Dynamics and Earthquake Engineering*, vol. 65, 2014.
- [47] Woods, R.D., Jedele, L.P., "Energy Attenuation Relationships from Construction Vibration," Detroit, MI, 1985.
- [48] Babak Hamidi, Serge Varaksin and Hamid Nikraz, "A case of vibro compaction monitoring in reclamation site," in *Advances in Geotechnical Engineering*, Perth, Australia, 2011.
- [49] "www.kellerholding.com," Keller Holding GmbH, [Online]. Available: https://www.wtcb.be/homepage/download.cfm?lang=en&dtype=services&doc=tc17_presentation_04.pdf.
- [50] FHWA, "Ground improvement technical summaries Vol. II. Publication No. FHWA-SA-98-086R, 1-84," FHWA, 2001.
- [51] B. R.E., "Vibroflotation compaction of cohesionless soils," *Journal of the Geotechnical Engineering Division*, vol. 103, no. 12, pp. 1437-1451, 1977.
- [52] K. Rainer Massarsch, Bengt H. Fellienius, "Deep vibratory compaction," in *Chapter 4, Ground Improvement Case Histories, Compaction, Grouting and Geosynthetics*, Elsevier Ltd, 2015, p. 111 to 135.
- [53] C. J. Griffith, "Soil Improvement through vibro compaction and vibro replacement," Department of Civil Engineering, University of Maryland, 1991.
- [54] M. Wallays, "Deep Compaction by Casting Driving .," in *ASCE Symposium on Recent Development in Ground Improvement Techniques*, Bangkok, 1983.

- [55] Hamidi, B. Nikraz, H. & Varaksin, S., "A Review on Impact Oriented ground Improvement Techniques," *Australian Geomechanics Journal*, vol. 44, no. 2, pp. 17-24, 2009.
- [56] Y. Nazhat, "Behavior of sandy soil subjected to dynamic loading," University of Sydney, Sydney, 2013.
- [57] W. R.D., "Severing of surface wires in soils," *Journal of Soil Mechanics and Foundation, ASCE*, vol. 1968, no. NO SM4, DSI-098.
- [58] Moretrench, "www.moretrench.com".
- [59] Raju V.R., Sridhar Valluri, "PRACTICAL APPLICATIONS OF GROUND IMPROVEMENT," in *Symposium on ENGINEERING OF GROUND & ENVIRONMENTAL GEOTECHNIQUES*, HYDERABAD, INDIA, 2008.
- [60] Jaime Peco Culebra, Susana Lopez- Querol, "Application of endochronic densification law for designing vibroflotation soil improvement technique," in *The 2012 World Congress on Advances in Civil, Environmental, Materials Reseach*, Seoul, Korea, 2012.
- [61] V. Luongo, "Dynamic compaction : Predicting depth of improvement," *Geotechnical Special Publication*, vol. 2, no. 30, pp. 927-939, 1992.
- [62] Mehdipour, S., Hamidi, A., "Impact of tamper shape on the efficiency and vibration induced during dynamic compaction of dry sands by 3D Finite Element Modeling," *Civil Engineering Infrastructures Journal*, vol. 50, no. 1, pp. 151-163, 2017.
- [63] Degen, W.S. and J.D> Hussain, "Soil Densification," in *ASCE Geo-Odyssey Confenece*, Backsburg V.A., 2001.
- [64] Vernon R. Schaefer, Ryan R. Berg, James G. Collin, Barry R., "GEOTECHNICAL ENGINEERING CIRCULAR NO. 13," U.S.Department of Transportation Federal Highway Administration, U.S., 2017.
- [65] Dobson, T. and B. Slocombe, "Deep Densification of Granular Fills," 2nd Geotechnical Conference and Exhibit on Design and Construction, Las Vegas, Nevada, 1982.
- [66] R. A. Green, "Energy based evaluation and remediation of liquefiable soils," Virginia Polytechnic Institute and state university, USA, 2001.
- [67] B. B. BROMS, "DEEP COMPACTION OF GRANULAR," in *Foundation Engineering Handbook*, New York, Springer Science + Business Media, 1991, pp. 814-831.
- [68] Arslan, H., Baykal, G. and Ertas, O., "Influence of tamper weight shape on dynamic compaction," *Ground Improvement*, vol. 11, no. 2, pp. 61-66, 2007.
- [69] Oshima, A., Takada, N., "Effect of ram momentum on compaction by heavy tamping," *Internation Conference on Soil Mechanics and Foundation Engineering*, vol. 13, no. 3, pp. 1141-1144, 1994.
- [70] F. Jafarzadeh, "Dynamic Compaction Method in Physical Model Test," *Science Iranica*, vol. 13, no. No2, pp. 187-192, 2006.
- [71] Y.K. Chow, D.M. Yong, K.Y. Yong, S.L. Lee, "Dynamic compaction of loose sand deposits: effect of print spacing.Improvement of granular soils by high energy impact," *Journal of Geotechnical Engineering, ASCE*, vol. 120, no. 7, pp. 1115-1133, 1994.
- [72] Tanaka, S. and Sasaki, T., "Sandy Ground improvement for Liquefaction at Noshiro Thermal Power station," *Soils and Foundation*, vol. 37, no. 3, pp. 86-90, 1989.

- [73] A. Ghassemi, A. Pak and H. Shahir, "A numerical tool for design of dynamic compaction treatment in dry and moist sands," *Iranian Journal of Science and Technology, Transaction and Engineering*, vol. 33, no. B4, pp. 313-326, 2009.
- [74] Leonards, G.A., Cutter, W.A., Holtz, R.D., "Dynamic compaction of Granular Soils," *Journal of Geotechnical Engineering Division*, vol. 106, no. No. 6, pp. 35-44, 1980.
- [75] W. Van Impe, *Soil Improvement Technique and Their Evaluation*, Rotterdam: A.A.Balkema, 1994.
- [76] Menard, L., Broise, Y. , "Theretical and practical aspects of dynamic compaction," *Geotechnique*, vol. 25, no. 1, pp. 3-18, 1975.
- [77] Slocombe, "Dynamic Compaction," in *Ground Improvement*, Boca Raton, Florida, CRC Press Inc, 1993, pp. 21-39.
- [78] Poran, C.J. and Rodriguez, J.A., "Design Dynamic Compaction," *Canadian Geotechnical Journal*, vol. 29, no. 5, pp. 796-802, 1992.
- [79] Dove, J.E., Boxil, L.E.C., and Jarrett, J.B., "A CPT based index for evaluating ground improvement," *Advances in grouting and ground modification*, vol. 104, pp. 296-310, 2000.
- [80] Nagy Peter, ADAM Dietmar, KOPF Fritz and FREITAG Peter, "Experimental and theoretical investigation of deep vibro compaction," in *European Conference on Geotechnical Engineering*, Macedonia, 2018.
- [81] P. Nagy, "Investigation soil-machine interaction during deep vibro compaction," in *6th International young Geotechnical Engineer's Conference* , Seoul, Republic of Korea, 2017.
- [82] A. Paul, "civildigital.com," [Online].
- [83] "<http://www.betterground.com>," Betterground Inc., 2017. [Online]. Available: <http://www.betterground.com/en/vibro-compaction/>.
- [84] D'Appolonia, E., Miller Jr., C.E., & Ware, T.M., "Sand Compaction by Vibroflotation," *Geotechnical and Environmental Engineering*, vol. 79, no. 200, pp. 1-23, 1953.
- [85] J. MITCHEL, "Soil Improvement — State-of-the-Art Report," in *10th ICSMFE*, Stockholm, 1981.
- [86] J. Wiss, "Construction Vibrations :State of Art (ASCE)," vol. 107, no. 2, pp. 167-182, 1981.
- [87] C. Dowding, *Construction Vibrations*, 2000, p. 610.
- [88] A. Ghassemi, A.Pak and H. Shahir, "A Numerical Tool for Design of Dynamic Compaction Treatment in Dry and Moist Sand," *Iranian Journal of Science and Technology, Transaction B, Engineering* , vol. 33, no. Islamic Republic of Iran, pp. 313-326, 2009.
- [89] P.O. Van Impe , W.F. Van Impe, A. Manzotti, M. Van den Broeck, K. Vinck, "Compaction control and related stress-strain behaviour of off-shore land reclamation with calcareous sand," *Soils and Foundation, The Japanese Geotechnical Society*, pp. 1474 - 1486, 2014.
- [90] Gray Mullins, Manjriker Gunaratne, Pamela Stinnette and Saman Thilakasiri, "Prediction of Dynamic Compaction Pounder Penetration," *Soils and Foundations, Japanese Geotechnical Society* , vol. 40, no. Oct. 2000, pp. 91-97, 2000.
- [91] S.M. Mackiewicz , W.M. Camp, "Ground Modification : Howmuch improvement".
- [92] Massarsch, K.R., Westerberg, E., "The Active Design Concept Applied to Soil Compaction," in *Symposium in Geotechnical Engineering*, Singapore, 1995.

- [93] Jamiolkowski, M. Lo Presti, D.C.F. , Manassero, M., "Evaluation of Relative Density and Shear Strength of Sands from CPT and DMT," ASCE Geotechnical Special Publication No119, 2001.
- [94] K. Massarsch, "Effect of Vibratory Compaction," in *Trans Vib 2002- International Conference on Vibratory Pile Driving and Deep Soil Compaction*, Louvain-la-Neuve, 2002.
- [95] Bodare, A. and Orrje, O., "Impulse load on a circular surface in an infinite elastic body -Closed solution according to the theory of elasticity .," Royal Institute of Technology (KTH), Stockholm, Sweden, 1985.