

REFERENCES

- [1] B. S. Salim, “Stochastic Optimization of Water Transfer Between Dams,” *Procedia - Soc. Behav. Sci.*, vol. 109, pp. 1035–1039, 2014.
- [2] N.T.S. Wijesekera.(1999). *Reservoir System in River Mahaweli, Associated Hydrology and Flood Behaviour prior to and after Development Works*. Accessed on: Jan. 20, 2017.[Online]. Available: <http://geoinfo.mrt.ac.lk/waterresources/publications/D028.pdf>
- [3] P. B. Dharmasena, “Essential Components of Traditional Village Tank Systems 1,” in *Proc. Irrigation Systems for Rural Sustainability*, Colombo, Sri Lanka, Dec. 9, 2010.
- [4] J. Itakura. *Water Balance Model for Planning Rehabilitation of a Tank Cascade Irrigation System in Sri Lanka*. International Irrigation Management Institute,1995, pp. 4-5.
- [5] “Food Insecurity follows Floods in Sri Lanka”, (2016). Accessed on: Aug. 12, 2017. [Online]. Available: <http://floodlist.com/asia/food-insecurity-follows-floods-sri-lanka>.
- [6] “Maduru Oya Ancient Sluice,” (2017). Accessed on: Aug. 12, 2017. [Online]. Available: <http://amazinglanka.com/wp/maduru-oya-ancient-sluice/>.
- [7] C. J. Jayatilaka, R. Sakthivadivel, Y. Shinogi, I. W. Makin, and P. Witharana. *Predicting water availability in irrigation tank cascade systems: the cascade water balance model*.International Water Management Institute,2001.
- [8] P. Revesz and T. Triplet, “Temporal data classification using linear classifiers,” *Inf. Syst.*, vol. 36, no. 1, pp. 30–41, 2011.
- [9] A. Mohan and P. Revesz, “Temporal data mining of uncertain water reservoir data,” in *Proc. Third ACM SIGSPATIAL Int. Work. Querying Min. Uncertain Spat. Data*, pp. 10–17, 2012.
- [10] W. Hussain, W. Ishak, K. R. Ku-Mahamud, and N. Norwawi, “Neural Network Application in Reservoir Water Level Forecasting and Release Decision,” *Int. J. New Comput. Archit. Their Appl.*, vol. 1, no. 2, pp. 265–274, 2011.
- [11] N. A. Ashaary, W. Hussain, W. Ishak, and K. R. Ku-, “Forecasting Model for the Change of Reservoir Water Level Stage Based on Temporal Pattern of Reservoir Water Level,” in *Proc. ICOCI 2015*, Istanbul, Turkey, Aug. 2015, pp. 692–697.
- [12] M. J. Diamantopoulou, P. E. Georgiou, and D. M. Papamichail, “Daily Reservoir Inflow Forecasting Using Time Delay Artificial Neural Network Models,”in *Proc. IASME/WSEAS*, Chalkida, Greece, May 2006, pp.1-6.
- [13] S. E. Fahlman and C. Lebiere, “The Cascade-Correlation Learning Architecture,” *Adv. Neural Inf. Process. Syst.*,vol. 2, pp. 524–532, 1990.

- [14] T. Yang, X. Gao, and S. Sorooshian, "Simulation of California 's Major Reservoirs Outflow Using Data Mining Technique," in *Proc. American Geophysical Union Fall Meeting*, United States, Dec. 2014.
- [15] S. Rani and F. Parekh, "Predicting Reservoir Water Level Using Artificial Neural Network," *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 3, no. 7, pp. 14489–14496, 2014.
- [16] F. Chang and Y. Chang, "Adaptive neuro-fuzzy inference system for prediction of water level in reservoir," *Adv. Water Resour.*, vol. 29, pp. 1–10, Jul. 2006.
- [17] N. Valizadeh, A. El-shafie, M. Mirzaei, H. Galavi, M. Mukhlisin, and O. Jaafar, "Accuracy Enhancement for Forecasting Water Levels of Reservoirs and River Streams Using a Multiple-Input-Pattern Fuzzification Approach," *Sci. World J.*, vol. 2014, 2014.
- [18] F. Üne, M. Demirci, Ö. Ki, and Ö. Ki, "Prediction of Millers Ferry Dam Reservoir Level in USA Using Artificial Neural Network," *Period. Polytech. Civ. Eng.*, vol. 59, no. 3, pp. 309–318, 2015.
- [19] "U.S. climate data," Accessed on: Dec. 27, 2017. [Online]. Available: <https://www.usclimatedata.com/climate/birmingham/alabama/united-states/usal0054>.
- [20] O. Kisi, J. Shiri, and B. Nikoofar, "Computers & Geosciences Forecasting daily lake levels using artificial intelligence approaches," *Comput. Geosci.*, vol. 41, pp. 169–180, 2012.
- [21] S. Sensoy, M. Demircan, and Y. Ulupınar, "Climate of Turkey," *Turkish State Meteorological Service*, 2008. [Online]. Available: <https://www.mgm.gov.tr/files/en-US/climateofturkey.pdf>.
- [22] Department of Meteorology Sri Lanka (2017). *Climate of Sri Lanka*, Department of Meteorology, Sri Lanka. Accessed on: Dec. 27, 2017. [Online]. Available: http://www.meteo.gov.lk/index.php?option=com_content&view=article&id=94&Itemid=310
- [23] M. Shukla and M. Seth, "Data Analysis in Forecasting Lakes Levels Using K-Medoid Clustering," *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 5, no. 6, pp. 11067–11074, Jun. 2016.
- [24] A. Mohan, "A New Spatio-Temporal Data Mining Method and Its Application to Reservoir System Operation," Research Master Thesis, University of Nebraska, Nebraska, 2014. Accessed on: Dec., 28, 2016. Available: <http://digitalcommons.unl.edu/computerscidiss/74/>
- [25] K. V Rao, A. Govardhan and K. C. Rao, "Spatiotemporal Data Mining: Issues, Tasks And Applications," *Int. J. Comput. Sci. Eng. Surv.*, vol. 3, no. 1, pp. 39–52, Feb. 2012.

- [26] B. Malekmohammadi, R. Kerachian, and B. Zahraie, "Developing monthly operating rules for a cascade system of reservoirs: Application of Bayesian Networks," *Environ. Model. Softw.*, vol. 24, no. 12, pp. 1420–1432, 2009.
- [27] O. Al-azzam, D. Sarsar, K. Seifu, and M. Mekni, "Flood Prediction and Risk Assessment Using Advanced Geo-Visualization and Data Mining Techniques : A Case Study in the Red-Lake Valley 1 Introduction 2 Literature Review," in *Proc. ACACOS, Malaysia, 2014*, pp. 18–27.
- [28] K. Yurekli, M. Taghi Sattari, A. S. Anli, and M. A. Hinis, "Seasonal and annual regional drought prediction by using data-mining approach," *Atmosfera*, vol. 25, no. 1, pp. 85–105, Jul. 2011.
- [29] C. C. Tsai, M. C. Lu, and C. C. Wei, "Decision Tree-Based Classifier Combined with Neural-Based Predictor for Water-Stage Forecasts in a River Basin During Typhoons: A Case Study in Taiwan," *Environ. Eng. Sci.*, vol. 29, no. 2, pp. 108–116, 2012.
- [30] F. Richards and P. Arkin, "On the Relationship between Satellite-Observed Cloud Cover and Precipitation," *Monthly Weather Review*, vol. 109, no. 5, pp. 1081–1093, 1981.
- [31] P. Arkin and B. Meisner, "The relationship between large-scale convective rainfall and cold cloud over the western hemisphere during 1982-84," *Monthly Weather Review*, vol. 115, pp. 51–74, 1987.
- [32] R. Suppiah and M. M. Yoshino, "Rainfall Variations of Sri Lanka, Part 1: Spatial and Temporal Patterns," *Arch. Meteorol. Geophys. Bioclimatol. Ser. B*, vol. 35, no. 1–2, pp. 81–92, 1984.
- [33] T. Kohyama and J. M. Wallace, "Rainfall variations induced by the lunar gravitational atmospheric tide and their implications for the relationship between tropical rainfall and humidity," *Geophys. Res. Lett.*, vol. 43, no. 2, pp. 918–923, 2016.
- [34] K. Yamauchi, M. Ban, N. Kasahara, T. Izumi, H. Kojima, and T. Harako, "Physiological and behavioral changes occurring during smoltification in the masu salmon, *Oncorhynchus masou*," *Aquaculture*, vol. 45, no. 1–4, pp. 227–235, 1985.
- [35] "Google Maps." Accessed on: Aug 12, 2017. [Online]. Available: <https://www.google.lk/maps/place/Maduru+Oya+Reservoir/>.