

## 9 REFERENCES

- [1] F.Charlette, C.Meneveau and D.Veynante, "A Power-Law Flame Wrinkling Model for LES Of Premixed Turbulent Combustion Part I: Non-Dynamic Formulation And Initial Tests," *Combustion and Flame*, pp. 151-180., 2002.
- [2] D.A., North G.L. and Santavicca, "The Fractal Nature of Premixed Turbulent Flames,Combustion Science and Technology, 72:," 1990, pp. 215-232.
- [3] D.C.Haworth, "Large-Eddy Simulation of In-Cylinder Flows," *Oil & Gas Science and Technology*, vol. 54, pp. 175 - 185, 1999.
- [4] E.G.Groff and Sinnamon, "The Effect of Ignition Location in a Swirl Field on Homogeneous Charge Combustion," *SAE*, p. 821221, 1981.
- [5] D.Goryntsev, A.Sadiki and J.Janicka, "Cycle-to-Cycle Variations Based Unsteady Effects on Spray Combustion in Internal Combustion Engines by Using LES," *SAE Paper*, pp. 2012-01-0399, 2012.
- [6] B.H.Hjertager and B.F.Magnussen, "On Mathematical Modeling of Turbulent Combustionwith Special Emphasis on Soot Formation and Combustion," in *Sixteenth Symposium(International) on Combustion*, 1976.
- [7] K.N.C.Bray, R. Britter and T.C.Chew, "Spatially Resolved Flamelet Statistics for Reaction Rate Modelling," *Combustion and Flame*, pp. 65-82, 1990.
- [8] K.R., Sreenivasan, "On the Scaling of the Turbulent Energy Dissipation Rate, Physics of Fluids,27:," 1984, pp. 1048-1051.
- [9] A.Leonard, "Energy Cascade in Large-Eddy Simulations of Turbulent Fluid Flows,," *Advances in Geophysics*, vol. 18, pp. 237-248, 1974.
- [10] J.B.Heywood, *Internal Combustion Engine Fundamentals*, New York: McGraw-Hill, 1988.
- [11] A.D.Gosman, "State of the Art of Multi-Dimensional Modeling of Engine Reacting Flows," *Oil & Gas Science and Technology*, pp. 149-159, 1999.
- [12] K.Kim and S.Kim, "Measurement of Dynamic TDC in SI Engines Using Microwave Sensor,Proximity Probe and Pressure Transducers," *SAE Paper*, p. 891823, 1989.
- [13] A.S., Palipana, "CFD Modelling of Natural Gas Combustion in Spark Ignited Engines, PhDthesis, Loughborough University, UK,," 2000.
- [14] J.Abraham, F.V.Bracco and R.D.Reitz, "Comparisons of Computed and Measured Premixed Charge Engine Combustion," *Combustion and Flame*, pp. 309-322, 1985.
- [15] R.G.Abdel-Gayed, D.Bradley and A.K.C.Lau, "The Straining of Premixed Turbulent Flames," in *Twenty-Second Symposium (International) on Combustion*, 1989, pp. 731-738.
- [16] J.B.Heywood, *Internal Combustion Engine Fundamentals*, New York: McGraw-Hill, 1988.

- [17] D.Bradley, M.Z.Haq, R.A.Hicks, T.Kitagawa and Law, "Turbulent Burning Velocity," in *Burned Gas Distribution and Associated Flame Surface Definition*, Combustion and Flame, 2003, pp. 415-430.
- [18] V. H. W.Malalasekera, *An Introduction to Computational Fluid Dynamics; The Finite Volume Method*, 2nd Edition,, Pearson, 2007.
- [19] T.Poinsot, D.Veynante and S.Candel, "Quenching Processes and Premixed Turbulent Combustion Diagrams," *Journal of Fluid Mechanics*, vol. 228, pp. 561-605, 1991.
- [20] P.Bailly, D.Garreton, O.Simonin, P.Brueel and Cham, "Experimental and Numerical Study of a Premixed Flame Stabilized by a Rectangular Section Cylinder," in *Twenty-Sixth Symposium (International) on Combustion*, Combustion Institute, 1996, pp. 923-929.
- [21] A.Chen, A.Veshagh and S.Wallace, "Intake Flow Predictions of a Transparent DI Diesel Engine," *SAE*, pp. 981-1020, 1998.
- [22] M.Weclas, A.Melling and F.Durst, "Flow Separation in the Inlet Valve Gap of Piston Engines," *Progress in Energy and Combustion Science*, vol. 29, pp. 165-195, 1998.
- [23] V.Zimont, W.Polifke, M. Bettelini and Weisenstei, "An Efficient Computational Model for Premixed Turbulent Combustion at High Reynolds Numbers Based on a Turbulent Flame," *Journal of Gas Turbines Power*, vol. 120, pp. 526-533, 1998.
- [24] V.Zimont, "Gas Premixed Combustion at High Turbulence. Turbulent Flame Closure Model Combustion Model," *Experimental Thermal and Fluid Science*, vol. 21, pp. 179-186, 2000.
- [25] T. D.Poinsot, *Theoretical and Numerical Combustion*, Edwards, ISBN: 1-930217-10-2, 2005.
- [26] K.N.C.Bray, M.Chmapiion and P.A.Libby, "Turbulent Reacting Flows (Borghi R. and Murthy S.N.B. Eds),," Berlin, Springer, 1989, pp. 541-563.
- [27] R.S.Cant, S. Pope and K.N.C.Bray, "Modelling of Flamelet Surface-to-Volume Ratio in Turbulent Premixed Combustion," in *Twenty-Third Symposium (International) on Combustion*, The Combustion Institute, 1990, pp. 809-815.
- [28] X.Zhao, R.D.Matthews and J.L.Ellzey, "Numerical Simulations of Combustion in SI Engines: Comparison of Fractal Flame Model to the Coherent Flame Model, International," 1994.
- [29] H.G.Weller, S.Uslu, A.D.Gosman, R.R.Maly, B.Herw, R.eg and Heel, "Prediction of Combustion in Homogeneous-Charge Spark-Ignition Engines," in *COMODIA International Symposium*, 1994.
- [30] A.P.Watkins, S.P.Li and R.S.Cant, "Premixed Combustion Modelling for Spark engine Applications," *SAE*, no. 961190, 1996.
- [31] N.Peters, "Length Scales in Laminar and Turbulent Flames," pp. 155-182, 1991.
- [32] M.Barrera, in *Models de Combustion. Revue Generale de Thermique*, 1974, pp. 295-308.
- [33] K.N.C.Bray, "Turbulent Flows in Premixed Reactants in Turbulent Reacting Flows," in *Topics in Applied Physics*, Springer Verlag, 1980, pp. 115-183.

- [34] R.Borghi, "ise Au Point Sur La Structure Des Flames Turbulents," *Journal de Chimie Physique*, pp. 361-370, 1984.
- [35] F.A.Williams, "Combustion Theory, Benjamin Cummings.," 1985.
- [36] N.Peters, "The Turbulent Burning Velocity for Large-Scale and Small-Scale Turbulence," *Journal of Fluid Mechanics*, vol. 384, pp. 107-132, 1999.
- [37] Dr.R.A.C.P.Ranasinghe, "Large Eddy Simulation of Premixed Combustion in Spark Ignited Engines Using a Dynamic Flame Surface Density Model," 2013.
- [38] N.Peters, "Turbulent Combustion, Cambridge University Press. ISBN: 0521660823.," 2000.
- [39] V.Moureau, I.Barton, C.Angelberger and T.Poinsot, "Towards Large Eddy Simulation in Internal-Combustion Engines: Simulation of a Compressed Tumble Flow," *SAE*, 2004.
- [40] J.Warnatz, "Resolution of gas phase and surface combustion chemistry into elementary reactions," in *21st symp on combustion*, 1992.
- [41] J.Warnatz, Numerical simulation of combustion phenomena, New York: Springer, 1985.
- [42] Lipatnikov, V. L.Zimont and N. A., "A Numerical Model of Premixed Turbulent Combustion of Gases," *Chem. Phys. Report*, vol. 14, no. 7, pp. 993-1025, 1995.
- [43] F. B. a. K. J. S. V. L. Zimont, "Modelling Turbulent Premixed Combustion in the Intermediate Steady Propagation Regime," *Progress in Computational Fluid Dynamics*, vol. 1, no. 1, pp. 14-28, 2001.
- [44] V.L.Zimont, "Theory of Turbulent Combustion of a Homogeneous Fuel Mixture at High Reynolds Numbers," *Combustion explosion and shock waves*, vol. 15, pp. 305-311, 1979.
- [45] R.Borghi, "Turbulent Combustion Modelling," *Progress in energy and combustion science*, vol. 14, no. 1, 1988.
- [46] V.P.Karpov, A. Lipatnikov and V.L.Zimont, *Archivum Combustionis*, vol. 4, no. 3-4, pp. 125-141, 1994.
- [47] P.Moreau, "Turbulent flame development in a high velocity premixed flow," in *15th Aero-space Science Meeting*, 1977.
- [48] V.L.Zimont and A.N.Lipatnikov, "A numerical model of premixed turbulent combustion of gases," *Chem. Phys. Reports*, vol. 14, no. 7, pp. 993-1025, 1995.
- [49] V. P.Karpov, A. N.Lipatnikov and V.L.Zimont, in *Twenty-Sixth Symposium (Int.) on Combustion*, Combustion Institute, Pittsburg, 1996.
- [50] L.Maciocco and V. L.Zimont, in *20th Annual Meeting of the Italian Section of the Combustion Institute*, 1997.
- [51] J.Ewald, "A Level Set Based Flamelet Model for the Prediction of Combustion in Homogeneous Charge and Direct Injection Spark Ignition Engines," Aachen University, 2006.
- [52] J.Ewald and N.Peters, "On Unsteady Premixed Turbulent Burning Velocity Prediction in Internal Combustion Engines," *Proceedings of the Combustion Institute*, pp. 3051-3058, 2007.

- [53] E.Schneider, A.Sadiki and J.Janicka, "Modeling and 3D-simulation of the kinetic effects in the post-flame region of turbulent premixed flames based on the G-equation approach," *Flow Turbul. Combust.*, vol. 75, pp. 191-216, 2005.
- [54] Tan.Zhichao and R. D. Reitz, "An ignition and combustion model based on the level-set method for spark ignition engine multidimensional modeling," *Combustion and Flame*, vol. 145, pp. 1-15, 2006.
- [55] N.Dekena, Peters and M, "Combustion Modeling with the G-Equation," *Oil Gas Sci. Technol.*, vol. 54, no. 2, pp. 265-270, 1999.
- [56] L.Liang and R.Reitz, "Spark Ignition Engine Combustion Modeling Using a Level Set Method with Detailed Chemistry," *SAE Technical Paper*, p. 15, 2006.
- [57] M.Keck, Metghalchi and J. C., "Burning velocities of mixtures of air with methanol, isooctane and indolene at high pressures and temperatures," *Combustion and Flame*, vol. 48, pp. 191-210, 1982.
- [58] B. E.Poling, *The properties of Gases and Liquids*, McGraw-Hill, 2007.
- [59] G.Soave, "Equilibrium constants from a modified Redlich-Kwong equation of state," *Chemical Engineering Science*, vol. 27, no. 06, pp. 1197-1203, 1972.
- [60] Spalding, B. E. Launder and D. B., *Lectures in Mathematical Models of Turbulence*, Academic Press, 1972.
- [61] G. v. E. B.Lewis, *Combustion, flames and explosion of gases*, New York: Academic press, 1961.
- [62] G. S. J.C. Hilliard, *Fuel economy of road vehicles powered by spark ignition engines*, London: Plenum press, New York.
- [63] E.Sher, J. Ben-Yaish and T.Kravchik, "On the Birth of Spark Channels," *Combustion and Flame*, vol. 89, pp. 186-194, 1992.
- [64] K. N. T. T. Y. U. M.Kono, "Mechanism of flame kernel formation produced by short duration sparks," in *The combustion institute*, 1988.
- [65] F. L. D.Bradley, "Spark ignition and the early stages of turbulent flame propagation," *Combustion and Flame*, vol. 69, pp. 71-93, 1987.
- [66] S. J.R., *Flows in internal combustion engines*, Uzkan, 1983.
- [67] J.Bardina, J.H.Ferziger and W.C.Reynolds, in *Improved Subgrid Scale Models for Large-Eddy Simulations*, AIAA, 1980, pp. 80-1357.
- [68] K.N.C.Bray, "Studies of the Turbulent Burning Velocity, Proceedings of the Mathematical and Physical Science," pp. 315-335, 1990.
- [69] N.Peters, "Laminar flamelet concepts in turbulent combustion," in *21st symposium on combustion*, 1986.
- [70] R. H. R.R.Maly, "A Fundamental Model for Flame Kernel Formation in S.I. Engines," *SAE*, pp. 1947-1976, 1992.

- [71] D.C.Haworth and K.Jansen, "Large Eddy Simulation on Unstructured Deforming Meshes towards Reciprocating IC Engines," *Computers & Fluids*, vol. 29, pp. 493 - 524, 2000.
- [72] K.Sone, N.Patel and S.Menon, "Implementation of Large-Eddy Simulation in to the KIVAcode- Part1: Theory and Formulation, Technical Report," CCL-2001-008, Georgia Institute ofTechnology, Atlanta, GA., 2000a.
- [73] K.Liu and D.C.Haworth, "Large Eddy Simulation for an Axisymmetric Piston-Cylinder Assembly with and without Swirl," *Flow Turbulence and Combustion*, vol. 85, pp. 297 - 307, 2010.
- [74] H.Pitsch, "Large Eddy Simulation of Turbulent Combustion," *Annual Review of Fluid Mechanics*, vol. 38, pp. 453-482, 2006.
- [75] K.Naitoh, T.Itoh and Y.Takagi, "Large Eddy Simulation of Premixed-Flame in Engine Basedon the Multi- Level Formulation and the Renormalization Group Theory," *SAE Paper*, p. 920590, 1992.
- [76] K.Truffin and O.Colin, "A Spark Ignition Model for Large Eddy Simulation Based on an FSD Transport Equation (ISSIM-LES)," *Proceedings of the Combustion Institute*, vol. 33, no. 2, pp. 3097-3104, 2011.
- [77] B.Enaux, V.Granet, O.Vermorel, C.Lacour, C.Pera, C. Angelberger and T.Poinsot, "LES Study of Cycle-to-Cycle Variations in a Spark Ignition Engine," *Proceedings of the Combustion Institute*, pp. 3115-3122, 2011.
- [78] B.Franzelli, E.Riber, L. Gicquel and Poinsot, "Large Eddy Simulation of Combustion Instabilities in a Lean Partially Premixed Swirled Flame," *Combustion and Flame*, pp. 621-637, 2012.
- [79] D.C.Haworth and T.J.Poinsot, "Numerical Simulations of Lewis Number Effects in Turbulent Premixed Flames," *Journal of Fluid Mechanics*, pp. 405-436, 1992.
- [80] R.A.C.P.Ranasinghe, "Development of combustion models for RANS and LES applications in SI engines," R.A. Chathura Prasad Ranasinghe, 2013.
- [81] A.A.Amsden and P.J.O'Rourke, "Implementation of a Conjugate Residual Iteration in theKIVA Computer Program, Technical Report," Los Alamos National Laboratory, 1986.
- [82] K.N.C.Bray, P. and J.B.Moss, in *Flamelet Crossing Frequencies and Mean Reaction Rates in Premixed Turbulent Combustion*,, Combustion Science and technology, 1984, pp. 143-172..
- [83] J.B.Heywood, "Combustion and its Modelling in Spark-Ignition Engines," in *International Symposium, COMODIA*, 1994.
- [84] P, Rogallo R.S. and Moin, "Numerical Simulation of Turbulent Flows, Annual Review of FluidMechanics, 16:," 1984, pp. 99-137.
- [85] C.J.Rutland, "Large Eddy Simulation for Internal Combustion Engines-A Review," *International Journal of Engine Research*, vol. 2, pp. 1-31, 2011.

- [86] B.Geurts and D.Schoore, "Large-Eddy Simulation for Advanced Industrial Design: Proposal for a new COST Action, Technical Report," 2005.
- [87] A.Uddin, C.Kato, Y.Yamade, N.Ohsima, T.Tanahasi and M. Miyauchi, "Large Eddy Simulation of Homogeneous Isotropic Turbulent Flow Using the Finite Element Method," *JSME International Journal*, vol. 49, pp. 102-114, 2006.
- [88] H. Y. K.Niatoh, "Large eddy simulation of premixed-flame in engine based on the multi-level formulation and the renormalization group theory," *SAE*, p. 920590, 1992.
- [89] M.Germano, U.Piomelli, P. Moin and W.H.Cabot, "A Dynamic Subgrid-Scale Eddy Viscosity Model," *Physics of Fluids*, pp. 1760-1765, 1991.
- [90] Haworth, "Large-Eddy Simulation of In-Cylinder Flows, Oil & Gas Science and," (1999).
- [91] E.Garnier, N.Adams and P.Sagaut, "Large Eddy Simulation for Compressible Flows," 2009.
- [92] K.C., Brunt M.F.J. and Platts, in *Calculation of Heat Release in Direct Injection Diesel Engines*, SAE, 1999, pp. 1999-01-0187.
- [93] S.Richard, O.Colin, O.Vermorel, A. D.Benkenida, C. Angelberger and Veynante, "Towards Large Eddy Simulation of Combustion in Spark Ignition Engines," *Proceedings of the Combustion Institute*, vol. 31, pp. 3059-3066, 2007.
- [94] J.H.Ferziger, "Simulation of incompressible turbulent flows," *Journal of computational physics*, vol. 69, no. 1, pp. 1-48, 1987.
- [95] J.Janicka and A.Sadiki, "Large Eddy Simulation for Turbulent Combustion," in *Proceedings of the Combustion Institute*, 2005, pp. 537-547.
- [96] C.J.Rutland and S.Chumakov, "Dynamic Structure Models for Scalar Flux and Dissipation in Large Eddy Simulation," *AIAA*, vol. 42, no. 6, pp. 1132-1139, 2004.
- [97] F.Nicoud and F.Ducros, "Subgrid-scale stress modelling based on the square of the velocity gradient tensor," *Flow turbulence and combustion*, vol. 62, pp. 183-200, 1999.
- [98] F.Brusiani and G.M.Bianchi, "LES simulation of ICE non-reactive flows in fixed grids," *SAE paper*, 2008.
- [99] C.Meneveau and J.Katz, "Scale-invariance and turbulence models for large-eddy simulation," *Annual revision of fluid mechanics*, vol. 32, no. 1, pp. 1-32, 2000.
- [100] J.Smagorinsky, "General Circulation Experiments with the Primitive Equations, part I: The Basic Experiment," *Monthly Weather Review*, vol. 91, no. 3, pp. 99-152, 1963.
- [101] L.Celik and I.Yavuz, "Prediction of in-cylinder turbulence for IC engines," *Combustion science and technology*, vol. 153, no. 1, pp. 339-368, 2000.
- [102] A.Amsden, "KIVA-3V: a block-structure KIVA program for engines with vertical or canted valves.," Los Alamos Report, 1997.
- [103] J.Ferziger and M.Peric, "Computational Methods for Fluid Dynamics," Springer, 2002.

- [104] S.Dinsdale, A. Roughton and N.Collings, "Length Scale and Turbulence Intensity Measurements in a Motored Internal Combustion Engine," *SAE*, p. 880380, 1988.
- [105] W.Malalasekera, H.K.Versteeg, J.C.Henson, Jo and J. nes, "Calculation of Radiative HeatTransfer in Combustion Systems," *Clean Air*, vol. 3, pp. 113-143, 2002.
- [106] V.Granet, O.Vermorel, C.Lacour, B.Enaux, V. Dugué and T.Poinsot, "Large-Eddy Simulation and Experimental Study of Cycle-To-Cycle Variations of Stable and Unstable Operating Points in a Spark Ignition Engine," *Combustion and Flame*, pp. 1562-1575, 2012.
- [107] R., Maly, "State of the Art and Future Needs in S.I. Engine Combustion, Twenty-FifthSymposium (International) on Combustion, The Combustion Institute, 25:," 1994, pp. 111-124.
- [108] N.Peters, *Turbulent Combustion*, Cambridge : Cambridge University Press, 2000.
- [109] Misegades and P.Kent, "Extraction of Boundary Layer Characteristics from Fluent Results," 2005.
- [110] M.Weclas, A.Melling and F.Durst, "Flow Separation in the Inlet Valve Gap of Piston," 1998.
- [111] M.Jia and M.Xie, "A Chemical Kinetics Model of Iso-Octane Oxidation for HCCI Engine," in *Fuel*, 2006, pp. 2593-2604.
- [112] M.Boger, D.Veynante, H. Boughanem and A.Trouvé, "Direct Numerical SimulationAnalysis of Flame Surface Density Concept for Large Eddy Simulation of Turbulent Premixed Combustion,," in *Proceedings of the Combustion Institute*, 1998, pp. 917-925.
- [113] K.Naitoh, T.Itoh and Y.Takagi, "Large Eddy Simulation of Premixed-Flame in Engine Based on the Multi- Level Formulation and the Renormalization Group Theory," *SAE Paper*, vol. 920590, 1992.
- [114] K.Lee, M.Yoon and M.Sunwoo, "A Study on Pegging Methods for Noisy Pressure signal," *Control Engineering Practice*, vol. 16, pp. 922-929, 2008.
- [115] K. J.B.Moss, in *A Unified Statistical model for Premixed Turbulent Flame*, Acta Astronautica, 1977, pp. 291-319.
- [116] F.C.Gouldin, "An Application of Fractals to Modelling Premixed Turbulent Flames," *Combustion and Flame*, pp. 249-266, 1987.