

REFERENCE

- Abbott, M. B., Bathurst, J. C., Cunge, J. A., O'Connell, P. E., & Rasmussen, J. (1986). An introduction to the European Hydrological System — Systeme Hydrologique Europeen, ``SHE'', 2: Structure of a physically-based, distributed modelling system. *Journal of Hydrology*, 87, 61–77. [https://doi.org/10.1016/0022-1694\(86\)90115-0](https://doi.org/10.1016/0022-1694(86)90115-0).
- Al-Lafta, H. S., Al-Tawash, B. S., & Al-Baldawi, B. A. (2013). Applying the “ABCD” monthly water balance model for some regions in the United States. *Advances in Physics Theories and Applications*, 25(1), 36–47.
- Alley, W. M. (1984a). On the treatment of evapotranspiration, soil moisture accounting, and aquifer recharge in monthly water balance models. *Water Resources Research*, 20(8), 1137–1149. <https://doi.org/10.1029/WR020i008p01137>.
- Alley, W. M. (1984b). On the treatment of evapotranspiration, soil moisture accounting, and aquifer recharge in monthly water balance models. *Water Resources Research*, 20(8), 1137–1149. <https://doi.org/10.1029/WR020i008p01137>.
- Arnell, N. W. (1992). Factors controlling the effects of climate change on river flow regimes in a humid temperate environment. *Journal of Hydrology*, 132(1), 321–342. [https://doi.org/10.1016/0022-1694\(92\)90184-W](https://doi.org/10.1016/0022-1694(92)90184-W).
- Baker, T. J., Cullen, B., Debevec, L., & Abebe, Y. (2015a). A socio-hydrological approach for incorporating gender into biophysical models and implications for water resources research. *Applied Geography*, 62, 325–338. <https://doi.org/10.1016/j.apgeog.2015.05.008>.
- Baker, T. J., Cullen, B., Debevec, L., & Abebe, Y. (2015b). A socio-hydrological approach for incorporating gender into biophysical models and implications for water

- resources research. *Applied Geography*, 62, 325–338. <https://doi.org/10.1016/j.apgeog.2015.05.008>.
- Chen, F., & Dudhia, J. (2001). Coupling an advanced land surface–hydrology model with the Penn State–NCAR MM5 Modeling system. part I: Model Implementation and sensitivity. *Monthly Weather Review*, 129(4), 569–585. [https://doi.org/10.1175/1520-0493\(2001\)129<0569:CAALSH>2.0.CO;2](https://doi.org/10.1175/1520-0493(2001)129<0569:CAALSH>2.0.CO;2).
- Cheng, Q. (2015). Evaluating the effect of objective functions on model calibration. Freie Universität Berlin. Retrieved from http://www.diss.fu-berlin.de/diss/receive/FUDISS_thesis_000000098138?lang=en.
- D. N. Moriasi, J. G. Arnold, M. W. Van Liew, R. L. Bingner, R. D. Harmel, & T. L. Veith. (2007). Model evaluation guidelines for systematic quantification of accuracy in watershed simulations. *Transactions of the ASABE*, 50(3), 885–900. <https://doi.org/10.13031/2013.23153>.
- De Silva, M. M. G. T., Weerakoon, S. B., & Herath, S. (2014). Modeling of event and continuous flow hydrographs with HEC–HMS: Case study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846).
- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1–2), 129–149. [https://doi.org/10.1016/0022-1694\(77\)90066-X](https://doi.org/10.1016/0022-1694(77)90066-X).
- Durga Rao, K. H. V., Rao, V. V., & Dadhwal, V. K. (2014). Improvement to the Thornthwaite Method to study the runoff at a basin scale using temporal remote sensing data. *Water Resources Management*, 28(6), 1567–1578. <https://doi.org/10.1007/s11269-014-0564-8>.

- Fernandez, W., Vogel, R. M., & Sankarasubramanian, A. (2000). Regional calibration of a watershed model. *Hydrological Sciences Journal*, 45(5), 689–707. <https://doi.org/10.1080/02626660009492371>.
- Ghandhari, A., & Moghaddam, S. M. R. A. (2011). Water balance principles: A review of studies on five watersheds in Iran. *Journal of Environmental Science and Technology*, 4(5), 465–479. <https://doi.org/10.3923/jest.2011.465.479>.
- Gleick, P. H. (1987). The development and testing of a water balance model for climate impact assessment: Modeling the Sacramento Basin. *Water Resources Research*, 23(6), 1049–1061. <https://doi.org/10.1029/WR023i006p01049>.
- Griffen, J. (2014). A continuous hydrologic model structure for applications at multiple time scales. University of Central Florida. Retrieved from <http://stars.library.ucf.edu/etd/4504>.
- Her, Y., Yoo, S.-H., Seong, C., Jeong, J., Cho, J., & Hwang, S. (2016). Comparison of uncertainty in multi-parameter and multi-model ensemble hydrologic analysis of climate change. *Hydrology and Earth System Sciences Discussions*, 1–44. <https://doi.org/10.5194/hess-2016-160>.
- Hoad, K., Robinson, S., & Davies, R. (2010). Automating warm-up length estimation. *Journal of the Operational Research Society*, 61(9), 1389–1403. <https://doi.org/10.1057/jors.2009.87>.
- Jakeman, A. J., & Hornberger, G. M. (1994). Reply [to “comment on ‘how much complexity is warranted in a rainfall-runoff model?’ by A. J. Jakeman and G. M. Hornberger”]. *Water Resources Research*, 30(12), 3567–3567. <https://doi.org/10.1029/94WR01805>.

- Jiang, T., Chen, Y. D., Xu, C., Chen, X., Chen, X., & Singh, V. P. (2007). Comparison of hydrological impacts of climate change simulated by six hydrological models in the Dongjiang Basin, South China. *Journal of Hydrology*, 336(3), 316–333. <https://doi.org/10.1016/j.jhydrol.2007.01.010>.
- Legates, D. R., & McCabe, G. J. (1999). Evaluating the use of “goodness-of-fit” measures in hydrologic and hydro climatic model validation. *Water Resources Research*, 35(1), 233–241. <https://doi.org/10.1029/1998WR900018>.
- Liu, X., Dai, X., Zhong, Y., Li, J., & Wang, P. (2013). Analysis of changes in the relationship between precipitation and streamflow in the Yiluo River, China. *Theoretical and Applied Climatology*, 114(1–2), 183–191. <https://doi.org/10.1007/s00704-013-0833-0>.
- Liu, Y., Hejazi, M., Li, H., Zhang, X. (ORCID:0000000347117751), & Leng, G. (2018). A hydrological emulator for global applications – HE v1.0.0. *Geoscientific Model Development (Online)*, 11(3). <https://doi.org/10.5194/gmd-11-1077-2018>.
- Makhuvha, T., Pegram, G., Sparks, R., & Zucchini, W. (1997). Patching rainfall data using regression methods. 2. Comparisons of accuracy, bias and efficiency. *Journal of Hydrology*, 198(1), 308–318. [https://doi.org/10.1016/S0022-1694\(96\)03283-0](https://doi.org/10.1016/S0022-1694(96)03283-0).
- Martinez, G. F., & Gupta, H. V. (2010a). Toward improved identification of hydrological models: A diagnostic evaluation of the “ ABCD ” monthly water balance model for the conterminous United States: Diagnostic evaluation of “ ABCD ” monthly. *Water Resources Research*, 46(8), n/a-n/a. <https://doi.org/10.1029/2009WR008294>.
- Martinez, G. F., & Gupta, H. V. (2010b). Toward improved identification of hydrological models: A diagnostic evaluation of the “ABCD” monthly water balance model for the conterminous United States. *Water Resources Research*, 46(8), W08507. <https://doi.org/10.1029/2009WR008294>.

- Moeletsi, M. E., Shabalala, Z. P., Nysschen, G. D., & Walker, S. (2016). Evaluation of an inverse distance weighting method for patching daily and dekadal rainfall over the Free State Province, South Africa. *Water SA*, 42(3), 466–474.
- Nash, J. E., & Sutcliffe, J. V. (1970). River flow forecasting through conceptual models part I — A discussion of principles. *Journal of Hydrology*, 10(3), 282–290. [https://doi.org/10.1016/0022-1694\(70\)90255-6](https://doi.org/10.1016/0022-1694(70)90255-6).
- Nkuna, T. R., & Odiyo, J. O. (2011). Filling of missing rainfall data in Luvuvhu River Catchment using artificial neural networks. *Physics and Chemistry of the Earth, Parts A/B/C*, 36(14), 830–835. <https://doi.org/10.1016/j.pce.2011.07.041>.
- Penman, H. L. (1948). Natural evaporation from open water, bare soil and grass. *Proc. R. Soc. Lond. A*, 193(1032), 120–145. <https://doi.org/10.1098/rspa.1948.0037>.
- Polebitski A., Steinschneider S., Palmer R. N., Brown C., & Ahlfeld D. (n.d.). Climate change response of three physically based hydrology models in the Connecticut River Watershed. *World Environmental and Water Resources Congress 2011*. [https://doi.org/10.1061/41173\(414\)127](https://doi.org/10.1061/41173(414)127).
- Refsgaard, J. C. (1997). Parameterisation, calibration and validation of distributed hydrological models. *Journal of Hydrology*, 198(1–4), 69–97. [https://doi.org/10.1016/S0022-1694\(96\)03329-X](https://doi.org/10.1016/S0022-1694(96)03329-X).
- Robinson, S. (2002). A statistical process control approach for estimating the warm-up period (Vol. 1, pp. 439–446). IEEE. <https://doi.org/10.1109/WSC.2002.1172915>.
- Russell, J. S. (2003). *Perspectives in Civil Engineering: Commemorating the 150th Anniversary of the American Society of Civil Engineers*. ASCE Publications.
- Sampath, D. S., Weerakoon, S. B., & Herath, S. (2015). HEC-HMS model for runoff simulation in a tropical catchment with intra-basin diversions – case study of the

- Deduru Oya river basin, Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 48(1), 1. <https://doi.org/10.4038/engineer.v48i1.6843>.
- Sankarasubramanian, A., & Vogel, R. M. (2002a). Annual hydroclimatology of the United States. *Water Resources Research*, 38(6), 19–1. <https://doi.org/10.1029/2001WR000619>.
- Sankarasubramanian, A., & Vogel, R. M. (2002b). Annual hydroclimatology of the United States: Annual hydro climatology of the US. *Water Resources Research*, 38(6), 19-1-19–12. <https://doi.org/10.1029/2001WR000619>.
- Sankarasubramanian, A., Vogel, R. M., & Limbrunner, J. F. (2001). Climate elasticity of streamflow in the United States. *Water Resources Research*, 37(6), 1771–1781. <https://doi.org/10.1029/2000WR900330>.
- Santhi, C., Kannan, N., Arnold, J. G., & Di Luzio, M. (2008). Spatial calibration and temporal validation of flow for regional scale hydrologic modeling ¹. *JAWRA Journal of the American Water Resources Association*, 44(4), 829–846. <https://doi.org/10.1111/j.1752-1688.2008.00207.x>.
- Schaake, J. C., Koren, V. I., Duan, Q.-Y., Mitchell, K., & Chen, F. (1996). Simple water balance model for estimating runoff at different spatial and temporal scales. *Journal of Geophysical Research: Atmospheres*, 101(D3), 7461–7475. <https://doi.org/10.1029/95JD02892>.
- Tang, W. Y., Kassim, A. H. M., & Abubakar, S. H. (1996). Comparative studies of various missing data treatment methods - Malaysian experience. *Atmospheric Research*, 42(1), 247–262. [https://doi.org/10.1016/0169-8095\(95\)00067-4](https://doi.org/10.1016/0169-8095(95)00067-4).
- Tekleab, S., Uhlenbrook, S., Mohamed, Y., Savenije, H. H. G., Temesgen, M., & Wenninger, J. (2011). Water balance modeling of Upper Blue Nile catchments using

- a top-down approach. *Hydrology and Earth System Sciences*, 15(7), 2179–2193. <https://doi.org/10.5194/hess-15-2179-2011>.
- Teutschbein, C., & Seibert, J. (2010). Regional climate models for hydrological impact studies at the catchment scale: A review of recent modeling strategies: regional climate models for hydrological impact studies. *Geography Compass*, 4(7), 834–860. <https://doi.org/10.1111/j.1749-8198.2010.00357.x>.
- Thomas Jr., H. A. (1981). Improved methods for national water assessment, water resources contract: *WR15249270* (USGS Unnumbered Series). Harvard Water Resources Group. Retrieved from <http://pubs.er.usgs.gov/publication/70046351>.
- Thornthwaite, C. W. (1948). An approach toward a rational classification of climate. *Geographical Review*, 38(1), 55–94. <https://doi.org/10.2307/210739>.
- Thornthwaite, C. W., & Mather, J. R. (1957). Instructions and tables for computing potential evapotranspiration and the water balance. *Drexel Institute of Technology, Centerton, NJ (EUA)*. Laboratory of Climatology.
- Vandewiele, G. L., Xu, C.-Y., & Huybrechts, W. (1991). Regionalisation of physically-based water balance models in Belgium. Application to ungauged catchments. *Water Resources Management*, 5(3–4), 199–208. <https://doi.org/10.1007/BF00421989>.
- Vandewiele, G. L., Xu, C.-Y., & Ni-Lar-Win. (1992a). Methodology and comparative study of monthly water balance models in Belgium, China and Burma. *Journal of Hydrology*, 134(1), 315–347. [https://doi.org/10.1016/0022-1694\(92\)90041-S](https://doi.org/10.1016/0022-1694(92)90041-S).
- Vandewiele, G. L., Xu, C.-Y., & Ni-Lar-Win. (1992b). Methodology and comparative study of monthly water balance models in Belgium, China and Burma. *Journal of Hydrology*, 134(1–4), 315–347. [https://doi.org/10.1016/0022-1694\(92\)90041-S](https://doi.org/10.1016/0022-1694(92)90041-S).

- Wang, D., & Tang, Y. (2014a). A one-parameter Budyko model for water balance captures emergent behavior in darwinian hydrologic models: Emergent behavior in hydrologic models. *Geophysical Research Letters*, n/a-n/a. <https://doi.org/10.1002/2014GL060509>.
- Wang, D., & Tang, Y. (2014b). A one-parameter Budyko model for water balance captures emergent behavior in darwinian hydrologic models: Emergent behavior in hydrologic models. *Geophysical Research Letters*, n/a-n/a. <https://doi.org/10.1002/2014GL060509>.
- Wang, Q. J., Pagano, T. C., Zhou, S. L., Hapuarachchi, H. A. P., Zhang, L., & Robertson, D. E. (2011). Monthly versus daily water balance models in simulating monthly runoff. *Journal of Hydrology*, 404(3–4), 166–175. <https://doi.org/10.1016/j.jhydrol.2011.04.027>.
- Wijesekera, N. T. S., & Perera, L. R. H. (2016). Key issues of data and data checking for hydrological analyses - case study of rainfall data in the Attanagalu Oya Basin of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 45(2), 1. <https://doi.org/10.4038/engineer.v45i2.6936>.
- Wu, C. L., & Chau, K. W. (2006a). A flood forecasting neural network model with genetic algorithm. *International Journal of Environment and Pollution*, 28(3/4), 261. <https://doi.org/10.1504/IJEP.2006.011211>.
- Wu, C. L., & Chau, K. W. (2006b). A flood forecasting neural network model with genetic algorithm. *International Journal of Environment and Pollution*, 28(3/4), 261. <https://doi.org/10.1504/IJEP.2006.011211>.
- Xu, C.-Y. (1999). Estimation of Parameters of a Conceptual Water Balance Model for Ungauged Catchments. *Water Resources Management*, 13(5), 353–368. <https://doi.org/10.1023/A:1008191517801>.

- Xu, C.-Y., & Singh, V. P. (1998a). A review on monthly water balance models for water resources investigations. *Water Resources Management*, 12(1), 20–50. <https://doi.org/10.1023/A:1007916816469>.
- Xu, C.-Y., & Singh, V. P. (1998b). A review on monthly water balance models for water resources investigations. *Water Resources Management*, 12(1), 20–50. <https://doi.org/10.1023/A:1007916816469>.
- Yapo, P. O., Gupta, H. V., & Sorooshian, S. (1998). Multi-objective global optimization for hydrologic models. *Journal of Hydrology*, 204(1–4), 83–97. [https://doi.org/10.1016/S0022-1694\(97\)00107-8](https://doi.org/10.1016/S0022-1694(97)00107-8).
- Zhang, L., Potter, N., Hickel, K., Zhang, Y., & Shao, Q. (2008). Water balance modeling over variable time scales based on the Budyko framework – Model development and testing. *Journal of Hydrology*, 360(1), 117–131. <https://doi.org/10.1016/j.jhydrol.2008.07.021>.