

REFERENCES

- Abimbola, O. P., Wenninger, J., Venneker, R., & Mittelstet, A. R. (2017). The assessment of water resources in ungauged catchments in Rwanda. *Journal of Hydrology: Regional Studies*, 13, 274–289. <https://doi.org/10.1016/j.ejrh.2017.09.001>
- Adhikari, R. (2018). *ESTIMATION OF SCS CURVE NUMBER FOR STREAMFLOW MODELLING - A CASE STUDY OF BADALGAMA WATERSHED IN MAHA OYA BASIN , SRI LANKA ESTIMATION OF SCS CURVE NUMBER FOR STREAMFLOW MODELLING - A CASE STUDY OF BADALGAMA WATERSHED IN MAHA OYA BASIN , SRI LANKA. May.*
- Ahbari, A., Stour, L., Agoumi, A., & Serhir, N. (2018). Estimation of initial values of the HMS model parameters: application to the basin of Bin El Ouidane (Azilal, Morocco). *Journal of Materials and Environmental Sciences*, 9(1), 305–317. <https://doi.org/10.26872/jmes.2018.9.1.34>
- Apaydin, H., Anli, A. S., & Ozturk, A. (2006). The temporal transferability of calibrated parameters of a hydrological model. *Ecological Modelling*, 195(3–4), 307–317. <https://doi.org/10.1016/j.ecolmodel.2005.11.032>
- Ariyasena, M. A. D. N. (2019). *Identification of minimum data duration for monthly water balance model calibration*. University of Moratuwa.
- Arlen D. Feldman. (2000). Hydrologic Modeling System Technical Reference Manual. In *Technical Reference Manual March 2000 Approved for Public Release – Distribution Unlimited CPD-74B* (Issue March).
- Arnold, J. G., Srinivasan, R., Muttiah, R. S., & Williams, J. R. (1998). Large area hydrologic modeling and assessment part I: Model development. *Journal of the American Water Resources Association*, 34(1), 73–89. <https://doi.org/10.1111/j.1752-1688.1998.tb05961.x>
- Atkinson, H. D. E., Johal, P., Falworth, M. S., Ranawat, V. S., Dala-Ali, B., & Martin, D. K. (2010). Adductor tenotomy: Its role in the management of sports-related chronic groin pain. *Archives of Orthopaedic and Trauma Surgery*, 130(8), 965–970. <https://doi.org/10.1007/s00402-009-1032-4>
- Bennett, T. H. (1998). *Development and application of a continuous soil moisture accounting algorithm for the Hydrologic Engineering Center Hydrologic Modeling System (HEC-HMS)*. M.S. University of California, Davis.
- Beven, K. (2012). Comptes Rendus Geoscience Causal models as multiple working hypotheses about environmental processes ` les causals comme hypothèses multiples des processus environnementaux Les modèles. *Comptes Rendus - Geoscience*, 344(2), 77–88. <https://doi.org/10.1016/j.crte.2012.01.005>
- Bill Scharffenberg, Mike Bartles, Tom Brauer, Matt Fleming, and G. K. (2018).

- Hydrologic Modeling System User ' s Manual. In *Manual* (Issue September).
- Cheng, Q., Ko, C., Yuan, Y., Ge, Y., & Zhang, S. (2006). GIS modeling for predicting river runoff volume in ungauged drainages in the Greater Toronto Area, Canada. *Computers and Geosciences*, 32(8), 1108–1119. <https://doi.org/10.1016/j.cageo.2006.02.005>
- Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). *Applied Hydrology*. McGraw-Hill, Inc.
- Chu, X., & Steinman, A. (2009). Event and continuous hydrologic modeling with HEC-HMS. *Journal of Irrigation and Drainage Engineering*, 135(1), 119–124. [https://doi.org/10.1061/\(ASCE\)0733-9437\(2009\)135:1\(119\)](https://doi.org/10.1061/(ASCE)0733-9437(2009)135:1(119))
- Croke, B. F. W., Merritt, W. S., & Jakeman, A. J. (2004). A dynamic model for predicting hydrologic response to land cover changes in gauged and ungauged catchments. *Journal of Hydrology*, 291(1–2), 115–131. <https://doi.org/10.1016/j.jhydrol.2003.12.012>
- Cunderlik, J., & Simonovic, S. P. (2004). Calibration, Verification and Sensitivity analysis of the HEC-HMS hydrologic model. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Curtis, D. H. (2017). Plant-Water Interaction. In *International Encyclopedia of Geography* (Vol. 15, p. 8464). Wiley-Blackwell.
- Dahmen, E. R., & Hall, M. J. (1990). Screening of hydrological data: Tests for stationarity and relative consistency. 58.
- De Silva, M. M. G. T., Weerakoon, S. B., & Herath, S. (2014). Modeling of Event and Continuous Flow Hydrographs with HEC–HMS: Case Study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846)
- Devia, G. K., Ganasri, B. P., & Dwarakish, G. S. (2015). A Review on Hydrological Models. *Aquatic Procedia*, 4, 1001–1007. <https://doi.org/10.1016/j.aqpro.2015.02.126>
- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1–2), 129–149. [https://doi.org/10.1016/0022-1694\(77\)90066-X](https://doi.org/10.1016/0022-1694(77)90066-X)
- Domeneghetti et al., 2012 - Google Search.* (n.d.). Retrieved March 14, 2020, from [https://www.google.lk/search?qsrf=ALEKk03iqlR3lMrW2AQvVpuwxPPomFj7Yw%3A1584115746713&ei=IrBrXpGFK_GQ4-EP24yesAM&q=Domeneghetti+et+al.%2C+2012&oq=Domeneghetti+et+al.%2C+2012&gs_l=psy-ab.3...43013101.43015125..43016117...1.0..0.194.339.0j2.....1....1j2..gws-wiz....10..0i273j0i131j0j35i362i39.UyeZaC0_ts0&ved=0ahUKEwiRnvaC65fo](https://www.google.lk/search?q=DOMENEGHETTI+ET+AL.+2012&q=Domeneghetti+et+al.+2012&gls=pt&hl=pt&tbo=p)

- Esse, W. R. Van, Perrin, C., Booij, M. J., Augustijn, D. C. M., Fenicia, F., Kavetski, D., & Lobjigeois, F. (2013). The influence of conceptual model structure on model performance : a comparative study for 237 French catchments. *Hydrology and Earth System Sciences*, 17, 4227–4239. <https://doi.org/10.5194/hess-17-4227-2013>
- G. T. Dharmasena (Department of Irrigation). (1997). *Destructive Water: Water-Caused Natural Disasters, Their Abatement and Control - Google Books.* [https://books.google.lk/books?hl=en&lr=&id=8nbLGQw5fc&oi=fnd&pg=P_A225&dq=Dharmasena+\(1997\)+numerical+model&ots=Niy2DfBaQj&sig=PLcGki_0qw3n5y4TDzmuw7yXUgQ&redir_esc=y#v=onepage&q=Dharmasena\(1997\) numerical model&f=false](https://books.google.lk/books?hl=en&lr=&id=8nbLGQw5fc&oi=fnd&pg=P_A225&dq=Dharmasena+(1997)+numerical+model&ots=Niy2DfBaQj&sig=PLcGki_0qw3n5y4TDzmuw7yXUgQ&redir_esc=y#v=onepage&q=Dharmasena(1997) numerical model&f=false)
- Garcia, F., Folton, N., & Oudin, L. (2017). Which objective function to calibrate rainfall-runoff models for low-flow index simulations? *Hydrological Sciences Journal*, 62(7), 1149–1166. <https://doi.org/10.1080/02626667.2017.1308511>
- Gitau, M. W., & Chaubey, I. (2010). Regionalization of SWAT Model Parameters for Use in Ungauged Watersheds. *Water*, 849–871. <https://doi.org/10.3390/w2040849>
- Grassmann, W. K. (2014). *Factors affecting warm-up periods in discrete event simulation*. 90(1), 11–23. <https://doi.org/10.1177/0037549713508334>
- Hall, R. L., Calder, I. R., Gunawardena, E. R. N., & Rosier, P. T. W. (1996). Dependence of rainfall interception on drop size: 3. Implementation and comparative performance of the stochastic model using data from a tropical site in Sri Lanka. *Journal of Hydrology*, 185(1–4), 389–407. [https://doi.org/10.1016/0022-1694\(95\)03000-X](https://doi.org/10.1016/0022-1694(95)03000-X)
- Halwatura, D., & Najim, M. M. M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling & Software*, 46, 155–162. <https://doi.org/10.1016/j.envsoft.2013.03.006>
- Henriksen, H. J., Troldborg, L., Nyegaard, P., Sonnenborg, T. O., Refsgaard, J. C., & Madsen, B. (2003). *Methodology for construction , calibration and validation of a national hydrological model for Denmark.* 280, 52–71. [https://doi.org/10.1016/S0022-1694\(03\)00186-0](https://doi.org/10.1016/S0022-1694(03)00186-0)
- Hoad, K., Robinson, S., & Davies, R. (2008). Automating warm-up length estimation . *Proceedings of the 2008 Winter Simulation Conference.*
- Hulsman, P., Bogaard, T. A., & Savenije, H. H. G. (2017). *Modelling the Mara River Basin with data uncertainty using water levels for calibration.* November, 1–24.
- Hunter, N. M., Bates, P. D., Horritt, M. S., & Wilson, M. D. (2007). Simple spatially-distributed models for predicting flood inundation: A review. In *Geomorphology* (Vol. 90, Issues 3–4, pp. 208–225).

<https://doi.org/10.1016/j.geomorph.2006.10.021>

Hwang, S. H., Ham, D. H., & Kim, J. H. (2012). A new measure for assessing the efficiency of hydrological data-driven forecasting models. *Hydrological Sciences Journal*, 57(7), 1257–1274. <https://doi.org/10.1080/02626667.2012.710335>

Hyndman, R. J., & Koehler, A. B. (2006). Another look at measures of forecast accuracy. In *International Journal of Forecasting* (Vol. 22, Issue 4, pp. 679–688). <https://doi.org/10.1016/j.ijforecast.2006.03.001>

Jayadeera, P. M. (2016). DEVELOPMENT OF A RAINFALL RUNOFF MODEL FOR KALU GANGA BASIN OF SRI LANKA USING HEC- HMS MODEL. *Sri Lanka*, 205. <http://files/296/Jayadeera - 2016 - DEVELOPMENT OF A RAINFALL RUNOFF MODEL FOR KALU GA.pdf>

Jayawardena, U. A., Rajakaruna, R. S., & Amerasinghe, P. H. (2011). Cercariae of trematodes in freshwater snails in three climatic zones in Sri Lanka. *Ceylon Journal of Science (Biological Sciences)*, 39(2), 95. <https://doi.org/10.4038/cjsbs.v39i2.2996>

Kamali, B., Mousavi, S. J., & Abbaspour, K. C. (2012). *Automatic calibration of HEC-HMS using single-objective and multi-objective PSO algorithms*. <https://doi.org/10.1002/hyp>

Kamran, M., & Rajapakse, R. H. L. (2018). Effect of Watershed Subdivision and Antecedent Moisture Condition on HEC-HMS Model Performance in the Maha Oya Basin, Sri Lanka. *Kamran & Rajapakse/International Journal of Engineering Technology and Sciences*, 5(2), 22–37. <https://doi.org/10.15282/ijets.5.2.2018.1004>

Khadka, J., & Bhaukajee, J. (2018). Rainfall-Runoff Simulation and Modelling Using HEC-HMS and HEC-RAS Models : Case Studies from Nepal and Sweden. In *Water Resources Engineering*. www.tvrl.lth.se

Kim, K. B., & Han, D. (2016). *Uncorrected Proof Uncorrected Proof*. 1–17. <https://doi.org/10.2166/nh.2016.296>

Kim, S., & Kim, H. (2016). A new metric of absolute percentage error for intermittent demand forecasts. *International Journal of Forecasting*, 32, 669–679.

Kodippili, T. (2019). *Influence of Station Density and Interpolation Methods on Spatial Averaging of Rainfall for Influence of Station Density and Interpolation Methods on Spatial Averaging of Rainfall for May*.

Kokkonen, T. S., Jakeman, A. J., Young, P. C., & Koivusalo, H. J. (2003). Predicting daily flows in ungauged catchments : model regionalization from catchment descriptors at the Coweeta Hydrologic Laboratory , North Carolina. *Hydrological Processes*, 2238(October 2002), 2219–2238. <https://doi.org/10.1002/hyp.1329>

Laaha, G., & Blöschl, G. (2007). A national low flow estimation procedure for Austria.

Taylor & Francis, 52(4), 625–644. <https://doi.org/10.1623/hysj.52.4.625>

- Li, C. Z., Wang, H., Liu, J., Yan, D. H., Yu, F. L., & Zhang, L. (2010). Effect of calibration data series length on performance and optimal parameters of hydrological model. *Water Science and Engineering*, 3(4), 378–393. <https://doi.org/10.3882/j.issn.1674-2370.2010.04.002>
- Li, H., Zhang, Y., Chiew, F. H. S., & Xu, S. (2009). Predicting runoff in ungauged catchments by using Xinanjiang model with MODIS leaf area index. *Journal of Hydrology*, 370(1–4), 155–162. <https://doi.org/10.1016/j.jhydrol.2009.03.003>
- Loucks, D. P. (2000). Sustainable water resources management. *Water International*, 25(1), 3–10. <https://doi.org/10.1080/02508060008686793>
- Loukas, A., & Vasiliades, L. (2014). Streamflow simulation methods for ungauged and poorly gauged watersheds. *Natural Hazards and Earth System Science*, 1641–1661. <https://doi.org/10.5194/nhess-14-1641-2014>
- Madsen, H. (2000). Automatic calibration of a conceptual rainfall-runoff model using multiple objectives. *Journal of Hydrology*, 235(3–4), 276–288. [https://doi.org/10.1016/S0022-1694\(00\)00279-1](https://doi.org/10.1016/S0022-1694(00)00279-1)
- Magnusson Jan, Yang Xue, R. J. (2018). *Runoff prediction in ungauged catchments in Norway : comparison of regionalization approaches Xue Yang , Jan Magnusson , Jonathan Rizzi and Chong-Yu Xu.* 487–505. <https://doi.org/10.2166/nh.2017.071>
- Mahmoud Abu-Zeid, & I. A. Shiklomanov. (2004). Water Resources as a Challenge of the Twenty-First Century. In *World Meteorological Organization* (Issue 959).
- Masih, I., Uhlenbrook, S., Maskey, S., & Ahmad, M. D. (2010). Regionalization of a conceptual rainfall-runoff model based on similarity of the flow duration curve: A case study from the semi-arid Karkheh basin, Iran. *Journal of Hydrology*, 391(1–2), 188–201. <https://doi.org/10.1016/j.jhydrol.2010.07.018>
- Mcenroe, B. M., & Ph, D. (2010). Guidelines for Continuous Simulation of Streamflow in Johnson County , Kansas , with HEC-HMS Johnson County Public Works and Infrastructure. *Simulation, June*.
- Mcintyre, N., & Wheater, H. S. (2008). *A Toolbox for the Identification of Parsimonious Semi-Distributed Rainfall-Runoff Models : Application to the Upper Lee Catchment Models : Application to the Upper Lee.*
- Merz, R., & Blöschl, G. (2004). Regionalisation of catchment model parameters. *Journal of Hydrology*, 287(1–4), 95–123. <https://doi.org/10.1016/j.jhydrol.2003.09.028>
- Mohamoud, Y. M. (2008). Prediction of daily flow duration curves and streamflow for ungauged catchments using regional flow duration curves. *Hydrological Sciences Journal*, 53(4), 706–724. <https://doi.org/10.1623/hysj.53.4.706>

- Mouelhi, S., Michel, C., Perrin, C., & Andréassian, V. (2006). Stepwise development of a two-parameter monthly water balance model. *Journal of Hydrology*, 318(1–4), 200–214. <https://doi.org/10.1016/j.jhydrol.2005.06.014>
- Muleta, M. K. (2009). *Model Performance Sensitivity to Objective Function during Automated Calibrations*.
- Mwakalila, S., Campling, P., Feyen, J., Wyseure, G., & Beven, K. (2001). Application of a data-based mechanistic modelling (DBM) approach for predicting runoff generation in semi-arid regions. *Hydrological Processes*, 15(12), 2281–2295. <https://doi.org/10.1002/hyp.257>
- Oudin, L., Andréassian, V., Perrin, C., Michel, C., & Le Moine, N. (2008). Spatial proximity, physical similarity, regression and ungauged catchments: A comparison of regionalization approaches based on 913 French catchments. *Water Resources Research*, 44(3). <https://doi.org/10.1029/2007WR006240>
- Ouédraogo, W. A. A., Raude, J. M., & Gathenya, J. M. (2018). Continuous modeling of the Mkurumudzi River catchment in Kenya using the HEC-HMS conceptual model: Calibration, validation, model performance evaluation and sensitivity analysis. *Hydrology*, 5(3). <https://doi.org/10.3390/hydrology5030044>
- Parajka, J., Merz, R., & Blöschl, G. (2005). A comparison of regionalisation methods for catchment model parameters. *Hydrology and Earth System Sciences*, 9(3), 157–171. <https://doi.org/10.5194/hess-9-157-2005>
- Patil, S. D., & Stieglitz, M. (2015). Comparing spatial and temporal transferability of hydrological model parameters. *Journal of Hydrology*, 525, 409–417. <https://doi.org/10.1016/j.jhydrol.2015.04.003>
- Pechlivanidis, I. G., Jackson, B. M., McIntyre, N. R., & Wheater, H. S. (2011). Catchment scale hydrological modelling: A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *Global Nest Journal*, 13(3), 193–214. <https://doi.org/10.30955/gnj.000778>
- Perera, G. M. C. A., & Rajapakse, R. L. H. L. (2018). Daily and monthly lumped parameter hydrologic models for analysis of small watersheds in Sri Lanka. *MERCon 2018 - 4th International Multidisciplinary Moratuwa Engineering Research Conference*, 372–377. <https://doi.org/10.1109/MERCon.2018.8421989>
- Piman, T., & Babel, M. S. (2013). Prediction of Rainfall-Runoff in an Ungauged Basin : Case Study in the Mountainous Region of Northern Thailand. *Journal of Hydrologic Engineering*, 18(2), 285–296. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000573](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000573).
- Ponce, V. M., & Hawkins, R. H. (1996). Runoff curve number: Has it reached maturity? *Journal of Hydrologic Engineering*, 1(1), 11–18. [https://doi.org/10.1061/\(ASCE\)1084-0699\(1997\)2:3\(145\)](https://doi.org/10.1061/(ASCE)1084-0699(1997)2:3(145))

- Razavi, T., & Coulibaly, P. (2013). Streamflow prediction in ungauged basins: Review of regionalization methods. *Journal of Hydrologic Engineering*, 18(8), 958–975. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000690](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000690)
- Refsgaard, J. C., & Storm, B. (1996). *CHAPTER 3 CONSTRUCTION, CALMRATION AND VALIDATION OF HYDROLOGICAL MODELS J.C. REFSGAARD AND B. STORM.* 41–54.
- Samaniego, L., Bárdossy, A., & Kumar, R. (2010). Streamflow prediction in ungauged catchments using copula-based dissimilarity measures. *Water Resources Research*, 46(2). <https://doi.org/10.1029/2008WR007695>
- Sampath, D. S., Weerakoon, S. B., & Herath, S. (2015). HEC-HMS model for runoff simulation in a tropical catchment with intra-basin diversions – case study of the Deduru Oya river basin, Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 48(1), 1. <https://doi.org/10.4038/engineer.v48i1.6843>
- Samuel, J., Coulibaly, P., & Metcalfe, R. A. (2011). Estimation of continuous streamflow in ontario ungauged basins: Comparison of regionalization methods. *Journal of Hydrologic Engineering*, 16(5), 447–459. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000338](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000338)
- Schreider, S. Y., Jakeman, A. J., Gallant, J., & Merritt, W. S. (2002). Prediction of monthly discharge in ungauged catchments under agricultural land use in the Upper Ping basin, northern Thailand. *Mathematics and Computers in Simulation*, 59(1–3), 19–33. [https://doi.org/10.1016/S0378-4754\(01\)00390-1](https://doi.org/10.1016/S0378-4754(01)00390-1)
- Shrestha, S., Bastola, S., Babel, M. S., Dulal, K. N., Magome, J., Hapuarachchi, H. A. P., Kazama, F., Ishidaira, H., & Takeuchi, K. (2007). The assessment of spatial and temporal transferability of a physically based distributed hydrological model parameters in different physiographic regions of Nepal. *Journal of Hydrology*, 347(1–2), 153–172. <https://doi.org/10.1016/j.jhydrol.2007.09.016>
- Silberstein, R. P. (2006a). Hydrological models are so good, do we still need data? *Environmental Modelling and Software*, 21(9), 1340–1352. <https://doi.org/10.1016/j.envsoft.2005.04.019>
- Silberstein, R. P. (2006b). Hydrological models are so good, do we still need data? *Environmental Modelling & Software*, 21(9), 1340–1352. <https://doi.org/10.1016/j.envsoft.2005.04.019>
- Silva, Ranjith Premalal De, Dayawansa N D K, R. M. D. (2007). *A comparison of methods used in estimating missing rainfall data.* April 2015. <https://doi.org/10.4038/jas.v3i2.8107>
- Sitterson, J., Knights, C., Parmar, R., Wolfe, K., Muche, M., & Avant, B. (2017). *An Overview of Rainfall-Runoff Model Types.* 30. <http://files/302/Sitterson et al. - An Overview of Rainfall-Runoff Model Types.pdf>
- Sok, K., & Oeurng, C. (2016). *Application of HEC-HMS Model to Assess Streamflow*

and Water Resources Availability in Stung Sangker Catchment of Mekong 'Tonle Sap Lake Basin in Cambodia. December, 1–16.
<https://doi.org/10.20944/preprints201612.0136.v1>

Song, J., Her, Y., Suh, K., Kang, M., & Kim, H. (2019). Regionalization of a Rainfall-Runoff Model: Limitations and Potentials. *Water*, 11(2257). <https://doi.org/10.3390/w11112257>

Sorooshian, S., & Gupta, V. K. (1983). Automatic calibration of conceptual rainfall-runoff models: The question of parameter observability and uniqueness. *Water Resources Research*, 19(1), 260268.

Stephenson, G. R., & Freeze, R. A. (1974). Mathematical simulation of subsurface flow contributions to snowmelt runoff, Reynolds Creek Watershed, Idaho. *Water Resources Research*, 10(2), 284–294. <https://doi.org/10.1029/WR010i002p00284>

Sugawara, M., Watanabe, I., Ozaki, E., & Katsuyama, Y. (1984). *Tank Model with Snow Component : Research Notes of the National Research Center for Disaster Prevention: Vol. No.65.*

Survsy, A. L. (1960). Double-Mass Curves. *Manual of Hydrology Part 1.*

Tallaksen, L. M., Madsen, H., & Clausen, B. (1997). On the definition and modelling of streamflow drought duration and deficit volume. *Sciences Journal*, 42(1), 15–33. <https://doi.org/10.1080/02626669709492003>

Teegavarapu, R. S. V., & Chandramouli, V. (2005). Improved weighting methods, deterministic and stochastic data-driven models for estimation of missing precipitation records. *Journal of Hydrology*, 312(1–4), 191–206. <https://doi.org/10.1016/j.jhydrol.2005.02.015>

Thielen, J., Bartholmes, J., Ramos, M.-H., & De Roo, A. (2009). Hydrology and Earth System Sciences The European Flood Alert System-Part 1: Concept and development. In *Hydrol. Earth Syst. Sci* (Vol. 13). www.hydrol-earth-syst-sci.net/13/125/2009/

Ven Te Chow, Maidment, D. R. (1988). Handbook of applied hydrology. *International Association of Scientific Hydrology. Bulletin.* <https://doi.org/10.1080/0262666509493376>

Verma, A. K., Jha, M. K., & Mahana, R. K. (2010). Evaluation of HEC-HMS and WEPP for simulating watershed runoff using remote sensing and geographical information system. *Paddy and Water Environment*, 8(2), 131–144. <https://doi.org/10.1007/s10333-009-0192-8>

Wagener, T., & Wheater, H. S. (2006). Parameter estimation and regionalization for continuous rainfall-runoff models including uncertainty. *Journal of Hydrology*, 320(1–2), 132–154. <https://doi.org/10.1016/j.jhydrol.2005.07.015>

- Wickramagamage, P. (2009). Seasonality and spatial pattern of rainfall of Sri Lanka: Exploratory factor analysis. *International Journal of Climatology*, 30(8), 1235–1245. <https://doi.org/10.1002/joc.1977>
- Wijesekera, N. T. S. (2018). *Classification of Streamflow Observations for Water Management*. February. <https://doi.org/10.13140/RG.2.2.23605.58089>
- Wijesekera, N. T. S., & Perera, L. R. H. (2012a). *Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagalu Oya Basin of Sri Lanka*. XXXV(02).
- Wijesekera, N. T. S., & Perera, L. R. H. (2012b). Key Issues of Data and Data Checking for Hydrological Analyses - Case Study of Rainfall Data in the Attanagalu Oya Basin of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 45(2), 1. <https://doi.org/10.4038/engineer.v45i2.6936>
- WMO. (2011). Guide to Hydrological Practices. In *Hydrological Sciences Journal* (Vol. 56, Issue 1). <https://doi.org/10.1080/02626667.2011.546602>
- WMO. (2018). *Guide to climatological practices* (Issue WMO-No.100). World Meteorological Organization.
- Xu, C. Y., & Singh, V. P. (1998). A Review on Monthly Water Balance Models for Water Resources Investigations. *Water Resources Management*, 12(1), 31–50. <https://doi.org/10.1023/A:1007916816469>
- Yen, H., Sharifi, A., Kalin, L., Mirhosseini, G., & Arnold, J. G. (2015). Assessment of model predictions and parameter transferability by alternative land use data on watershed modeling. *JOURNAL OF HYDROLOGY*, 527, 458–470. <https://doi.org/10.1016/j.jhydrol.2015.04.076>