

## REFERENCES

- [1] A. D'Andrea, F. Ferri, P. Grifoni and T. Guzzo, "Approaches, Tools and Applications for Sentiment Analysis Implementation", *International Journal of Computer Applications*, vol. 125, no. 3, pp. 26-33, 2015.
- [2] W. Medhat, A. Hassan and H. Korashy, "Sentiment analysis algorithms and applications: A survey", *Ain Shams Engineering Journal*, vol. 5, no. 4, pp. 1093-1113, 2014.
- [3] A. Allport, *Perspectives on Perception and Action*. Bielefeld: Routledge, 1985.
- [4] K. Ravi and V. Ravi, "A survey on opinion mining and sentiment analysis: Tasks, approaches and applications", *Knowledge-Based Systems*, vol. 89, pp. 14-46, 2015.
- [5] L. Schiffman and J. Wisenblit, *Consumer behavior*, 11th ed. Upper Saddle River, New Jersey: Pearson Education, 2014.
- [6] I. Asiegbu, D. Powei and C. Iruka, "Consumer Attitude: Some Reflections on Its Concept, Trilogy, Relationship with Consumer Behavior, and Marketing Implications", *European Journal of Business and Management*, vol. 4, no. 13, 2012.
- [7] Eagly, A. H., & Chaiken, S. (1993). *The psychology of attitudes*. Harcourt Brace Jovanovich College Publishers.
- [8] C. Haugtvedt, *Handbook of consumer psychology*. New York: Psychology Press, 2008.
- [9] D. Coon and J. Mitterer, *Psychology: A Journey*, 5th ed. Cengage Learning, 2013.
- [10] G. Angiani, L. Ferrari, F. Magliani, P. Fornacciari, E. Iotti, T. Fontanini, S. Manicardi, "A Comparison between Preprocessing Techniques for Sentiment Analysis in Twitter", *Knowledge Discovery on the WEB*, vol. 1748, 2016.
- [11] U. Fayyad, G. Piatetsky-Shapiro and R. Uthurusamy, "Summary from the KDD-03 panel -- Data Mining: The Next 10 Years", *ACM SIGKDD Explorations Newsletter*, vol. 5, no. 2, pp. 191-196, 2003.
- [12] D. Effrosynidis, S. Symeonidis and A. Arampatzis, "A Comparison of Preprocessing Techniques for Twitter Sentiment Analysis", *Research and Advanced Technology for Digital Libraries*, vol. 10450, pp. 394-406, 2017.
- [13] A. Celikyilmaz, D. Hakkani-Tur and J. Feng, "Probabilistic model-based sentiment analysis of Twitter messages", in *2010 IEEE Spoken Language Technology Workshop*, 2010.

- [14] N. Altrabsheh, M. Cocea and S. Fallahkhair, "Sentiment Analysis: Towards a Tool for Analysing Real-Time Students Feedback", 2014 IEEE 26th International Conference on Tools with Artificial Intelligence, 2014.
- [15] Z. Jianqiang, "Pre-processing Boosting Twitter Sentiment Analysis?", in 2015 IEEE International Conference on Smart City/SocialCom/SustainCom (SmartCity), 2015.
- [16] H. Saif, Y. He and H. Alani, "Semantic Sentiment Analysis of Twitter", The Semantic Web – ISWC 2012, vol. 7649, pp. 508-524, 2012.
- [17] K. Gao, S. Su and J. Wang, "A sentiment analysis hybrid approach for microblogging and E-commerce corpus", in 7th International Conference on Modelling, Identification and Control (ICMIC), 2015.
- [18] G. Forman, "An extensive empirical study of feature selection metrics for text classification", The Journal of Machine Learning Research, vol. 3, pp. 1289-1305, 2003.
- [19] M. Porter, "An algorithm for suffix stripping", Program, vol. 14, no. 3, pp. 130-137, 1980.
- [20] C. Paice, "Another stemmer", ACM SIGIR Forum, vol. 24, no. 3, pp. 56-61, 1990.
- [21] M. Hagenau, M. Liebmann, M. Hedwig and D. Neumann, "Automated News Reading: Stock Price Prediction Based on Financial News Using Context-Specific Features", in 45th Hawaii International Conference on System Sciences, 2012.
- [22] H. Gupta and N. Hasteer, "Utility of Corpus based Approach in the Recognition of Opinionated Text", Indian Journal of Science and Technology, vol. 9, no. 44, 2016.
- [23] J. Barry, "Sentiment Analysis of Online Reviews Using Bag-of-Words and LSTM Approaches", Artificial Intelligence and Cognitive Science, vol. 2086, pp. 272-274, 2017.
- [24] I. Habernal, T. Ptáček and J. Steinberger, "Sentiment Analysis in Czech Social Media Using Supervised Machine Learning", Computational Approaches to Subjectivity, Sentiment and Social Media Analysis, vol. 4, pp. 65–74, 2013.
- [25] X. Glorot, A. Bordes and Y. Bengio, "Domain adaptation for large-scale sentiment classification: A deep learning approach", International Conference on Machine Learning, vol. 28, 2011.

- [26] T. Mikolov, G. Corrado, K. Chen and J. Dean, "Efficient Estimation of Word Representations in Vector Space", International Conference on Learning Representations, 2013.
- [27] J. Pennington, R. Socher and C. Manning, "Glove: Global Vectors for Word Representation", Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP), 2014.
- [28] S. Rosenthal, A. Ritter, P. Nakov and V. Stoyanov, "DAEDALUS at SemEval-2014 Task 9: Comparing Approaches for Sentiment Analysis in Twitter", in Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014), 2014.
- [29] J. Zhao, M. Lan and T. Zhu, "ECNU: Expression- and Message-level Sentiment Orientation Classification in Twitter Using Multiple Effective Features", in Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014), 2014.
- [30] A. Duric and F. Song, "Feature selection for sentiment analysis based on content and syntax models", Decision Support Systems, vol. 53, no. 4, pp. 704-711, 2012.
- [31] M. Asghar, A. Khan, S. Ahmad and F. Kundi, "A Review of Feature Extraction in Sentiment Analysis", Journal of Basic and Applied Research International, vol. 4, pp. 181-186, 2014.
- [32] D. Jurafsky and J. Martin, Speech and language processing. India: Dorling Kindersley Pvt, Ltd., 2017.
- [33] T. Hardeniya and D. Borikar, "Dictionary Based Approach to Sentiment Analysis - A Review", International Journal of Advanced Engineering, Management and Science (IJAEMS), vol. 2, no. 5, pp. 317-322, 2016.
- [34] A. Moreno-Ortiz and J. Fernández-Cruz, "Identifying Polarity in Financial Texts for Sentiment Analysis: A Corpus-based Approach", Procedia - Social and Behavioral Sciences, vol. 198, pp. 330-338, 2015.
- [35] D. Tang, F. Wei, B. Qin, T. Liu and M. Zhou, "Coooolll: A Deep Learning System for Twitter Sentiment Classification", in 8th International Workshop on Semantic Evaluation (SemEval 2014), Dublin, Ireland, 2014, pp. 208–212.
- [36] K. Gao, S. Su and J. Wang, "A sentiment analysis hybrid approach for microblogging and E-commerce corpus", in 7th International Conference on Modelling, Identification and Control (ICMIC), 2015.

- [37] C. Hutto and E. Gilbert, "VADER: A Parsimonious Rule-based Model for Sentiment Analysis of Social Media Text", in Proceedings of the Eighth International AAI Conference on Weblogs and Social Media, At Ann Arbor, 2015.
- [38] A. Kumar and R. Rani, "Sentiment Analysis Using Neural Network", in 2nd International Conference on Next Generation Computing Technologies, Dehradun, India, 2016.
- [39] J. Schmidhuber, "Deep learning in neural networks: An overview", Neural Networks, vol. 61, pp. 85-117, 2015.
- [40] C. Santos and M. Gatti, "Deep Convolutional Neural Networks for Sentiment Analysis of Short Texts", in International Conference on Computational Linguistics, Dublin, Ireland, 2014, pp. 69-78.
- [41] G. Paltoglou and M. Thelwall, "Twitter, MySpace, Digg", ACM Transactions on Intelligent Systems and Technology, vol. 3, no. 4, pp. 1-19, 2012.
- [42] G. Wang, J. Sun, J. Ma, K. Xu and J. Gu, "Sentiment classification: The contribution of ensemble learning", Decision Support Systems, vol. 57, pp. 77-93, 2014.
- [43] M. Whitehead and L. Yaeger, "Sentiment Mining Using Ensemble Classification Models", Innovations and Advances in Computer Sciences and Engineering, pp. 509-514, 2009.
- [44] Y. Su, Y. Zhang, D. Ji, Y. Wang and H. Wu, "Ensemble Learning for Sentiment Classification", Chinese Lexical Semantics, pp. 84-93, 2013.
- [45] T. Chalothom and J. Ellman, "Simple Approaches of Sentiment Analysis via Ensemble Learning", Information Science and Applications, pp. 631-639, 2015.
- [46] C. Catal and M. Nangir, "A sentiment classification model based on multiple classifiers", Applied Soft Computing, vol. 50, pp. 135-141, 2017.
- [47] N. Silva, E. Hruschka and E. Hruschka, "BioCom Usp: Tweet Sentiment Analysis with Adaptive Boosting Ensemble", in Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014), 2014.
- [48] N. da Silva, E. Hruschka and E. Hruschka, "Tweet sentiment analysis with classifier ensembles", Decision Support Systems, vol. 66, pp. 170-179, 2014.
- [49] T. Nasukawa and J. Yi, "Sentiment analysis: Capturing Favorability Using Natural Language Processing", in Proceedings of the international conference on Knowledge capture - K-CAP '03, 2003.

- [50] M. Sokolova and G. Lapalme, "A systematic analysis of performance measures for classification tasks", *Information Processing & Management*, vol. 45, no. 4, pp. 427-437, 2009.
- [51] A. Muhammad, N. Wiratunga and R. Lothian, "Contextual sentiment analysis for social media genres", *Knowledge-Based Systems*, vol. 108, pp. 92-101, 2016.
- [52] A. Ceron, L. Curini and S. Iacus, "iSA: A fast, scalable and accurate algorithm for sentiment analysis of social media content", *Information Sciences*, vol. 368, pp. 105-124, 2016.
- [53] M. Bouazizi and T. Ohtsuki, "A Pattern-Based Approach for Multi-Class Sentiment Analysis in Twitter", *IEEE Access*, vol. 5, pp. 20617-20639, 2017.
- [54] R. C. Balabantaray, M. Mohammad and N. Sharma, "Multi-Class Twitter Emotion Classification: A New Approach", *International Journal of Applied Information Systems*, vol. 4, no. 1, pp. 48-53, 2012.
- [55] A. Mohammed, A. Paschke and D. Monett, "Emotion Level Sentiment Analysis: The Affective Opinion Evaluation", in *Proceedings of the 2th Workshop and Challenge on Emotions, Modality, Sentiment Analysis and the Semantic Web*, vol. 1613, 2016.
- [56] T. Dalgleish and M. Power, *Handbook of cognition and emotion*. Hoboken, N.J.: Wiley, 2005.
- [57] R. Plutchik, "A general psychoevolutionary theory of emotion", *Theories of emotion*, vol. 1, pp. 3-31, 1980.
- [58] J. Bollen, H. Mao and A. Pepe, "Modeling Public Mood and Emotion: Twitter Sentiment and Socio-Economic Phenomena", in *Proceedings of the Fifth International AAAI Conference on Weblogs and Social Media*, 2011.
- [59] D. McNair, M. Lorr and L. Droppleman, *Profile of Mood States*. 1971.
- [60] C. Baziotis, N. Pelekis and C. Doulkeridis, "Deep LSTM with Attention for Message-level and Topic-based Sentiment Analysis", *Proceedings of the 11th International Workshop on Semantic Evaluation (SemEval-2017)*, 2017
- [61] J. Pennington, R. Socher and C. Manning, "Glove: Global Vectors for Word Representation", *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2014.
- [59] D. McNair, M. Lorr and L. Droppleman, *Profile of Mood States*. 1971.

- [60] A. Sandhe and A. Joshi, "Consumers' Attitude towards Organic Food Products in Vadodara – An Exploratory Study", *Pacific Business Review International*, vol. 10, no. 1, pp. 32-40, 2017.
- [61] C. Chen and C. Cheng, "How online and offline behavior processes affect each other: customer behavior in a cyber-enhanced bookstore", *Quality & Quantity*, vol. 47, no. 5, pp. 2539-2555, 2012.
- [62] I. Asiegbu, D. Powei and C. Iruka, "Consumer Attitude: Some Reflections on Its Concept, Trilogy, Relationship with Consumer Behavior, and Marketing Implications", *European Journal of Business and Management*, vol. 4, no. 13, pp. 38-50, 2012.
- [63] K. Chiu, C. Chen, H. Lin, Y. Wu and L. Shih, "A Preliminary Study on Product Design of Emotional Appeal by Canonical Correlation Analysis of Public Attitudes towards Water-Saving Equipment Based on ABC Model", *2019 IEEE International Conference on Industrial Engineering and Engineering Management (IEEM)*, 2019.
- [64] T. Zhu and Y. Xu, "A Survey of Hainan Residents' Attitudes towards Migratory Group-Based on the ABC Model of Attitude", *Proceedings of the 6th International Conference on Management Science and Management Innovation (MSMI 2019)*, vol. 84, 2019. Available: 10.2991/msmi-19.2019.5 [Accessed 20 May 2020].
- [65] F. van Harreveld, H. Nohlen and I. Schneider, "The ABC of Ambivalence: Affective, Behavioral, and Cognitive Consequences of Attitudinal Conflict", *Advances in Experimental Social Psychology*, pp. 285-324, 2015. Available: 10.1016/bs.aesp.2015.01.002 [Accessed 20 May 2020].
- [66] C. Baziotis, N. Pelekis and C. Doulkeridis, "Deep LSTM with Attention for Message-level and Topic-based Sentiment Analysis", *Proceedings of the 11th International Workshop on Semantic Evaluation (SemEval-2017)*, 2017
- [67] J. Pennington, R. Socher and C. Manning, "Glove: Global Vectors for Word Representation", *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2014.