

REFERENCES

- [1] A. A. Dixit and N. V. Dharwadkar, "A Survey on Detection of Reasons Behind Infant Cry Using Speech Processing," in *2018 International Conference on Communication and Signal Processing (ICCSP)*, Chennai, 2018, pp. 190–194, doi: 10.1109/ICCSP.2018.8524517.
- [2] R. Sahak, W. Mansor, L. Y. Khuan, A. Zabidi, and A. I. M. Yassin, "Detection of asphyxia from infant cry using support vector machine and multilayer perceptron integrated with Orthogonal Least Square," in *Proceedings of 2012 IEEE-EMBS International Conference on Biomedical and Health Informatics*, Hong Kong, 2012, pp. 906–909, doi: 10.1109/BHI.2012.6211734.
- [3] G. Jr. Varallyay, Z. Benyo, A. Illenyi, Z. Farkas, and L. Kovacs, "Acoustic analysis of the infant cry: classical and new methods," in *The 26th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, San Francisco, CA, USA, 2004, vol. 3, pp. 313–316, doi: 10.1109/IEMBS.2004.1403155.
- [4] S. Sharma and V. K. Mittal, "A qualitative assessment of different sound types of an infant cry," in *2017 4th IEEE Uttar Pradesh Section International Conference on Electrical, Computer and Electronics (UPCON)*, Mathura, 2017, pp. 532–537, doi: 10.1109/UPCON.2017.8251106.
- [5] L. Liu, Y. Li, and K. Kuo, "Infant cry signal detection, pattern extraction and recognition," in *2018 International Conference on Information and Computer Technologies (ICICT)*, DeKalb, IL, 2018, pp. 159–163, doi: 10.1109/IN-FOCT.2018.8356861.
- [6] M. J. Kim, Younggwon Kim, Seungki Hong, and H. Kim, "ROBUST detection of infant crying in adverse environments using weighted segmental two-dimensional linear frequency cepstral coefficients," in *2013 IEEE International Conference on Multimedia and Expo Workshops (ICMEW)*, San Jose, CA, USA, 2013, pp. 1–4, doi: 10.1109/ICMEW.2013.6618321.
- [7] J. Saraswathy, M. Hariharan, S. Yaacob, and W. Khairunizam, "Automatic classification of infant cry: A review," in *2012 International Conference on Biomedical Engineering (ICoBE)*, Penang, Malaysia, 2012, pp. 543–548, doi: 10.1109/ICoBE.2012.6179077.
- [8] L. Abou-Abbas, L. Montazeri, C. Gargour, and C. Tadj, "On the use of EMD for automatic newborn cry segmentation," in *2015 International Conference on Advances in Biomedical Engineering (ICABME)*, Beirut, Lebanon, 2015, pp. 262–265, doi: 10.1109/ICABME.2015.7323302.
- [9] Y. Lavner, R. Cohen, D. Ruinskiy, and H. IJzerman, "Baby Cry Detection in Domestic Environment using Deep Learning," p. 5, 2016.
- [10] K. Srijiaranon and N. Eiamkanitchat, "Application of neuro-fuzzy approaches to recognition and classification of infant cry," in *TENCON 2014 - 2014 IEEE*

- Region 10 Conference*, Bangkok, Thailand, 2014, pp. 1–6, doi: 10.1109/TENCON.2014.7022296.
- [11] P. R. Myakala, R. Nalumachu, S. Sharma, and V. K. Mittal, “A low cost intelligent smart system for real time infant monitoring and cry detection,” in *TENCON 2017 - 2017 IEEE Region 10 Conference*, Penang, 2017, pp. 2795–2800, doi: 10.1109/TENCON.2017.8228337.
- [12] M. P. Joshi and D. C. Mehetre, “IoT Based Smart Cradle System with an Android App for Baby Monitoring,” in *2017 International Conference on Computing, Communication, Control and Automation (ICCUBEA)*, Pune, 2017, pp. 1–4, doi: 10.1109/ICCUBEA.2017.8463676.
- [13] I. Galanis, D. Olsen, and I. Anagnostopoulos, “A multi-agent based system for run-time distributed resource management,” in *2017 IEEE International Symposium on Circuits and Systems (ISCAS)*, Baltimore, MD, USA, 2017, pp. 1–4, doi: 10.1109/ISCAS.2017.8050298.
- [14] H. M. Kelash, M. Amoon, G. M. Ali, and H. M. Faheem, “A Social Agent Interface for Resource Management in Distributed Systems,” in *International and International Conference on Intelligent Agents, Web Technologies and Internet Commerce (CIMCA-LAWTIC'06)*, Vienna, Austria, 2005, vol. 2, pp. 390–395, doi: 10.1109/CIMCA.2005.1631500.
- [15] T. Nagata, Y. Ueda, and M. Utatani, “A multi-agent approach to smart grid energy management,” in *2012 10th International Power & Energy Conference (IPEC)*, Ho Chi Minh City, 2012, pp. 327–331, doi: 10.1109/ASSCC.2012.6523287.
- [16] M. Karani, N. Giri, and S. Bodhe, “Resource Management for Cellular Network Using Socially Intelligent Multi Agent System,” in *2010 International Conference on Recent Trends in Information, Telecommunication and Computing*, Kochi, Kerala, 2010, pp. 231–233, doi: 10.1109/ITC.2010.73.
- [17] I. Burlachenko, “Management of energy efficient distributed computer systems with self-contained remote modules using multi-agent system,” in *2015 IEEE 35th International Conference on Electronics and Nanotechnology (ELNANO)*, Kyiv, Ukraine, 2015, pp. 512–514, doi: 10.1109/ELNANO.2015.7146940.
- [18] A. Al-Abdullah *et al.*, “Artificial Neural Network for Arabic Speech Recognition in Humanoid Robotic Systems,” in *2019 3rd International Conference on Bio-engineering for Smart Technologies (BioSMART)*, Paris, France, 2019, pp. 1–4, doi: 10.1109/BIOSMART.2019.8734261.
- [19] N. Joshi, A. Kumar, P. Chakraborty, and R. Kala, “Speech controlled robotics using Artificial Neural Network,” in *2015 Third International Conference on Image Information Processing (ICIIP)*, Wagnaghat, India, 2015, pp. 526–530, doi: 10.1109/ICIIP.2015.7414829.
- [20] M. H. Hammad, A. Mohammed, and M. E. Eldow, “Design an electronic system use the audio fingerprint to access virtual classroom using Artificial Neural Networks,” in *2015 International Conference on Computer, Communications, and*

- Control Technology (I4CT)*, Kuching, Sarawak, Malaysia, 2015, pp. 192–195, doi: 10.1109/I4CT.2015.7219564.
- [21] A. N. Vasquez, D. M. Ballesteros, and D. Renza, “Speaker verification with fake intonation based on Neural Networks,” in *2019 7th International Workshop on Biometrics and Forensics (IWBF)*, Cancun, Mexico, 2019, pp. 1–5, doi: 10.1109/IWBF.2019.8739173.
- [22] K. Lu and X. Zhang, “Audio-Visual Emotion Recognition Using Neural Networks Learned with Hints,” in *2013 Seventh International Conference on Image and Graphics*, Qingdao, China, 2013, pp. 515–519, doi: 10.1109/ICIG.2013.109.
- [23] A. N. Vasquez, D. M. Ballesteros, and D. Renza, “Speaker verification with fake intonation based on Neural Networks,” in *2019 7th International Workshop on Biometrics and Forensics (IWBF)*, Cancun, Mexico, 2019, pp. 1–5, doi: 10.1109/IWBF.2019.8739173.
- [24] B. D. Barkana, N. John, and I. Saricicek, “Auditory Suspicious Event Databases: DASE and Bi-DASE,” *IEEE Access*, vol. 6, pp. 33977–33985, 2018, doi: 10.1109/ACCESS.2018.2848269.
- [25] S. Jiang, H. Frigui, and A. W. Calhoun, “Speaker Identification in Medical Simulation Data Using Fisher Vector Representation,” in *2015 IEEE 14th International Conference on Machine Learning and Applications (ICMLA)*, Miami, FL, USA, 2015, pp. 197–201, doi: 10.1109/ICMLA.2015.187.
- [26] D. Johnson and G. Tzanetakis, “Guitar model recognition from single instrument audio recordings,” in *2015 IEEE Pacific Rim Conference on Communications, Computers and Signal Processing (PACRIM)*, Victoria, BC, Canada, 2015, pp. 370–375, doi: 10.1109/PACRIM.2015.7334864.
- [27] Y. Li and G. Liu, “Sound classification based on spectrogram for surveillance applications,” in *2016 IEEE International Conference on Network Infrastructure and Digital Content (IC-NIDC)*, Beijing, China, 2016, pp. 293–297, doi: 10.1109/ICNIDC.2016.7974583.
- [28] C. Megha and V. K. Reddy, “Robust Classification of Abnormal Audio using Background-Foreground Separation,” in *2017 14th IEEE India Council International Conference (INDICON)*, Roorkee, 2017, pp. 1–6, doi: 10.1109/INDICON.2017.8487922.
- [29] S. Vhaduri, T. V. Kessel, B. Ko, D. Wood, S. Wang, and T. Brunschwiler, “Nocturnal Cough and Snore Detection in Noisy Environments Using Smartphone-Microphones,” in *2019 IEEE International Conference on Healthcare Informatics (ICHI)*, Xi’an, China, 2019, pp. 1–7, doi: 10.1109/ICHI.2019.8904563.