

REFERENCES

- [1] British Petroleum Company, “BP Statistical Review of World Energy Statistical Review of World,” 2019.
- [2] G. Masson *et al.*, “A Snapshot of Global PV Markets - The Latest Survey Results on PV Markets and Policies from the IEA PVPS Programme in 2017,” in *2018 IEEE 7th World Conference on Photovoltaic Energy Conversion, WCPEC 2018 - A Joint Conference of 45th IEEE PVSC, 28th PVSEC and 34th EU PVSEC*, 2018, pp. 3825–3828, doi: 10.1109/PVSC.2018.8547794.
- [3] IEA, “Global EV Outlook 2019 to electric mobility,” 2019.
- [4] J. J. Justo, F. Mwasilu, J. Lee, and J. W. Jung, “AC-microgrids versus DC-microgrids with distributed energy resources: A review,” in *Renewable and Sustainable Energy Reviews*, 2013, vol. 24, no. August, pp. 387–405, doi: 10.1016/j.rser.2013.03.067.
- [5] R. Bayindir, E. Hossain, E. Kabalci, and K. M. M. Billah, “Investigation on north American microgrid facility,” *Int. J. Renew. Energy Res.*, vol. 5, no. 2, pp. 558–574, 2015, doi: 10.20508/ijrer.90564.
- [6] M. S. Bin Arif and M. A. Hasan, *Microgrid architecture, control, and operation*. Elsevier Ltd, 2018.
- [7] S. J. Ranade, D. R. Sagi, R. Mulpuri, R. Surabhi, and J. Mitra, “Likelihood of islanding in distribution feeders with photovoltaic generation,” in *2007 IEEE Power Engineering Society General Meeting, PES, 2007*, vol. 88003, pp. 1–6, doi: 10.1109/PES.2007.386238.
- [8] Q. Fu, A. Nasiri, A. Solanki, A. Bani-Ahmed, L. Weber, and V. Bhavaraju, “Microgrids: Architectures, Controls, Protection, and Demonstration,” *Electr. Power Components Syst.*, vol. 43, no. 12, pp. 1453–1465, 2015, doi: 10.1080/15325008.2015.1039098.
- [9] F. Blaabjerg, R. Teodorescu, M. Liserre, and A. V. Timbus, “Overview of control and grid synchronization for distributed power generation systems,” *IEEE Trans. Ind. Electron.*, vol. 53, no. 5, pp. 1398–1409, 2006, doi:

10.1109/TIE.2006.881997.

- [10] D. Kumar, F. Zare, and A. Ghosh, “DC Microgrid Technology: System Architectures, AC Grid Interfaces, Grounding Schemes, Power Quality, Communication Networks, Applications, and Standardizations Aspects,” *IEEE Access*, vol. 5, no. August, pp. 12230–12256, 2017, doi: 10.1109/ACCESS.2017.2705914.
- [11] K. Patel and S. Singh, “an Overview of Dc-Microgrid Architecture With Renewable Energy Resources,” *Int. J. Adv. Eng. Res. Dev.*, vol. 3, no. 02, 2015, doi: 10.21090/ijaerd.e1076508.
- [12] Z. Wang, Z. Chen, and X. Wang, “Research of the DC microgrid topology,” in *Proceedings of the 28th Chinese Control and Decision Conference, CCDC 2016*, 2016, pp. 2855–2859, doi: 10.1109/CCDC.2016.7531468.
- [13] S. Whaite, B. Grainger, and A. Kwasinski, “Power Quality in DC Power Distribution Systems and Microgrids,” *Energies*, no. Dc, pp. 4378–4399, 2015, doi: 10.3390/en8054378.
- [14] V. Kleftakis, D. Lagos, C. Papadimitriou, and N. D. Hatziargyriou, “Seamless Transition between Interconnected and Islanded Operation of DC Microgrids,” *IEEE Trans. Smart Grid*, vol. 10, no. 1, pp. 248–256, 2019, doi: 10.1109/TSG.2017.2737595.
- [15] G. S. Seo, B. H. Cho, and K. C. Lee, “DC islanding detection algorithm using injection current perturbation technique for photovoltaic converters in DC distribution,” in *2012 IEEE Energy Conversion Congress and Exposition, ECCE 2012*, 2012, pp. 3722–3726, doi: 10.1109/ECCE.2012.6342473.
- [16] M. N. Alam, S. Chakrabarti, and A. Ghosh, “Networked Microgrids: State-of-the-Art and Future Perspectives,” *IEEE Trans. Ind. Informatics*, vol. 15, no. 3, pp. 1238–1250, 2019, doi: 10.1109/TII.2018.2881540.
- [17] A. Makkieh *et al.*, “Assessment of Passive Islanding Detection Methods for DC Microgrids,” in *The 15th IET International Conference on AC and DC Power Transmission*, 2019, pp. 1–6.

- [18] F. Katiraei, S. Member, M. R. Iravani, and P. W. Lehn, "Micro-Grid Autonomous Operation During and Subsequent to Islanding Process," *IEEE Trans. POWER Deliv.*, vol. 20, no. 1, pp. 248–257, 2005.
- [19] C. N. Papadimitriou, V. A. Kleftakis, and N. D. Hatziargyriou, "A Novel Method for Islanding Detection in DC Networks," *IEEE Trans. Sustain. Energy*, vol. 8, no. 1, pp. 441–448, 2017, doi: 10.1109/TSTE.2016.2604419.
- [20] P. Rodríguez, R. Teodorescu, I. Candela, A. V. Timbus, M. Liserre, and F. Blaabjerg, "New positive-sequence voltage detector for grid synchronization of power converters under faulty grid conditions," in *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 2006, doi: 10.1109/PESC.2006.1712059.
- [21] Y. V. P. Kumar and R. Bhimasingu, "Performance analysis of green microgrid architectures by comparing power quality indices," in *2014 18th National Power Systems Conference, NPSC 2014*, 2015, doi: 10.1109/NPSC.2014.7103873.
- [22] IEEE-SA-Standards-Board, "IEEE Recommended Practice for Utility Interface of Photovoltaic (PV) Systems," 2000.
- [23] P. Mahat, Z. Chen, and B. Bak-jensen, "Review of Islanding Detection Methods for Distributed Generation," *DRPT2008*, no. April, pp. 2743–2748, 2008.
- [24] R. Shariatinasab and M. Akbari, "New islanding detection technique for DG using discrete wavelet transform," in *PECon2010 - 2010 IEEE International Conference on Power and Energy*, 2010, pp. 294–299, doi: 10.1109/PECON.2010.5697593.
- [25] A. Timbus, A. Oudalov, and C. N. M. Ho, "Islanding detection in smart grids," in *2010 IEEE Energy Conversion Congress and Exposition*, 2010, pp. 3631–3637, doi: 10.1109/ECCE.2010.5618306.
- [26] W. Xu, G. Zhang, C. Li, W. Wang, G. Wang, and J. Kliber, "A power line signaling based technique for anti-islanding protection of distributed generators - Part I: Scheme and analysis," *IEEE Trans. Power Deliv.*, vol. 22, no. 3, pp.

1758–1766, 2007, doi: 10.1109/TPWRD.2007.899618.

- [27] C. Li, C. Cao, Y. Cao, Y. Kuang, L. Zeng, and B. Fang, “A review of islanding detection methods for microgrid,” *Renewable and Sustainable Energy Reviews*, vol. 35. Elsevier, pp. 211–220, 2014, doi: 10.1016/j.rser.2014.04.026.
- [28] Q. Sun, J. M. Guerrero, T. Jing, J. C. Vasquez, and R. Yang, “An Islanding Detection Method by Using Frequency Positive Feedback Based on FLL for Single-Phase Microgrid,” *IEEE Trans. Smart Grid*, vol. 8, no. 4, pp. 1821–1830, 2017, doi: 10.1109/TSG.2015.2508813.
- [29] T. S. Tran, D. T. Nguyen, and G. Fujita, “Islanding detection method based on injecting perturbation signal and rate of change of output power in DC grid-connected photovoltaic system,” *Energies*, vol. 11, no. 5, pp. 1–18, 2018, doi: 10.3390/en11051313.
- [30] W. Y. Teoh and C. W. Tan, “An Overview of Islanding Detection Methods in Photovoltaic Systems,” *World Acad. Sci. Eng. Technol. Int. J. Electr. Comput. Eng.*, vol. 5, no. 10, pp. 1336–1344, 2011.
- [31] G. Bayrak and M. Cebeci, “A Communication Based Islanding Detection Method for Photovoltaic Distributed Generation Systems,” *Int. J. Photoenergy*, no. July 2014, 2016, doi: 10.1155/2014/272497.
- [32] IEEE Standard Association, “IEEE Std. 1547-2018. Standard for Interconnection and Interoperability of Distributed Energy Resources with Associated Electric Power Systems Interfaces,” 2018.
- [33] IEEE-SA-Standards-Board, “IEEE Guide for Protective Relaying of Utility-Consumer Interconnections,” 2014.
- [34] IEEE-SA-Standards-Board, “IEEE Recommended Practice for Protection and Coordination of Industrial and Commercial Power Systems,” 1986.
- [35] A. M. I. Mohamad and Y. A. R. I. Mohamed, “Assessment and Performance Comparison of Positive Feedback Islanding Detection Methods in DC Distribution Systems,” *IEEE Trans. Power Electron.*, vol. 32, no. 8, pp. 6577–6594, 2017, doi: 10.1109/TPEL.2016.2618220.

- [36] T. T. Son, G. Fujita, and N. D. Tuyen, "Islanding detection in DC network," in *2017 52nd International Universities Power Engineering Conference, UPEC 2017*, 2017, vol. 2017-Janua, pp. 1–5, doi: 10.1109/UPEC.2017.8231909.
- [37] S. Khichar, Y. Gopal, and M. Lalwani, "An Enhanced Control Strategy for the Stable Operation of Distributed Generation during Grid-connected and Islanded Mode," *Int. J. Appl. Power Eng.*, vol. 7, no. 2, pp. 147–158, 2018, doi: 10.11591/ijape.v7.i2.pp147-158.
- [38] B. Bahrani, S. Kenzelmann, and A. Rufer, "Multivariable-PI-based dq current control of voltage source converters with superior axis decoupling capability," *IEEE Trans. Ind. Electron.*, vol. 58, no. 7, pp. 3016–3026, 2011, doi: 10.1109/TIE.2010.2070776.
- [39] M. Ciobotaru, R. Teodorescu, and F. Blaabjerg, "Improved PLL structures for single-phase grid inverters," in *Proc. Power Electronics and Intelligent Control for Energy Conservation Conference (PELINCEC)*, 2005, no. February, pp. 1–6.
- [40] M. Ebrahimi and S. A. Khajehoddin, "A simple DQ current controller for single-phase grid-connected inverters," in *Conference Proceedings - IEEE Applied Power Electronics Conference and Exposition - APEC*, 2015, vol. 2015-May, no. May, pp. 2840–2845, doi: 10.1109/APEC.2015.7104753.
- [41] M. Ciobotaru, R. Teodorescu, and F. Blaabjerg, "A new single-phase PLL structure based on second order generalized integrator," in *PESC Record - IEEE Annual Power Electronics Specialists Conference*, 2006, pp. 1–6, doi: 10.1109/PESC.2006.1711988.
- [42] P. Das, "Maximum Power Tracking Based Open Circuit Voltage Method for PV System," *Energy Procedia*, vol. 90, no. December 2015, pp. 2–13, 2016, doi: 10.1016/j.egypro.2016.11.165.
- [43] K. Ishaque, Z. Salam, and G. Lauss, "The performance of perturb and observe and incremental conductance maximum power point tracking method under dynamic weather conditions," *Appl. Energy*, vol. 119, pp. 228–236, 2014, doi: 10.1016/j.apenergy.2013.12.054.

- [44] N. E. Zakzouk, A. K. Abdelsalam, A. A. Helal, and B. W. Williams, “High performance single-phase single-stage grid-tied PV current source inverter using cascaded harmonic compensators,” *Energies*, vol. 13, no. 2, 2020, doi: 10.3390/en13020380.
- [45] M. Salem and Y. Atia, “Control scheme towards enhancing power quality and operational efficiency of single-phase two-stage grid-connected photovoltaic systems,” *J. Electr. Syst. Inf. Technol.*, vol. 2, no. 3, pp. 314–327, 2015, doi: 10.1016/j.jesit.2015.05.002.
- [46] Y. Du and D. D.-C. Lu, “Harmonic Distortion Caused by Single-Phase Grid-Connected PV Inverter,” in *Power System Harmonics - Analysis, Effects and Mitigation Solutions for Power Quality Improvement*, no. Dc, 2018.
- [47] Y. Du, D. D. C. Lu, G. James, and D. J. Cornforth, “Modeling and analysis of current harmonic distortion from grid connected PV inverters under different operating conditions,” *Sol. Energy*, vol. 94, no. September 2019, pp. 182–194, 2013, doi: 10.1016/j.solener.2013.05.010.
- [48] Z. Quan, S. J. Shellhammer, W. Zhang, and A. H. Sayed, “Spectrum sensing by cognitive radios at very low SNR,” in *GLOBECOM - IEEE Global Telecommunications Conference*, 2009, pp. 1–6, doi: 10.1109/GLOCOM.2009.5426262.
- [49] Y.-P. Lee, Y. S. Moon, N. Y. Ko, H.-T. Choi, L. Huang, and Y. Bae, “Measurement of DS-CDMA Propagation Distance in Underwater Acoustic Communication Considering Attenuation and Noise,” *Int. J. Fuzzy Log. Intell. Syst.*, vol. 15, no. 1, pp. 20–26, 2015, doi: 10.5391/ijfis.2015.15.1.20.
- [50] L. Ekonomou, G. P. Fotis, V. Vita, and V. Mladenov, “Distributed Generation Islanding Effect on Distribution Networks and End User Loads Using the Master-Slave Islanding Method,” *J. Power Energy Eng.*, vol. 04, no. 10, pp. 1–24, 2016, doi: 10.4236/jpee.2016.410001.