

## References

- [1] S. C. Singh, H. Zeng, C. Guo, and W. Cai, *Nanomaterials: Processing and Characterization with Lasers*, fifth edition ed. Wiley-VCH Verlag GmbH Co. KGaA, 2012.
- [2] W. D. Sacher, E. J. Zhang, B. A. Kruger, and J. K. S. Poon, “High-speed laser modulation beyond the relaxation resonance frequency limit,” *Optics Express*, vol. 18, no. 7, pp. 7047–7054, March 2010.
- [3] R. N. Clarke, “Expanding mobile wireless capacity: The challenges presented by technology and economics,” *Telecommunication Policy*, vol. 38, no. 8-9, pp. 693–708, September 2014.
- [4] M. I. Nathan, “Semiconductor lasers,” *Applied Optics*, vol. 05, no. 10, pp. 1514–1528, October 1966.
- [5] H. G. Shiraz, *The principle of semiconductor laser diodes and amplifiers*. Imperial College Press, 2004.
- [6] T. Suhara, *Semiconductor laser fundamentals*. Marcle Dekker, Inc., 2004.
- [7] G. P. Agrawal and N. K. Dutta, *Semiconductor Lasers*, second edition ed. Kluwer Academic Publishers, 2001.
- [8] D. K. Koltzkin, *Introduction to Semiconductor Lasers for Optical Communications*. Springer New York Heidelberg Dordrecht London, 2014.
- [9] J. M. Pol, “Semiconductor laser dynamics: Compound cavity, polarization and transverse modes,” Ph.D. dissertation, 2002.
- [10] j. Henry, C. H., “Theory of the linewidth of semiconductor lasers.”
- [11] B. V. Zeghbroeck, *Principles of Semiconductor Devices*. University of Colorado, 2007.
- [12] K. Iniewski, *Integrated Microsystems*. FL: CRC Press, Taylor Francis Group, 2011.

- [13] D. Parekh, "Optical injection locking on vertical cavity surface emitting lasers: Physics and applications," Ph.D. dissertation, Berkley, 2012.
- [14] A. Ng'oma, *Radio over Fiber Technology for Broadband Wireless Communication Systems*. Netherland, 2005.
- [15] R. Adler, "A study of locking phenomena in oscillators," *Proceedings of IRE*, vol. 34, pp. 351–357, 1946.
- [16] R. H. Pantell, "The laser oscillator with an external signal," *Proceedings of the IEEE*, vol. 53, no. 5, pp. 474–477, 1965.
- [17] H. L. Strover and W. H. Steier, "Locking of laser oscillators by light injection," *Applied Physics Letters*, vol. 8, pp. 91–93, 1966.
- [18] S. Kobayashi and T. Kimura, "Coherence on injection phase-locked algaas semiconductor laser," *Electronics Letters*, vol. 16, pp. 668–670, 1980.
- [19] E. K. Lau, "High speed modulation of optical injection locked semiconductor lasers," Ph.D. dissertation, Berkley, 2006.
- [20] R. Lang, "Injection locking properties of a semiconductor laser," *IEEE Journal of Quantum Electronics*, vol. QE-18, pp. 976–983, 1982.
- [21] C. H. Henry, N. A. Olsson, and N. K. Dutta, "Locking range and stability of injection locked 1.54 m ingaasp semiconductor lasers," *IEEE Journal of Quantum Electronics*, vol. QE-21, pp. 1152–1156, 1985.
- [22] J. Ohtsubo, *Semiconductor Lasers*, second, enlarged edition ed. Springer Publishers, 2008.
- [23] F. Mogensen, H. Olesen, and G. Jacobsen, "Fm noise suppression and linewidth reduction in an injection-locked semiconductor laser," *Electronics Letters*, vol. 21, no. 16, pp. 696–697, August 1985.
- [24] M. C. Espana-Boquera and A. Puerta-Notario, "Noise effects in injection locked lasers simulation: Phase jumps and associated spectral component," *Electronics Letters*, vol. 32, no. 9, pp. 818–819, April 1996.
- [25] N. Schunk and K. Petermann, "Noise analysis of injection-locked semiconductor injection laser," *IEEE Journal of Quantum Electronics*, vol. 22, no. 5, pp. 642–650, May 1986.

- [26] W. W. chow, “Phaser locking of lasers by an injected signal,” *Optics Letters*, vol. 7, no. 9, pp. 417–419, September 1982.
- [27] E. K. Lau, L. J. Wong, and M. C. Wu, “Enhanced modulation characteristics of optical injection-locked lasers: A tutorial,” *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 15, no. 3, pp. 618–633, May/June 2009.
- [28] P. Wang, J. Xiong, T. Zhang, D. Chen, P. Xiang, J. Zheng, Y. Zhang, R. Li, L. Huang, T. Pu, and X. Cheng, “Frequency tunable optoelectronic oscillator based on a directly modulated dfb semiconductor laser under optical injection,” *Optics Express*, vol. 23, pp. 20 450–20 458, 2015.
- [29] C. Wang, K. Schires, M. Osinski, P. J. Poole, and F. Grillot, “Thermally insensitive determination of the linewidth broadening factor in nanostructured semiconductor lasers using optical injection locking,” *Nature Research*, vol. 6, no. 27825, pp. 1–8, June 2016.
- [30] E. K. Lau, H. K. Sung, and M. C. Wu, *Fundamentals of optical injection locking*, C. H. Lee, Ed. CRC Press, Taylor Francis Group, 2013.
- [31] I. Petitbon, P. Gallion, G. Debarge, and C. Chabran, “Locking bandwidth and relaxation oscillations of an injection locked semiconductor laser,” *Electronics letters*, vol. 22, no. 17, pp. 889–890, August 1986.
- [32] A. C. Bordonalli, M. J. Fice, and A. J. Seeds, “Optical injection locking to optical frequency combs for superchannel coherent detection,” *Optics Express*, vol. 23, no. 2, pp. 1547–1557, January 2015.
- [33] X. Zhao, “Optical injection locking on vertical cavity surface emitting lasers: Physics and applications,” Ph.D. dissertation, 2008.
- [34] G. Liu, X. Jin, and S. L. Chuang, “Measurements of linewidth enhancement factor of semiconductor lasers using an injection locking technique,” *IEEE photonics technology letters*, vol. 13, no. 5, pp. 430–432, May 2001.
- [35] F. Mogensen, H. Olesen, and G. Jacobsen, “Locking conditions and stability properties for a semiconductor laser with external light injection,” *IEEE Journal of Quantum Electronics*, vol. 21, no. 7, pp. 784–793, July 1985.
- [36] J. Wang, M. K. Haldar, L. Li, and F. V. C. Mendis, “Enhancement of modulation bandwidth of laser diodes by injection locking,” *IEEE Photonics Technology Letters*, vol. 8, no. 1, pp. 34–36, January 1996.

- [37] J. Ohtsubo, *Semiconductor Lasers: Stability, Instability and Chaos*. Springer International Publishing, 2017.
- [38] L. Li, “Small signal analysis of optical fm signal simplification by an injection locked type semiconductor laser amplifier,” *Journal of Light Wave Technology*, vol. 10, no. 04, pp. 477–481, April 1992.
- [39] R. Paschotta, H. R. Telle, and U. Keller, *Solid State Lasers and Applications*. CRC Press, 2007.
- [40] H. Simos, A. Bogris, D. Syvridis, and W. Elsasser, “Intensity noise properties of mid-infrared injection locked quantum cascade lasers: I. modeling,” *IEEE Journal of Quantum Electronics*, vol. 50, no. 2, pp. 98–105, February 2014.
- [41] J. Liu, M. X. J. Chen, H. F., and T. B. Simpson, “Modulation bandwidth, noise and stability of a semiconductor laser subject to strong injection locking,” *IEEE Photonic Technology Letters*, vol. 9, pp. 1325–1327, 1997.
- [42] E. K. Lau, H. K. Sung, and C. W. Ming, “Frequency response enhancement of optical injection locked lasers,” *IEEE Journal of Quantum Electronics*, vol. 44, pp. 90–101, 2008.
- [43] A. Murakami, K. Kawashima, and K. Atsuki, “Cavity resonance shift and bandwidth enhancement in semiconductor lasers with strong light injection,” *IEEE Journal of Quantum Electronics*, vol. 39, no. 10, pp. 1196–1204, October 2003.
- [44] P. Bardella, W. W. Chow, and I. Montrosset, “Design and analysis of enhanced modulation response in integrated coupled cavities dbr lasers using photon-photon resonance,” *Photonics*, vol. 03, pp. 1–14, 2016.
- [45] W. Ma, B. Xiong, C. Sun, X. Ke, J. Wang, Z. Hao, L. Wang, Y. Han, H. Li, J. Yu, and J. Luo, “Linewidth narrowing of mutually injection locked semiconductor lasers with short and long delay,” *Applied Science*, vol. 09, pp. 9 071 436–907 150, 2019.
- [46] K. Kobayashi and I. Mito, “Single frequency and tunable laser diodes,” *Journal of Lightwave Technology*, vol. 6, pp. 1623–1633, 1988.
- [47] M. Bhattacharya, R. Mukherjee, and T. Chattopadhyay, “Frequency chirping in semiconductor lasers through injection locking,” *IETE Journal of Research*, vol. 45, pp. 341–344, 1999.

- [48] P. Krehlik, "Characterization of semiconductor laser frequency chirp based on signal distortion in dispersive optical fiber," *Opto Electronics Reviews*, vol. 14, pp. 119–124, 2006.
- [49] R. Hui and M. O'Sullivan, *Fiber Optics Measurement Techniques*. Elsevier Academics Press, 2009.
- [50] S. N. Hosseinimotlagh, M. Nikravesh, H. Molaei, and M. Pezeshkian, "Studies on the effective physical parameters for chirp reduction in optical injection locked semiconductor lasers," *American Journal of Physics and Applications*, vol. 2, pp. 56–60, 2014.
- [51] K. Stubkjaer and M. Danielse, "Nonlinearities of gaalas lasers-harmonic distortion," *IEEE Journal of Quantum Electronics*, vol. 16, pp. 531–537, 1980.
- [52] G. Yabre and J. L. Bihan, "Reduction of nonlinear distortion in directly modulated semiconductor lasers by coherent light injection," *IEEE Journal of Quantum Electronics*, vol. 33, pp. 1132–1140, 1997.
- [53] J. H. Seo, Y. K. Seo, and W. Y. Choi, "Nonlinear distortion suppression in directly modulated dfb lasers by sidemode optical injection." 2001 IEEE MTT-S International Microwave Symposium Digest, 2001, pp. 555–558.
- [54] X. J. Meng, T. Chau, and M. C. Wu, "Improved intrinsic dynamic distortions in directly modulated semiconductor lasers by optical injection locking," *IEEE Transactions on Microwave Theory and Techniques*, vol. 47, pp. 1172–1176, 1999.
- [55] W. Han, N. Zhu, L. Xie, M. Ren, B. Zhang, L. Li, and G. Zhang, "The optical injection locking technique and its applications for wdm-pon spare function," *Proceedings of SPIE - The International Society for Optical Engineering*, vol. 7278, 01 2009.
- [56] Y. Chi, D. Hsieh, C. Tsai, H. Chen, H. Kuo, and G. Lin, "450-nm GaN laser diode enables high-speed visible light communication with 9-Gbps QAM-OFDM," *Optics Express*, vol. 23, no. 10, pp. 13 051–13 056, May 2015.
- [57] R. U. Weerasuriya, "Data retiming for multi- wavelength regeneration," Ph.D. dissertation, Cork, 2011.
- [58] E. Udd and W. B. Spillman Jr, *Fiber Optics Sensors: An Introduction for Engineers and Scientists*. John Wiley Sons, Inc:Hoboken, NJ, 2011.

- [59] M. Cutroneo, L. Torrisi, and C. Scolaro, "Laser applications in biomedical field." University of Messina, Preprint 2012, pp. 144–154.
- [60] N. Kavanagh, D. Goulding, and F. C. G. Gunning, "Stable injection locking with slotted fabry–perot lasers at 2 m," *Journal of Physics: Photonics*, vol. 1, p. 015005, 2018.
- [61] E. M. Strzelecki and . C. L. A. Cohen, D. A., "Investigation of tunable single frequency diode lasers for sensor applications," vol. 6, 1988, pp. 1610–1618.
- [62] C. J. H. Pagett, "Injection locking of a diode laser for use in an ultra-cold strontium experiment," 2015.
- [63] G. P. Agrawal, "Noise in semiconductor lasers and its impact on optical communication systems," *Laser Noise*, vol. 1376, pp. 224–236, 1990.
- [64] K. Thyagarajan and A. Ghatak, *Lasers : Fundamentals and Applications*, second edition ed. Springer, 2010.
- [65] S. Miller and D. Childers, *Probability and Random Processes*. Elsevier Academic Press, 2004.
- [66] G. P. Agrawal, "Noise in semiconductor lasers and its impact on optical communication systems," vol. 1376. San Diego, USA: Proceedings of SPIE conference, March 1991, pp. 26–33.
- [67] G. P. Agrawal, *Fiber-Optic communication systems*, 4th ed. A John Wiley Sons, Inc. Publication, 2010.
- [68] N. P. Barnes and B. M. Walsh, "Amplified spontaneous emission-application to nd:yag lasers," *IEEE Journal of Quantum Electronics*, vol. 35, pp. 101–109, 1999.
- [69] E. N. Gilbert and H. O. Pollak, "Amplitude distribution of shot noise," *bell System Technical Journal*, vol. 39, pp. 333–350, 1960.
- [70] D. Marcuse, "Computer simulation of laser photon fluctuations: Theory of single-cavity laser," *IEEE Journal of Quantum Electronics*, vol. 20, no. 10, pp. 1139–1148, October 1984.
- [71] I. Joindot, "Measurements of relative intensity noise (rin) in semiconductor lasers," *Journal of Physics III*, vol. 2, no. 9, pp. 1591–1603, September 1992.

- [72] T. Gensty and W. Elsässer, “Semiclassical model for the relative intensity noise of intersubband quantum cascade lasers. optics communications,” *Optics Communications*, vol. 256, no. 1–3, pp. 171–183, 2005.
- [73] C. Wang, K. Schires, M. Osiński, P. J. Poole, and F. Grillot, “Thermally insensitive determination of the linewidth broadening factor in nanostructured semiconductor lasers using optical injection locking,” *A nature research journal*, vol. 6, no. 27825, June 2016.
- [74] L. A. coldren, S. W. Corzine, and M. L. Masanovic, *Diode Lasers and Photonic Integrated Circuits*, second edition ed. A John Wiley Sons, 2012.
- [75] S. E. Hashemi, “Relative intensity noise (RIN) in high-speed VCSELs for short reach communication,” Master’s thesis, Goteborg, Sweden, 2012.
- [76] S. Shin, “Characterization and comparison of optical source relative intensity noise and effects in optical coherence tomography,” Master’s thesis, Urbana, 2010.
- [77] G. S. Samarakkody, D. Munasinghe, S. Alahakoon, A. Kumarayapa, and R. Weerasuriya, “The behavioral study of an optical injection-locked semiconductor laser under the influence of intensity and phase noise.” Proceedings of 2019 IEEE 5th International Conference on Wireless and Telematics, July 2019, pp. 1–6.
- [78] B. Redding, M. A. Choma, and H. Cao, “Spartial coherence of random laser emission,” *Optics Letters*, vol. 36, no. 17, pp. 3404–3406, September 2011.
- [79] H. L. T. Lee, R. J. Ram, O. Kjebon, and R. Schatz, “Bandwidth enhancement and chirp reduction in dbr lasers by strong optical injection.” Proceedings of Conference on Lasers and Electro-Optics, 2000, pp. 99–100.