Microcontroller-based Consumer Level Weather Prediction System

by M. G. Akila Kavinda 198741T

Faulty of Information Technology

University of Moratuwa

July 2022

Microcontroller-based Consumer Level Weather Prediction System

M. G. Akila Kavinda 198741T

Dissertation submitted to the Faculty of Information Technology, University of Moratuwa, Sri Lanka for the partial fulfilment of the requirements of Degree of Master of Science in Information Technology

Declaration

I declare that this thesis is my work and has not been submitted in any form for another degree or diploma at any university or other institution of tertiary education. Information derived from the published or unpublished work of others has been acknowledged in the text and a list of references is given.

| Name of Student: | Signature of Student |
|---------------------|-------------------------|
| M. G. Akila Kavinda | UOM Verified Signature |
| | Date: |
| | |
| Supervised by: | |
| Name of Supervisor | Signature of Supervisor |
| Mr B. H. Sudantha | |
| | Date: |

Dedication

I dedicate this research thesis lovingly to the followings.

Mr B. H. Sudantha, my research supervisor for dedicating his valuable time with me even though he is busy with his workload and the guidance provide me to follow the correct path.

Dr S. C. Premaratne, course coordinator, Dr C. P. Wijesiriwardena, Research Coordinator and Dr (Ms.) Kulani Mahadewa, the research supervisor for guiding me to the correct path when searching for a suitable research topic due to my non-IT background.

My mother for providing me with continuous support and encouragement throughout the degree programme.

Thank you.

Acknowledgements

First, I would like to express my sincere gratitude to Mr B. H. Sudantha who is my research supervisor and the Dean of the Faculty of Information Technology, the University of Moratuwa for providing me with the correct guidance and suitable methods throughout my research study even though allocate a time of his busy work schedule.

Then, I would like to express my sincere gratitude to Prof. Mohamad Ferdihous who taught Research Methodology and Literature Review and Thesis Writing subjects which were greatly helpful for this research study.

Then, I would like to express my sincere gratitude to my mother for providing me with support and encouragement throughout this degree programme.

Then, I would like to express my sincere gratitude to Mr Danuka Dilan Perera who is a director of Digital Electronics (Pvt) Ltd. for sponsoring the required components, development boards and all hardware parts required to develop this weather prediction system. Without his support, this development would become a nightmare for me.

Finally, I would like to express my sincere gratitude to Mr Chamodh Hettiarachchige for providing the support for syncing the data to an IoT cloud service.

Abstract

Weather conditions are important to people in planning their activities. Since weather conditions changed unexpectedly, monitoring weather conditions are very important these days. Weather stations are built to fulfil that purpose. But, if your area is not covered by that kind of weather station, you will not get accurate weather forecasts. Therefore, it can be caused to facing unexpected weather conditions. A system proposed in this paper will collect weather-related data and a live preview of those data can be seen on a display. All the outputs will display in a Nextion Display, which provides a smooth and fast response due to its internal microcontroller. Then those captured data will be logged in to a remote server. Also, this outdoor unit is powered by solar energy as a sustainable energy source. From this unit, temperature, humidity, atmospheric pressure, precipitation, wind speed and direction will be measured. Upcoming weather can be determined using the changes in atmospheric pressure. Based on those data, by using the zambretti algorithm, the upcoming weather condition will be predicted. This weather prediction system will be developed with microcontrollers which come affordable yet more powerful to handle this kind of system. Therefore, weather data will be captured by using Arduino Mega 2560 microcontroller board. Then it will be transmitted wirelessly to the indoor unit that handles the processing of those data, displays predicted data and the data logging to an Adafruit IO Internet of Things (IoT) cloud service. Those tasks will be handled by the ESP32 microcontroller board.

Keywords: Arduino, ESP32, Weather Prediction, Data Logging, Weather Station

Table of Contents

| Chapter 1 - Introduction | 1 |
|--|----|
| 1.1 Introduction to the study | 1 |
| 1.2 Problem Statement | 2 |
| 1.3 Aims and Objectives | 3 |
| 1.4 Proposed Solution | 3 |
| 1.5 Structure of the Thesis | 4 |
| Chapter 2 - Literature Review | 5 |
| Chapter 3 - Technology Adapted | 10 |
| 3.1 Controller Board | 10 |
| 3.2 Prediction Algorithm | 12 |
| 3.3 Communication Mechanism | 12 |
| 3.4 Energy Source | 13 |
| 3.5 IoT Cloud | 16 |
| Chapter 4 - Proposed Approach | 19 |
| 4.1 Overall System | 19 |
| 4.2 Components used to Develop Weather Prediction System | 19 |
| 4.2.1 Arduino Mega 2560 | 19 |
| 4.2.2 Temperature and Humidity Sensor | 20 |
| 4.2.3 Atmospheric Pressure Sensor | 21 |
| 4.2.4 Tipping Bucket Rain Gauge | 22 |
| 4.2.5 Cup Type Anemometer | 24 |
| 4.2.6 Wind Vane Meter | 25 |
| 4.2.7 DS3231 Ral-Time Clock Module | 27 |
| 4.2.8 Nextion Display | 28 |
| 4.2.9 ESP 32 Development Board | 29 |
| 4.2.10 nRF24L01 PA LNA Module | 30 |
| Chapter 5 - System Design | 31 |
| 5.1 System Architecture | 31 |
| 5.2 System Working Mechanism | 33 |
| Chapter 6 - Implementation | 37 |
| 6.1 Outdoor Unit | 37 |
| 6.2 Indoor Unit | 39 |
| 6.3 Weather Prediction Algorithm | 40 |
| 6.4 Calculate Minimum, Maximum and Average | 42 |

| 6.5 User Interfaces | 43 |
|--|----|
| 6.6 Cost of the Project | 54 |
| 6.7 Power Consumption | 55 |
| Chapter 7 - Evaluation | 58 |
| 7.1 Background for the Evaluation | 58 |
| 7.2 Temperature | 58 |
| 7.3 Humidity | 61 |
| 7.4 Atmospheric Pressure | 63 |
| 7.5 Wind Speed | 66 |
| 7.6 Wind Direction | 68 |
| 7.7 Dew Point | 69 |
| 7.8 Heat Index | 72 |
| 7.9 Rainfall | 74 |
| 7.10 Weather Prediction | 75 |
| Chapter 8 - Conclusion And Future Works | 78 |
| 8.1 Conclusion | 78 |
| 8.2 Future Works | 79 |
| 8.3 Limitations | 79 |
| References | 80 |
| Appendix | 87 |
| 10.1 Arduino Code for Outdoor Unit | 87 |
| 10.2 Arduino Code for Indoor Unit | 90 |
| List of Figures | |
| Figure 2.1: Tipping Bucket Rain Gauge | 6 |
| | |
| Figure 2.2: Vind Vane Meter | |
| Figure 3.1: Solar Panels Arrangement | |
| Figure 3.2: (a) Panel Specifications (b) Wire connection to Buck Converter | 14 |
| Figure 3.3: (a) 18650 Batteries (b) TP4056 Battery Charging Module Converter | |
| Figure 3.4: (a) 20A Buck Converter (b) Complete Power Supply Module | 16 |
| Figure 3.5: Adafruit IO Dashboard View | 18 |
| Figure 4.1: Arduino Mega 2560 Development Board | |

| Figure 4.2: AM2301 Temperature and Humidity Sensor | 20 |
|--|----------|
| Figure 4.3: MPL3115A2 Atmospheric Pressure Sensor | 21 |
| Figure 4.4: Tipping Bucket Rain Gauge | 22 |
| Figure 4.5: Schmitt Trigger Circuit Diagram for Rain Gauge | 23 |
| Figure 4.6: Cup Type Anemometer | 24 |
| Figure 4.7: Circuit Diagram for Wind Speed | 24 |
| Figure 4.8: Wind Vane Meter | 25 |
| Figure 4.9: Circuit Diagram for Wind Direction | 26 |
| Figure 4.10: Final design for capturing rain, wind direction and speed | 26 |
| Figure 4.11: Actual implementation of Figure 4.10 | 27 |
| Figure 4.12: DS3231 RTC Module | 27 |
| Figure 4.13: 5-inch Nextion Display | 28 |
| Figure 4.14: ESP 32-S Development Board | 29 |
| Figure 4.15: ESP 32 Expansion Board – PCB Design | 30 |
| Figure 4.16: (a) nRF24L01 with PA & LNA (b) Power Supply Module for | nRF24L01 |
| | 30 |
| Figure 5.1: System Architecture of the Weather Prediction System | |
| Figure 5.2: Weather Data Capturing Unit | 33 |
| Figure 5.3: Flow Chart for Outdoor Unit | 34 |
| Figure 5.4: Flow Chart for Indoor Unit | 35 |
| Figure 6.1: (a) Arduino Mega 2560 Development Board (b) Wire Mechanism (c) Expansion Board used to manage wiring | 0 0 |
| Figure 6.2: (a) DS3231 RTC Module (b) nRF24L01 Module with Pow Module | |
| Figure 6.3: Outdoor Unit Components Arrangement | 38 |
| Figure 6.4: Outdoor Unit Installation. | 38 |
| Figure 6.5: Indoor Unit Components Arrangement | 39 |
| Figure 6.6: Save Data Function | 40 |
| Figure 6.7: Function for getting the Zambretti Value | 41 |
| Figure 6.8: Function for Add the Wind Effect to the Z Value | 42 |
| Figure 6.9: Function for Calculate Minimum, Maximum and Average | 43 |
| Figure 6.10: Home Page | 44 |
| Figure 6.11: Home Page 2 | 11 |

| Figure 6.12: Settings Home Page | 45 |
|--|----|
| Figure 6.13: Brightness Settings Page | 45 |
| Figure 6.14: Variable declaration for Brightness | 46 |
| Figure 6.15: Brightness Changing Code | 46 |
| Figure 6.16: Screen Timeout Settings Page | 47 |
| Figure 6.17: Screen Timeout Increase and Decrease Code | 47 |
| Figure 6.18: Detailed Weather - Temperature | 48 |
| Figure 6.19: Detailed Weather - Humidity | 49 |
| Figure 6.20: Detailed Weather – Atmospheric Pressure | 49 |
| Figure 6.21: Detailed Weather – Wind Direction | 50 |
| Figure 6.22: Detailed Weather – Wind Speed | 50 |
| Figure 6.23: Detailed Weather – Precipitation | 51 |
| Figure 6.24: Detailed Weather – Weather Prediction | 52 |
| Figure 6.25: Detailed Weather – Dew Point | 52 |
| Figure 6.26: Detailed Weather – Heat Index | 53 |
| Figure 6.27: Detailed Weather – Moon Phase | 53 |
| Figure 6.28: Detailed Weather – Solar Cycle | 54 |
| Figure 6.29: Current consumption of (a) Outdoor Unit (b) Indoor Unit with Display (c) Indoor Unit with Display on Sleep Mode | |
| Figure 7.1: Average Temperature | 58 |
| Figure 7.2: Temperature Distribution | 59 |
| Figure 7.3: Maximum and Minimum Temperature | 59 |
| Figure 7.4: Maximum Temperature Recorded Time | 60 |
| Figure 7.5: Maximum Temperature Recorded Time | 60 |
| Figure 7.6: Average Humidity | 61 |
| Figure 7.7: Humidity Distribution | 61 |
| Figure 7.8: Maximum and Minimum Temperature | 62 |
| Figure 7.9: Maximum Humidity Recorded Time | 63 |
| Figure 7.10: Minimum Humidity Recorded Time | 63 |
| Figure 7.11: Average Atmospheric Pressure | 64 |
| Figure 7.12: Atmospheric Pressure Distribution | 64 |
| Figure 7.13: Maximum and Minimum Atmospheric Pressure | 65 |

| Figure 7.14: Maximum Atmospheric Pressure Recorded Time | 5 |
|---|---|
| Figure 7.15: Minimum Atmospheric Pressure Recorded Time | 6 |
| Figure 7.16: Average Wind Speed | 6 |
| Figure 7.17: Wind Speed Distribution | 7 |
| Figure 7.18: Maximum and Minimum Wind Speed | 7 |
| Figure 7.19: Maximum Wind Speed Recorded Time | 8 |
| Figure 7.20: Maximum Wind Speed Recorded Time | 8 |
| Figure 7.21: Average Dew Point6 | 9 |
| Figure 7.22: Dew Point Distribution | 0 |
| Figure 7.23: Maximum and Minimum Dew Point | 0 |
| Figure 7.24: Maximum Dew Point Recorded Time | 1 |
| Figure 7.25: Minimum Dew Point Recorded Time | 1 |
| Figure 7.26: Average Heat Index | 2 |
| Figure 7.27: Heat Index Distribution | 2 |
| Figure 7.28: Maximum and Minimum Heat Index | 3 |
| Figure 7.29: Maximum Heat Index Recorded Time | 3 |
| Figure 7.30: Minimum Heat Index Recorded Time | 4 |
| Figure 7.31: Daily Rainfall | 4 |
| Figure 7.32: Weather Prediction Distribution | 5 |
| | |
| | |
| List of Tables | |
| Table 6.1: Cost of Study5 | 4 |
| Table 6.2: Total Power Consumption | 6 |
| Table 7.1: Weather Prediction Vs.Rainfall | 6 |