

BIBLIOGRAPHY

- [1] Energy Information Administration (US) (Ed.). (2012). Annual Energy Outlook 2012: With Projections to 2035. Government Printing Office.
- [2] Oldewurtel, F., Parisio, A., Jones, C. N., Morari, M., Gyalistras, D., Gwerder, M., ... & Wirth, K. (2010, June). Energy efficient building climate control using stochastic model predictive control and weather predictions. In Proceedings of the 2010 American control conference (pp. 5100-5105). IEEE.
- [3] Avci, M., Erkoç, M., Rahmani, A., & Asfour, S. (2013). Model predictive HVAC load control in buildings using real-time electricity pricing. *Energy and Buildings*, 60, 199-209.
- [4] Eia.gov. (n.d.). U.S. Energy Information Administration (EIA). [online] Available at: <https://www.eia.gov/> [Accessed 2 Jun. 2019].
- [5] Pérez-Lombard, L., Ortiz, J., & Pout, C. (2008). A review on buildings energy consumption information. *Energy and buildings*, 40(3), 394-398.
- [6] Wang, S., & Burnett, J. (2001). Online adaptive control for optimizing variable-speed pumps of indirect water-cooled chilling systems. *Applied Thermal Engineering*, 21(11), 1083–1103. [https://doi.org/10.1016/s1359-4311\(00\)00109-5](https://doi.org/10.1016/s1359-4311(00)00109-5)
- [7] Sychta, L. (2004). System for optimising pump station control. *World Pumps*, 2004(449), 45–48. [https://doi.org/10.1016/s0262-1762\(04\)00109-9](https://doi.org/10.1016/s0262-1762(04)00109-9)

- [8] Ma, Z., & Wang, S. (2009). Energy efficient control of variable speed pumps in complex building central air-conditioning systems. *Energy and Buildings*, 41(2), 197–205. <https://doi.org/10.1016/j.enbuild.2008.09.002>
- [9] Lu, W., & Hong, L. C. (2005). The control of multiple parallel variable-frequency pumps. *Electric Power Autom Equipment*, 25(4), 89-91.
- [10] MIRSKY, I. (2005). Pump control strategies benefit from compressor know-how. *Hydrocarbon processing (International ed.)*, 84(2), 89-90.
- [11] Shiels, S. (2001). Optimizing centrifugal pump operation. *World pumps*, 2001(412), 35-39.
- [12] Ghahramani, A., Zhang, K., Dutta, K., Yang, Z., & Becerik-Gerber, B. (2016). Energy savings from temperature setpoints and deadband: Quantifying the influence of building and system properties on savings. *Applied Energy*, 165, 930–942. <https://doi.org/10.1016/j.apenergy.2015.12.115>
- [13] Fernandez, N., Katipamula, S., Wang, W., Huang, Y., & Liu, G. (2014). Energy savings modelling of re-tuning energy conservation measures in large office buildings. *Journal of Building Performance Simulation*, 8(6), 391–407. <https://doi.org/10.1080/19401493.2014.961032>
- [14] Hoyt, T., Arens, E., & Zhang, H. (2015). Extending air temperature setpoints: Simulated energy savings and design considerations for new and retrofit buildings. *Building and Environment*, 88, 89–96. <https://doi.org/10.1016/j.buildenv.2014.09.010>
- [15] Han, J., Bae, J., Jang, J., Baek, J., & Leigh, S. B. (2019). The Derivation of Cooling Set-Point Temperature in an HVAC System, Considering Mean Radiant Temperature. *Sustainability*, 11(19), 5417. <https://doi.org/10.3390/su11195417>

- [16] Kosonen, R., & Tan, F. (2004). Assessment of productivity loss in air-conditioned buildings using PMV index. *Energy and Buildings*, 36(10), 987–993. <https://doi.org/10.1016/j.enbuild.2004.06.021>
- [17] Kosonen, R., & Tan, F. (2004). Assessment of productivity loss in air-conditioned buildings using PMV index. *Energy and Buildings*, 36(10), 987–993. <https://doi.org/10.1016/j.enbuild.2004.06.021>
- [18] Park, J. Y., & Nagy, Z. (2018). Comprehensive analysis of the relationship between thermal comfort and building control research - A data-driven literature review. *Renewable and Sustainable Energy Reviews*, 82, 2664–2679. <https://doi.org/10.1016/j.rser.2017.09.102>
- [19] McDowall, R. (2007). *Fundamentals of HVAC systems: SI edition*. Academic Press.
- [20] Westphalen, D., & Koszalinski, S. (2001). *Energy Consumption Characteristics of Commercial Building HVAC Systems Volume I: Chillers, Refrigerant Compressors, and Heating Systems*. Final Report to the Department of Energy (Contract No. DE-AC01-96CE23798).
- [21] Junwei, Y., Cheng, C., Dongmei, P., & Xuan, Z. (2017). A numerical study on the optimization method to optimize the cooling load sharing for a multi-chiller system in a shopping mall. *Energy Procedia*, 142, 1977-1984.
- [22] Rishel, J. B. (2006). *HVAC pump handbook*. McGraw-Hill Education.
- [23] VK, A. S., Umashankar, S., Paramasivam, S., & Hanigovszki, N. (2018, December). An Energy Efficient Control Algorithm for Parallel Pumping Industrial Motor Drives System. In *2018 IEEE International Conference on Power Electronics, Drives and Energy Systems (PEDES)* (pp. 1-6). IEEE.
- [24] Shiels, S., & Turbomachinery, S. (1997). When two pumps are cheaper than one. *World Pumps*, 1997(372), 58-61.

- [25] Salih, H. R., Abdulrazzaq, A. A., & Guzun, B. D. (2016). Dynamic Modeling of Pump Drive System utilizing Simulink/MATLAB Program. *International Research Journal of Engineering and Technology (IRJET)*, 3(1), 21-24.
- [26] James, B. R. (2003). Control of Variable Speed Pumps for HVAC Water Systems. *ASHRAE Transactions*, 109(1).
- [27] Lai, Z., Li, Q., Zhao, A., Zhou, W., Xu, H., & Wu, D. (2020). Improving Reliability of Pumps in Parallel Pump Systems Using Particle Swam Optimization Approach. *IEEE Access*, 8, 58427–58434. <https://doi.org/10.1109/access.2020.2980396>
- [28] Burke, W. (1995). Extending seal and pump maintenance intervals. *Plant Engineering (Chicago)*, 49(9).
- [29] Shi, Y. (2013). Pump Controller Design for Variable Primary Flow Configuration Systems.
- [30] Hansen, E. G. (1995). Parallel operation of variable speed pumps in chilled water systems. *ASHRAE journal*, 37(10).
- [31] Yu, F., & Chan, K. (2008). Optimization of water-cooled chiller system with load-based speed control. *Applied Energy*, 85(10), 931–950. <https://doi.org/10.1016/j.apenergy.2008.02.008>
- [32] Ma, K., Zhao, T., Shen, D., & Liu, M. (2017). Web Based Chiller Plant Optimal Control-A Case Study. *Procedia Engineering*, 205, 967–974. <https://doi.org/10.1016/j.proeng.2017.10.151>
- [33] Barán, B., von Lüken, C., & Sotelo, A. (2005). Multi-objective pump scheduling optimisation using evolutionary strategies. *Advances in Engineering Software*, 36(1), 39–47. <https://doi.org/10.1016/j.advengsoft.2004.03.012>
- [34] Qiu, S., Li, Z., & Li, Z. (2021). Model-free optimal control method for chilled water pumps based on multi-objective optimization: engineering application. In 2021 ASHRAE Virtual Annual Conference.

- [35] Yi, W., & Liang, C. S. (2003). The optimization of genetic algorithms running in parallel pump system. *Fluid Mach.*, 31(10), 22-25.
- [36] Savic, D. A., Walters, G. A., & Schwab, M. (1997, April). Multiobjective genetic algorithms for pump scheduling in water supply. In *AISB international workshop on evolutionary computing* (pp. 227-235). Springer, Berlin, Heidelberg.
- [37] Wang, J. Y., Chang, T. P., & Chen, J. S. (2009). An enhanced genetic algorithm for bi-objective pump scheduling in water supply. *Expert Systems with Applications*, 36(7), 10249–10258. <https://doi.org/10.1016/j.eswa.2009.01.054>
- [38] Tillack, L., & Rishel, J. B. (1998). Proper control of HVAC variable speed pumps. *ASHRAE journal*, 40(11), 41.
- [39] Xuefeng, L., Jinping, L., Zhitao, L., Kongzu, X., & Yuebang, M. (2015). Diversity of energy-saving control strategy for a parallel chilled water pump based on variable differential pressure control in an air-conditioning system. *Energy*, 88, 718–733. <https://doi.org/10.1016/j.energy.2015.05.097>
- [40] da Costa Bortoni, E., de Almeida, R. A., & Viana, A. N. C. (2008). Optimization of parallel variable-speed-driven centrifugal pumps operation. *Energy Efficiency*, 1(3), 167–173. <https://doi.org/10.1007/s12053-008-9010-1>
- [41] Tianyi, Z., Jili, Z., & Liangdong, M. (2012). On-line optimization control method based on extreme value analysis for parallel variable-frequency hydraulic pumps in central air-conditioning systems. *Building and Environment*, 47, 330–338. <https://doi.org/10.1016/j.buildenv.2011.07.007>
- [42] International Organization for Standardization. (2005, November). ISO 7730:2005 Ergonomics of the thermal environment — Analytical determination and interpretation of thermal comfort using calculation of the PMV and PPD indices and local thermal comfort criteria. ISO. Retrieved October 15, 2020, from <https://www.iso.org/standard/39155.html>

- [43] Jadhav, S. (2018, November 3). Role of CFD in Evaluating Occupant Thermal Comfort. *Www.Linkedin.Com*. Retrieved October 12, 2020, from <https://www.linkedin.com/pulse/role-cfd-evaluating-occupant-thermal-comfort-sandip-jadhav/>
- [44] Ekici, C. (2013, June). A review of thermal comfort and method of using Fanger's PMV equation. In *5th International Symposium on Measurement, Analysis and Modelling of Human Functions, ISHF* (pp. 61-64).
- [45] Fanger, P. O. (1970). Thermal comfort. Analysis and applications in environmental engineering. *Thermal comfort. Analysis and applications in environmental engineering*.
- [46] Wang, Y., Kuckelkorn, J., Zhao, F. Y., Liu, D., Kirschbaum, A., & Zhang, J. L. (2015). Evaluation on classroom thermal comfort and energy performance of passive school building by optimizing HVAC control systems. *Building and Environment*, 89, 86–106. <https://doi.org/10.1016/j.buildenv.2015.02.023>
- [47] Dejvises, J., & Tanthanuch, N. (2016). A Simplified Air-conditioning Systems Model with Energy Management. *Procedia Computer Science*, 86, 361–364. <https://doi.org/10.1016/j.procs.2016.05.099>
- [48] Papadopoulos, S., & Azar, E. (2016, December). Optimizing HVAC operation in commercial buildings: a genetic algorithm multi-objective optimization framework. In *2016 Winter Simulation Conference (WSC)* (pp. 1725-1735). IEEE.
- [49] Zhang, X., Shi, W., Li, X., Yan, B., Malkawi, A., & Li, N. (2016, December). Decentralized temperature control via hvac systems in energy efficient buildings: An approximate solution procedure. In *2016 IEEE Global Conference on Signal and Information Processing (GlobalSIP)* (pp. 936-940). IEEE
- [50] Lin, C. M., Liu, H. Y., Tseng, K. Y., & Lin, S. F. (2019). Heating, Ventilation, and Air Conditioning System Optimization Control Strategy In-

- volving Fan Coil Unit Temperature Control. *Applied Sciences*, 9(11), 2391. <https://doi.org/10.3390/app9112391>
- [51] Jazizadeh, F., Ghahramani, A., Becerik-Gerber, B., Kichkaylo, T., & Orosz, M. (2014). User-led decentralized thermal comfort driven HVAC operations for improved efficiency in office buildings. *Energy and Buildings*, 70, 398–410. <https://doi.org/10.1016/j.enbuild.2013.11.066>
- [52] Castilla, M., Álvarez, J., Normey-Rico, J., & Rodríguez, F. (2014). Thermal comfort control using a non-linear MPC strategy: A real case of study in a bioclimatic building. *Journal of Process Control*, 24(6), 703–713. <https://doi.org/10.1016/j.jprocont.2013.08.009>
- [53] Chen, X., Wang, Q., & Srebric, J. (2015). Model predictive control for indoor thermal comfort and energy optimization using occupant feedback. *Energy and Buildings*, 102, 357–369. <https://doi.org/10.1016/j.enbuild.2015.06.002>
- [54] Chen, X., Wang, Q., & Srebric, J. (2016). Occupant feedback based model predictive control for thermal comfort and energy optimization: A chamber experimental evaluation. *Applied Energy*, 164, 341–351. <https://doi.org/10.1016/j.apenergy.2015.11.065>
- [55] Nicol, J. F., & Humphreys, M. (1998). Understanding the adaptive approach to thermal comfort. *ASHRAE transactions*, 104(1), 991-1004.
- [56] Nikovski, D., Xu, J., & Nonaka, M. (2013, June). A method for computing optimal set-point schedules for HVAC systems. In *Proceedings of the 11th REHVA World Congress CLIMA*.
- [57] Kim, N. K., Shim, M. H., & Won, D. (2018). Building Energy Management Strategy Using an HVAC System and Energy Storage System. *Energies*, 11(10), 2690. <https://doi.org/10.3390/en11102690>
- [58] Kampelis, N., Sifakis, N., Kolokotsa, D., Gobakis, K., Kalaitzakis, K., Isidori, D., & Cristalli, C. (2019). HVAC Optimization Genetic Algorithm

- for Industrial Near-Zero-Energy Building Demand Response. *Energies*, 12(11), 2177. <https://doi.org/10.3390/en12112177>
- [59] Wani, M., Swain, A., & Ukil, A. (2019, May). Control strategies for energy optimization of HVAC systems in small office buildings using energyplus tm. In 2019 IEEE Innovative Smart Grid Technologies-Asia (ISGT Asia) (pp. 2698-2703). IEEE.
- [60] Park, J., Kim, T., & Lee, C. S. (2019). Development of Thermal Comfort-Based Controller and Potential Reduction of the Cooling Energy Consumption of a Residential Building in Kuwait. *Energies*, 12(17), 3348. <https://doi.org/10.3390/en12173348>
- [61] Krinidis, S., Tsolakis, A. C., Katsolas, I., Ioannidis, D., & Tzovaras, D. (2018, June). Multi-criteria HVAC control optimization. In 2018 IEEE International Energy Conference (ENERGYCON) (pp. 1-6). IEEE.
- [62] Lan, L., Wargocki, P., & Lian, Z. (2011). Quantitative measurement of productivity loss due to thermal discomfort. *Energy and Buildings*, 43(5), 1057–1062. <https://doi.org/10.1016/j.enbuild.2010.09.001>
- [63] Ma, Z., Wang, S., Xu, X., & Xiao, F. (2008). A supervisory control strategy for building cooling water systems for practical and real time applications. *Energy Conversion and Management*, 49(8), 2324–2336. <https://doi.org/10.1016/j.enconman.2008.01.019>
- [64] Jaber, H., & Webb, R. L. (1989). Design of cooling towers by the effectiveness-NTU method.
- [65] Merkel, F. (1925). *Verdunstungskühlung*, VDI-Verlag. Berlin, Germany.
- [66] Allen, J. J., & Hamilton, J. F. (1983). Steady-state reciprocating water chiller models. *ASHRAE transactions*, 89, 398-407.

- [67] Gordon, J., Ng, K. C., & Chua, H. T. (1995). Centrifugal chillers: Thermodynamic modelling and a diagnostic case study. *International Journal of Refrigeration*, 18(4), 253–257. [https://doi.org/10.1016/0140-7007\(95\)96863-2](https://doi.org/10.1016/0140-7007(95)96863-2)
- [68] Chen, C. L., Chang, Y. C., & Chan, T. S. (2014). Applying smart models for energy saving in optimal chiller loading. *Energy and Buildings*, 68, 364–371. <https://doi.org/10.1016/j.enbuild.2013.04.030>
- [69] Stout, M. R., & Leach, J. W. (2002). Cooling Tower Fan Control for Energy Efficiency. *Energy Engineering*, 99(1), 7–31. <https://doi.org/10.1080/01998590209509336>
- [70] Wei, X., Li, N., Peng, J., Cheng, J., Hu, J., & Wang, M. (2017). Performance Analyses of Counter-Flow Closed Wet Cooling Towers Based on a Simplified Calculation Method. *Energies*, 10(3), 282. <https://doi.org/10.3390/en10030282>
- [71] Lu, L., Cai, W., Soh, Y. C., Xie, L., & Li, S. (2004). HVAC system optimization—condenser water loop. *Energy Conversion and Management*, 45(4), 613–630. [https://doi.org/10.1016/s0196-8904\(03\)00181-x](https://doi.org/10.1016/s0196-8904(03)00181-x)
- [72] Mohiuddin, A., & Kant, K. (1996). Knowledge base for the systematic design of wet cooling towers. Part I: Selection and tower characteristics. *International Journal of Refrigeration*, 19(1), 43–51. [https://doi.org/10.1016/0140-7007\(95\)00059-3](https://doi.org/10.1016/0140-7007(95)00059-3)
- [73] Qu, K., & Hu, D. (2010). Optimal energy saving control strategy for cooling water system in air conditioning systems. *Heating Ventilating & Air Conditioning*, 40(4), 110-114.
- [74] Majozi, T., & Moodley, A. (2008). Simultaneous targeting and design for cooling water systems with multiple cooling water supplies. *Computers & Chemical Engineering*, 32(3), 540–551. <https://doi.org/10.1016/j.compchemeng.2007.03.016>

- [75] Zheng, C., Chen, X., Zhu, L., & Shi, J. (2018). Simultaneous design of pump network and cooling tower allocations for cooling water system synthesis. *Energy*, 150, 653–669. <https://doi.org/10.1016/j.energy.2018.02.150>
- [76] Liu, F., Ma, J., Feng, X., & Wang, Y. (2018). Simultaneous integrated design for heat exchanger network and cooling water system. *Applied Thermal Engineering*, 128, 1510–1519. <https://doi.org/10.1016/j.applthermaleng.2017.09.107>
- [77] Ma, J., Wang, Y., & Feng, X. (2018). Optimization of multi-plants cooling water system. *Energy*, 150, 797–815. <https://doi.org/10.1016/j.energy.2018.03.029>
- [78] Sun, J., Feng, X., & Wang, Y. (2015). Cooling-water system optimisation with a novel two-step sequential method. *Applied Thermal Engineering*, 89, 1006–1013. <https://doi.org/10.1016/j.applthermaleng.2015.01.012>
- [79] Cheng, Q., Wang, S., & Yan, C. (2017). Sequential Monte Carlo simulation for robust optimal design of cooling water system with quantified uncertainty and reliability. *Energy*, 118, 489–501. <https://doi.org/10.1016/j.energy.2016.10.051>
- [80] Jin, G. Y., Cai, W. J., Lu, L., Lee, E. L., & Chiang, A. (2007). A simplified modeling of mechanical cooling tower for control and optimization of HVAC systems. *Energy Conversion and Management*, 48(2), 355–365. <https://doi.org/10.1016/j.enconman.2006.07.010>
- [81] Chengqin, R., & Hongxing, Y. (2006). An analytical model for the heat and mass transfer processes in indirect evaporative cooling with parallel/counter flow configurations. *International Journal of Heat and Mass Transfer*, 49(3–4), 617–627. <https://doi.org/10.1016/j.ijheatmasstransfer.2005.08.019>
- [82] Zheng, W. Y., Zhu, D. S., Song, J., Zeng, L. D., & Zhou, H. J. (2012). Experimental and computational analysis of thermal performance of the oval tube closed wet cooling tower. *Applied Thermal Engineering*, 35, 233–239. <https://doi.org/10.1016/j.applthermaleng.2011.10.047>

- [83] Cao, Y., Huang, L., Cui, Z., & Liu, J. (2018, February). The optimal operation of cooling tower systems with variable-frequency control. In IOP Conference Series: Earth and Environmental Science (Vol. 113, No. 1, p. 012085). IOP Publishing.
- [84] Yu, F., & Chan, K. (2010). Economic benefits of optimal control for water-cooled chiller systems serving hotels in a subtropical climate. *Energy and Buildings*, 42(2), 203–209. <https://doi.org/10.1016/j.enbuild.2009.08.016>
- [85] Zhao, T., Wang, J., Fu, P., & Wu, X. (2021). Study on simplified energy-efficient control methods of HVAC cooling water system from the global online optimization perspective. *Energy Science & Engineering*, 9(4), 464–482. <https://doi.org/10.1002/ese3.861>
- [86] Mirinejad, H., Sadati, S. H., Ghasemian, M., & Torab, H. (2008). Control techniques in heating, ventilating and air conditioning (hvac) systems 1.
- [87] Behrooz, F., Mariun, N., Marhaban, M., Mohd Radzi, M., & Ramli, A. (2018). Review of Control Techniques for HVAC Systems—Nonlinearity Approaches Based on Fuzzy Cognitive Maps. *Energies*, 11(3), 495. <https://doi.org/10.3390/en11030495>
- [88] Geng, G., & Geary, G. M. (1993, September). On performance and tuning of PID controllers in HVAC systems. In *Proceedings of IEEE International Conference on Control and Applications* (pp. 819-824). IEEE.
- [89] Tashtoush, B., Molhim, M., & Al-Rousan, M. (2005). Dynamic model of an HVAC system for control analysis. *Energy*, 30(10), 1729–1745. <https://doi.org/10.1016/j.energy.2004.10.004>
- [90] Xu, M., & Li, S. (2007). Practical generalized predictive control with decentralized identification approach to HVAC systems. *Energy Conversion and Management*, 48(1), 292–299. <https://doi.org/10.1016/j.enconman.2006.04.012>

- [91] Burns, J. A., & Cliff, E. M. (2013, December). On optimal thermal control of an idealized room including hard limits on zone-temperature and a max-control cost term. In 52nd IEEE Conference on Decision and Control (pp. 4821-4826). IEEE.
- [92] Yahiaoui, A., Hensen, J., Soethout, L., & Van Paassen, D. (2006, April). Model based optimal control for integrated building systems. In Proceedings of the 6th International Postgraduate Research Conference in the Built and Human Environment (pp. 322-332). Delf.
- [93] Qi, Q., & Deng, S. (2009). Multivariable control of indoor air temperature and humidity in a direct expansion (DX) air conditioning (A/C) system. *Building and Environment*, 44(8), 1659–1667. <https://doi.org/10.1016/j.buildenv.2008.11.001>
- [94] Venkatesh, S., & Sundaram, S. (2012). Intelligent Humidity Control for Healthy Home to Wealthy Industry: A Review. *Research Journal of Information Technology*, 4(3), 73–84. <https://doi.org/10.3923/rjit.2012.73.84>
- [95] Hongli, L., Peiyong, D., Qingmei, Y., Hui, L., & Xiuwen, Y. (2012, May). A novel adaptive energy-efficient controller for the HVAC systems. In 2012 24th Chinese Control and Decision Conference (CCDC) (pp. 1402-1406). IEEE.
- [96] Guo, C., Song, Q., & Cai, W. (2007). A Neural Network Assisted Cascade Control System for Air Handling Unit. *IEEE Transactions on Industrial Electronics*, 54(1), 620–628. <https://doi.org/10.1109/tie.2006.888809>
- [97] Srivastava, N., Tanti, D. K., & Ahmad, M. A. (2014). Matlab simulation of temperature control of heat exchanger using different controllers. *Autom. Control Intell. Syst*, 2, 1-5.
- [98] Yang, X., & Wang, X. (2017, October). Control For HVAC Chilled Water System. In Proc. 2017 2nd Jt. Int. Inf. Technol. Mech. Electron. Eng. Conf.(JIMEC 2017) (pp. 400-405).

- [99] Naidu, D. S., & Rieger, C. G. (2011). Advanced control strategies for HVAC&R systems—An overview: Part II: Soft and fusion control. *HVAC&R Research*, 17(2), 144–158. <https://doi.org/10.1080/10789669.2011.555650>
- [100] Yan, X., Liu, C., Li, M., Hou, A., Fan, K., & Meng, Q. (2019). Climate Compensation and Indoor Temperature Optimal Measuring Point Energy Saving Control in VAV Air-Conditioning System. *Energies*, 12(22), 4398. <https://doi.org/10.3390/en12224398>
- [101] Dai, Z. (2017, March 17). Ultimate Temperature Control of Central Air Conditioning System – CHE 324 SP17 – Process Control Blog. Sites.Lafayette.Edu. Retrieved December 30, 2020, from <https://sites.lafayette.edu/che324-sp17/2017/03/17/ultimate-temperature-control-of-central-air-conditioning-system/>
- [102] Yan, C., Yang, X., & Xu, Y. (2018). Mathematical Explanation and Fault Diagnosis of Low Delta-T Syndrome in Building Chilled Water Systems. *Buildings*, 8(7), 84. <https://doi.org/10.3390/buildings8070084>
- [103] “LoadMatch[®] System.” 2020. [Www.tacomfort.com](http://www.tacomfort.com). September 13, 2020. <https://www.tacomfort.com/applications/loadmatch/>.
- [104] ASHRAE. (2020). Standard 55-Thermal Environmental Conditions for Human Occupancy. Web Starter Kit. Retrieved December 30, 2020, from <https://www.ashrae.org/technical-resources/bookstore/standard-55-thermal-environmental-conditions-for-human-occupancy>
- [105] Tartarini, F., Schiavon, S., Cheung, T., & Hoyt, T. (2020). CBE Thermal Comfort Tool: Online tool for thermal comfort calculations and visualizations. *SoftwareX*, 12, 100563. <https://doi.org/10.1016/j.softx.2020.100563>
- [106] Walgama, S., Hasinthara, U., Herath, A., Daranagama, K., & Kumarawadu, S. (2020, August). An Optimal Electrical Energy Management Scheme for Future Smart Homes. In 2020 IEEE 8th International Conference on Smart Energy Grid Engineering (SEGE) (pp. 137-141). IEEE.

- [107] Sasaki Associates, Inc. (2010). Singapore University of Technology & Design Master Plan. Sasaki. Retrieved December 12, 2020, from <https://www.sasaki.com/projects/singapore-university-of-technology-design-master-plan/>
- [108] Weather Underground. (2018). Singapore, Singapore Weather History — Weather Underground. Www.Wunderground.Com. Retrieved December 10, 2020, from <https://www.wunderground.com/history/daily/sg/singapore/WSSS>
- [109] Energy Market Company. (2018). Price Information. Www.Emcsg.Com. Retrieved December 10, 2020, from <https://www.emcsg.com/marketdata/priceinformation#priceDataView>
- [110] Salmeron, J., & Ruiz-Celma, A. (2018). Elliot and Symmetric Elliot Extreme Learning Machines for Gaussian Noisy Industrial Thermal Modelling. *Energies*, 12(1), 90. <https://doi.org/10.3390/en12010090>