

## REFERENCES

- [1] K. R. S. D. Gunawardhana, N. D. Wanasekara, and R. D. I. G. Dharmasena, “Towards Truly Wearable Systems: Optimizing and Scaling Up Wearable Triboelectric Nanogenerators,” *iScience*, vol. 23, no. 8, p. 101360, Aug. 2020, doi: 10.1016/J.ISCI.2020.101360.
- [2] J. Li *et al.*, “Triboelectric nanogenerators enabled internet of things: A survey,” *Intell. Converg. Networks*, vol. 1, no. 2, pp. 115–141, 2020.
- [3] W. Paosangthong, R. Torah, and S. Beeby, “Recent progress on textile-based triboelectric nanogenerators,” *Nano Energy*, vol. 55, no. August 2018, pp. 401–423, 2019, doi: 10.1016/j.nanoen.2018.10.036.
- [4] S. Wang, L. Lin, and Z. L. Wang, “Triboelectric nanogenerators as self-powered active sensors,” *Nano Energy*, vol. 11. 2015. doi: 10.1016/j.nanoen.2014.10.034.
- [5] Z. L. Wang, “Triboelectric nanogenerators as new energy technology for self-powered systems and as active mechanical and chemical sensors,” *ACS Nano*, vol. 7, no. 11. 2013. doi: 10.1021/nn404614z.
- [6] A. J. Bandodkar and J. Wang, “Non-invasive wearable electrochemical sensors: A review,” *Trends in Biotechnology*, vol. 32, no. 7. 2014. doi: 10.1016/j.tibtech.2014.04.005.
- [7] M. Zhou, M. S. H. Al-Furjan, J. Zou, and W. Liu, “A review on heat and mechanical energy harvesting from human – Principles, prototypes and perspectives,” *Renew. Sustain. Energy Rev.*, vol. 82, no. November 2017, pp. 3582–3609, 2018, doi: 10.1016/j.rser.2017.10.102.
- [8] R. D. I. G. Dharmasena and S. R. P. Silva, “Towards optimized triboelectric nanogenerators,” *Nano Energy*, vol. 62. Elsevier Ltd, pp. 530–549, Aug. 01, 2019. doi: 10.1016/j.nanoen.2019.05.057.
- [9] T. E. Starner and J. A. Paradiso, “Human-generated power for mobile electronics,” in *Low-Power Electronics Design*, CRC Press, 2004, pp. 45-1-

45–35. doi: 10.1201/9781420039559.ch45.

- [10] S. A. Graham, B. Dudem, A. R. Mule, H. Patnam, and J. S. Yu, “Engineering squandered cotton into eco-benign microarchitected triboelectric films for sustainable and highly efficient mechanical energy harvesting,” *Nano Energy*, vol. 61, no. February, pp. 505–516, 2019, doi: 10.1016/j.nanoen.2019.04.081.
- [11] R. Riemer and A. Shapiro, “Biomechanical energy harvesting from human motion: theory, state of the art, design guidelines, and future directions,” *J. Neuroeng. Rehabil.*, vol. 8, no. 1, p. 22, 2011, doi: 10.1186/1743-0003-8-22.
- [12] M. U. Anjum, A. Fida, I. Ahmad, and A. Iftikhar, “A broadband electromagnetic type energy harvester for smart sensor devices in biomedical applications,” *Sensors Actuators, A Phys.*, vol. 277, 2018, doi: 10.1016/j.sna.2018.05.001.
- [13] J. Zhao and Z. You, “A shoe-embedded piezoelectric energy harvester for wearable sensors,” *Sensors (Switzerland)*, vol. 14, no. 7, 2014, doi: 10.3390/s140712497.
- [14] M. O. Kim *et al.*, “Flexible and multi-directional piezoelectric energy harvester for self-powered human motion sensor,” *Smart Mater. Struct.*, vol. 27, no. 3, 2018, doi: 10.1088/1361-665X/aaa722.
- [15] S. Niu and Z. L. Wang, “Theoretical systems of triboelectric nanogenerators,” *Nano Energy*, vol. 14, pp. 161–192, 2015, doi: 10.1016/j.nanoen.2014.11.034.
- [16] F. R. Fan, Z. Q. Tian, and Z. Lin Wang, “Flexible triboelectric generator,” *Nano Energy*, vol. 1, no. 2, pp. 328–334, 2012, doi: 10.1016/j.nanoen.2012.01.004.
- [17] D. G. Dassanayaka, T. M. Alves, N. D. Wanasekara, I. G. Dharmasena, and J. Ventura, “Recent Progresses in Wearable Triboelectric Nanogenerators,” *Adv. Funct. Mater.*, 2022, doi: 10.1002/adfm.202205438.
- [18] Z. L. Wang, J. Chen, and L. Lin, “Progress in triboelectric nanogenerators as a new energy technology and self-powered sensors,” *Energy Environ. Sci.*, vol.

- 8, no. 8, pp. 2250–2282, 2015, doi: 10.1039/c5ee01532d.
- [19] Y. Yang *et al.*, “Human skin based triboelectric nanogenerators for harvesting biomechanical energy and as self-powered active tactile sensor system,” *ACS Nano*, vol. 7, no. 10, 2013, doi: 10.1021/nn403838y.
  - [20] X. Gang *et al.*, “Textile Triboelectric Nanogenerators Simultaneously Harvesting Multiple ‘High-Entropy’ Kinetic Energies,” *ACS Appl. Mater. Interfaces*, vol. 13, no. 17, pp. 20145–20152, 2021, doi: 10.1021/acsami.1c03250.
  - [21] M. Salauddin and J. Y. Park, “Design and experiment of human hand motion driven electromagnetic energy harvester using dual Halbach magnet array,” *Smart Mater. Struct.*, vol. 26, no. 3, 2017, doi: 10.1088/1361-665X/aa573f.
  - [22] F. Qian, T. B. Xu, and L. Zuo, “Design, optimization, modeling and testing of a piezoelectric footwear energy harvester,” *Energy Convers. Manag.*, vol. 171, 2018, doi: 10.1016/j.enconman.2018.06.069.
  - [23] F. Guido, A. Qualtieri, L. Algieri, E. D. Lemma, M. De Vittorio, and M. T. Todaro, “AlN-based flexible piezoelectric skin for energy harvesting from human motion,” *Microelectron. Eng.*, vol. 159, 2016, doi: 10.1016/j.mee.2016.03.041.
  - [24] H. Fu *et al.*, “Footstep energy harvesting using heel strike-induced airflow for human activity sensing,” *BSN 2016 - 13th Annu. Body Sens. Networks Conf.*, no. June, pp. 124–129, 2016, doi: 10.1109/BSN.2016.7516245.
  - [25] C. Rodrigues *et al.*, “Emerging triboelectric nanogenerators for ocean wave energy harvesting: state of the art and future perspectives,” *Energy Environ. Sci.*, vol. 13, no. 9, pp. 2657–2683, 2020, doi: 10.1039/d0ee01258k.
  - [26] C. Dagdeviren, Z. Li, and Z. L. Wang, “Energy Harvesting from the Animal-Human Body for Self-Powered Electronics,” *Annu. Rev. Biomed. Eng.*, vol. 19, pp. 85–108, 2017, doi: 10.1146/annurev-bioeng-071516-044517.
  - [27] C. Sukumaran, P. Viswanathan, P. Munirathinam, and A. Chandrasekhar, “A

- flexible and wearable joint motion sensor using triboelectric nanogenerators for hand gesture monitoring,” in *International Journal of Nanotechnology*, 2021, vol. 18, no. 5–8. doi: 10.1504/IJNT.2021.116183.
- [28] K. Venugopal, P. Panchatcharam, A. Chandrasekhar, and V. Shanmugasundaram, “Comprehensive Review on Triboelectric Nanogenerator Based Wrist Pulse Measurement: Sensor Fabrication and Diagnosis of Arterial Pressure,” *ACS Sensors*, vol. 6, no. 5, 2021, doi: 10.1021/acssensors.0c02324.
- [29] W. Fan *et al.*, “Machine-knitted washable sensor array textile for precise epidermal physiological signal monitoring,” *Sci. Adv.*, vol. 6, no. 11, pp. 1–11, 2020, doi: 10.1126/sciadv.aay2840.
- [30] P. K. Yang *et al.*, “Paper-based origami triboelectric nanogenerators and self-powered pressure sensors,” *ACS Nano*, vol. 9, no. 1, 2015, doi: 10.1021/nn506631t.
- [31] A. A. Mathew, S. Vivekanandan, and A. Chandrasekhar, “Nanogenerator-based Sensors for Human Pulse Measurement,” in *Green Engineering and Technology*, 2021. doi: 10.1201/9781003176275-18.
- [32] F. Sheng *et al.*, “Self-Powered Smart Arm Training Band Sensor Based on Extremely Stretchable Hydrogel Conductors,” *ACS Appl. Mater. Interfaces*, vol. 13, no. 37, pp. 44868–44877, 2021, doi: 10.1021/acsami.1c12378.
- [33] S. S. Sophie Bergerbrant, “A History of Ancient Textile Production,” *Cambridge University Press*, 2019.  
[https://www.cambridgeblog.org/2019/10/a-history-of-ancient-textile-production/#:~:text=The first traces of textiles,survive in the archaeological record.](https://www.cambridgeblog.org/2019/10/a-history-of-ancient-textile-production/#:~:text=The%20first%20traces%20of%20textiles,survive%20in%20the%20archaeological%20record.)
- [34] S. Dong, F. Xu, Y. Sheng, Z. Guo, X. Pu, and Y. Liu, “Seamlessly knitted stretchable comfortable textile triboelectric nanogenerators for E-textile power sources,” *Nano Energy*, vol. 78, p. 105327, Dec. 2020, doi: 10.1016/J.NANOEN.2020.105327.
- [35] L. Chen *et al.*, “Stretchable negative Poisson’s ratio yarn for triboelectric

- nanogenerator for environmental energy harvesting and self-powered sensor,” *Energy Environ. Sci.*, vol. 14, no. 2, pp. 955–964, 2021, doi: 10.1039/d0ee02777d.
- [36] J. Xiong *et al.*, “Skin-touch-actuated textile-based triboelectric nanogenerator with black phosphorus for durable biomechanical energy harvesting,” *Nat. Commun.*, vol. 9, no. 1, pp. 1–9, 2018, doi: 10.1038/s41467-018-06759-0.
- [37] “Scalable fabrication of stretchable and washable textile triboelectric.pdf.”
- [38] M. Zhu *et al.*, “3D spacer fabric based multifunctional triboelectric nanogenerator with great feasibility for mechanized large-scale production,” *Nano Energy*, vol. 27, pp. 439–446, Sep. 2016, doi: 10.1016/J.NANOEN.2016.07.016.
- [39] D. Dassanayaka, D. Hedigalla, and U. Gunasekera, “Biodegradable Composite for Temporary Partitioning Materials,” *MERCon 2020 - 6th Int. Multidiscip. Moratuwa Eng. Res. Conf. Proc.*, pp. 453–458, 2020, doi: 10.1109/MERCon50084.2020.9185232.
- [40] Y. Zou, L. Bo, and Z. Li, “Recent progress in human body energy harvesting for smart bioelectronic system,” *Fundam. Res.*, vol. 1, no. 3, pp. 364–382, 2021, doi: 10.1016/j.fmre.2021.05.002.
- [41] “No Title,” *britannica*. [Online]. Available: <https://www.britannica.com/science/adenosine-triphosphate>
- [42] C. Rodrigues, A. Gomes, A. Ghosh, A. Pereira, and J. Ventura, “Power-generating footwear based on a triboelectric-electromagnetic-piezoelectric hybrid nanogenerator,” *Nano Energy*, vol. 62, no. January, pp. 660–666, 2019, doi: 10.1016/j.nanoen.2019.05.063.
- [43] R. E. Newnham, *COMPOSITE ELECTROCERAMICS.*, vol. 16. 1986.
- [44] S. Chen *et al.*, “A Single Integrated 3D-Printing Process Customizes Elastic and Sustainable Triboelectric Nanogenerators for Wearable Electronics,” *Adv. Funct. Mater.*, vol. 28, no. 46, 2018, doi: 10.1002/adfm.201805108.

- [45] Z. L. Wang, “Triboelectric nanogenerators as new energy technology and self-powered sensors - Principles, problems and perspectives,” *Faraday Discussions*, vol. 176, no. 0. Royal Society of Chemistry, pp. 447–458, 2015. doi: 10.1039/c4fd00159a.
- [46] R. D. I. G. Dharmasena, K. D. G. I. Jayawardena, C. A. Mills, R. A. Dorey, and S. R. P. Silva, “A unified theoretical model for Triboelectric Nanogenerators,” *Nano Energy*, vol. 48, pp. 391–400, Jun. 2018, doi: 10.1016/j.nanoen.2018.03.073.
- [47] R. D. I. G. Dharmasena, J. H. B. Deane, and S. R. P. Silva, “Nature of Power Generation and Output Optimization Criteria for Triboelectric Nanogenerators,” *Adv. Energy Mater.*, p. 1802190, Sep. 2018, doi: 10.1002/aenm.201802190.
- [48] R. D. I. G. Dharmasena *et al.*, “Triboelectric nanogenerators: providing a fundamental framework,” *Energy Environ. Sci.*, vol. 10, no. 8, pp. 1801–1811, 2017, doi: 10.1039/C7EE01139C.
- [49] Z. L. Wang, “On Maxwell’s displacement current for energy and sensors: the origin of nanogenerators,” *Materials Today*, vol. 20, no. 2. pp. 74–82, 2017. doi: 10.1016/j.mattod.2016.12.001.
- [50] S. Niu *et al.*, “Theoretical study of contact-mode triboelectric nanogenerators as an effective power source,” *Energy Environ. Sci.*, vol. 6, no. 12, pp. 3576–3583, 2013, doi: 10.1039/c3ee42571a.
- [51] S. Niu *et al.*, “Theory of Sliding-Mode Triboelectric Nanogenerators,” *Adv. Mater.*, vol. 25, no. 43, pp. 6184–6193, Nov. 2013, doi: 10.1002/adma.201302808.
- [52] S. Niu *et al.*, “Theory of freestanding triboelectric-layer-based nanogenerators,” *Nano Energy*, vol. 12, pp. 760–774, 2015, doi: 10.1016/j.nanoen.2015.01.013.
- [53] S. Niu *et al.*, “Theoretical Investigation and Structural Optimization of Single-Electrode Triboelectric Nanogenerators,” *Adv. Funct. Mater.*, vol. 24, no. 22,

- pp. 3332–3340, Jun. 2014, doi: 10.1002/adfm.201303799.
- [54] R. Dharmasena, “Inherent asymmetry of the current output in a triboelectric nanogenerator,” *Nano Energy*, p. 105045, 2020.
  - [55] R. D. I. G. Dharmasena, “Triboelectric self-powered energy systems. [Doctoral Dissertation],” University of Surrey, 2019.
  - [56] J. Shao, M. Willatzen, Y. Shi, and Z. L. Wang, “3D mathematical model of contact-separation and single-electrode mode triboelectric nanogenerators,” *Nano Energy*, vol. 60, pp. 630–640, 2019.
  - [57] J. Shao, M. Willatzen, and Z. L. Wang, “Theoretical modeling of triboelectric nanogenerators (TENGs),” *J. Appl. Phys.*, vol. 128, no. 11, p. 111101, 2020.
  - [58] J. Chen *et al.*, “Enhancing Performance of Triboelectric Nanogenerator by Filling High Dielectric Nanoparticles into Sponge PDMS Film,” *ACS Appl. Mater. Interfaces*, vol. 8, no. 1, pp. 736–744, Jan. 2016, doi: 10.1021/acsami.5b09907.
  - [59] N. Cui *et al.*, “Dynamic Behavior of the Triboelectric Charges and Structural Optimization of the Friction Layer for a Triboelectric Nanogenerator,” *ACS Nano*, vol. 10, no. 6, pp. 6131–6138, Jun. 2016, doi: 10.1021/acsnano.6b02076.
  - [60] M.-L. Seol, S.-H. Lee, J.-W. Han, D. Kim, G.-H. Cho, and Y.-K. Choi, “Impact of contact pressure on output voltage of triboelectric nanogenerator based on deformation of interfacial structures,” *Nano Energy*, vol. 17, pp. 63–71, Oct. 2015, doi: 10.1016/J.NANOEN.2015.08.005.
  - [61] V. Nguyen and R. Yang, “Effect of humidity and pressure on the triboelectric nanogenerator,” *Nano Energy*, vol. 2, no. 5, pp. 604–608, Sep. 2013, doi: 10.1016/J.NANOEN.2013.07.012.
  - [62] C. Xu *et al.*, “On the Electron-Transfer Mechanism in the Contact-Electrification Effect,” *Adv. Mater.*, vol. 30, no. 15, p. 1706790, Mar. 2018, doi: 10.1002/adma.201706790.

- [63] G. Zhu *et al.*, “Toward Large-Scale Energy Harvesting by a Nanoparticle-Enhanced Triboelectric Nanogenerator,” *Nano Lett.*, vol. 13, no. 2, pp. 847–853, Feb. 2013, doi: 10.1021/nl4001053.
- [64] B. Chen, Y. Yang, and Z. L. Wang, “Scavenging Wind Energy by Triboelectric Nanogenerators,” *Advanced Energy Materials*, vol. 8, no. 10. 2018. doi: 10.1002/aenm.201702649.
- [65] S. Wang, S. Niu, J. Yang, L. Lin, and Z. L. Wang, “Quantitative measurements of vibration amplitude using a contact-mode freestanding triboelectric nanogenerator,” *ACS Nano*, vol. 8, no. 12, 2014, doi: 10.1021/nn5054365.
- [66] X. Peng *et al.*, “All-Nanofiber Self-Powered Skin-Interfaced Real-Time Respiratory Monitoring System for Obstructive Sleep Apnea-Hypopnea Syndrome Diagnosing,” *Adv. Funct. Mater.*, vol. 31, no. 34, 2021, doi: 10.1002/adfm.202103559.
- [67] Y. Li *et al.*, “Mechanically interlocked stretchable nanofibers for multifunctional wearable triboelectric nanogenerator,” *Nano Energy*, vol. 78, no. August, 2020, doi: 10.1016/j.nanoen.2020.105358.
- [68] L. Ma *et al.*, “Continuous and Scalable Manufacture of Hybridized Nano-Micro Triboelectric Yarns for Energy Harvesting and Signal Sensing,” *ACS Nano*, vol. 14, no. 4, pp. 4716–4726, 2020, doi: 10.1021/acsnano.0c00524.
- [69] M. Joshi and B. S. Butola, “Application technologies for coating, lamination and finishing of technical textiles,” *Adv. Dye. Finish. Tech. Text.*, pp. 355–411, Jan. 2013, doi: 10.1533/9780857097613.2.355.
- [70] C. Ning *et al.*, “Flexible and Stretchable Fiber-Shaped Triboelectric Nanogenerators for Biomechanical Monitoring and Human-Interactive Sensing,” *Adv. Funct. Mater.*, vol. 31, no. 4, pp. 1–9, 2021, doi: 10.1002/adfm.202006679.
- [71] C. Emonts *et al.*, “Innovation in 3D Braiding Technology and Its Applications,” *Textiles*, vol. 1, no. 2, pp. 185–205, 2021, doi:

10.3390/textiles1020009.

- [72] K. Dong *et al.*, “Shape adaptable and highly resilent 3D braided triboelectric nanogenerators as e-textiles for power and sensing,” *Nat. Commun.*, vol. 11, no. 1, pp. 1–11, 2020, doi: 10.1038/s41467-020-16642-6.
- [73] H. Gebeyehu Menge, S. Hyun Jo, and Y. Tae Park, “Layer-by-Layer Self-Assembled Thin Films for Triboelectric Energy Harvesting under Harsh Conditions,” *ACS Appl. Electron. Mater.*, vol. 3, no. 12, pp. 5475–5482, Nov. 2021, doi: 10.1021/acsaelm.1c00907.
- [74] J. Chen, H. Guo, X. Pu, X. Wang, Y. Xi, and C. Hu, “Traditional weaving craft for one-piece self-charging power textile for wearable electronics,” *Nano Energy*, vol. 50, pp. 536–543, Aug. 2018, doi: 10.1016/J.NANOEN.2018.06.009.
- [75] Y. H. Ko, G. Nagaraju, and J. S. Yu, “Multi-stacked PDMS-based triboelectric generators with conductive textile for efficient energy harvesting,” *RSC Adv.*, vol. 5, no. 9, pp. 6437–6442, 2015, doi: 10.1039/c4ra15310c.
- [76] X. Pu *et al.*, “Wearable Self-Charging Power Textile Based on Flexible Yarn Supercapacitors and Fabric Nanogenerators,” *Adv. Mater.*, vol. 28, no. 1, pp. 98–105, 2016, doi: 10.1002/adma.201504403.
- [77] B. N. Chandrashekhar *et al.*, “Roll-to-Roll Green Transfer of CVD Graphene onto Plastic for a Transparent and Flexible Triboelectric Nanogenerator,” *Adv. Mater.*, vol. 27, no. 35, pp. 5210–5216, 2015, doi: 10.1002/adma.201502560.
- [78] R. Cheng *et al.*, “Flame-retardant textile-based triboelectric nanogenerators for fire protection applications,” *ACS Nano*, vol. 14, no. 11, pp. 15853–15863, 2020, doi: 10.1021/acsnano.0c07148.
- [79] J. Yi *et al.*, “Fully Fabric-Based Triboelectric Nanogenerators as Self-Powered Human–Machine Interactive Keyboards,” *Nano-Micro Lett.*, vol. 13, no. 1, p. 103, Dec. 2021, doi: 10.1007/s40820-021-00621-7.
- [80] R. D. I. Dharmasena, “Scalable Textile Manufacturing Methods for

Fabricating Triboelectric Nanogenerators with Balanced Electrical and Wearable Properties,” 2022, doi: 10.1021/acsaelm.1c01095.

- [81] D. Doganay *et al.*, “Fabric based wearable triboelectric nanogenerators for human machine interface,” *Nano Energy*, vol. 89, Nov. 2021.
- [82] B. Charroux, F. Daian, and J. Royet, “Drosophila Aversive Behavior toward Erwinia carotovora carotovora Is Mediated by Bitter Neurons and Leukokinin,” *iScience*, vol. 23, no. 6, p. 101152, 2020, doi: 10.1016/j.isci.
- [83] E. He *et al.*, “3D angle-interlock woven structural wearable triboelectric nanogenerator fabricated with silicone rubber coated graphene oxide/cotton composite yarn,” *Compos. Part B Eng.*, vol. 200, no. April, p. 108244, 2020, doi: 10.1016/j.compositesb.2020.108244.
- [84] V. U. Somkuwar, A. Pragya, and B. Kumar, “Structurally engineered textile-based triboelectric nanogenerator for energy harvesting application,” *J. Mater. Sci.*, vol. 55, no. 12, pp. 5177–5189, 2020, doi: 10.1007/s10853-020-04359-2.
- [85] T. Huang *et al.*, “Fabric texture design for boosting the performance of a knitted washable textile triboelectric nanogenerator as wearable power,” *Nano Energy*, vol. 58, pp. 375–383, 2019, doi: 10.1016/j.nanoen.2019.01.038.
- [86] C. Chen *et al.*, “3D double-faced interlock fabric triboelectric nanogenerator for bio-motion energy harvesting and as self-powered stretching and 3D tactile sensors,” *Mater. Today*, vol. 32, no. xx, pp. 84–93, 2020, doi: 10.1016/j.mattod.2019.10.025.
- [87] F. Xu *et al.*, “Scalable fabrication of stretchable and washable textile triboelectric nanogenerators as constant power sources for wearable electronics,” *Nano Energy*, vol. 88, no. May, p. 106247, 2021, doi: 10.1016/j.nanoen.2021.106247.
- [88] D. J. Spencer, *Knitting Technology*. 1983.
- [89] L. Ma *et al.*, “A Machine-Fabricated 3D Honeycomb-Structured Flame-Retardant Triboelectric Fabric for Fire Escape and Rescue,” *Adv. Mater.*, vol.

- 32, no. 38, pp. 1–10, 2020, doi: 10.1002/adma.202003897.
- [90] S. Materials, “d M pt,” 2020.
- [91] “What is IoT?” <https://www.oracle.com/internet-of-things/what-is-iot/>
- [92] N. Y. Philip, J. J. P. C. Rodrigues, H. Wang, S. J. Fong, and J. Chen, “Internet of Things for In-Home Health Monitoring Systems: Current Advances, Challenges and Future Directions,” *IEEE J. Sel. Areas Commun.*, vol. 39, no. 2, pp. 300–310, 2021, doi: 10.1109/JSAC.2020.3042421.
- [93] W. H. Organization, *mHealth: new horizons for health through mobile technologies: second global survey on eHealth*, 3rd ed. World Health Organization, 2011. [Online]. Available: <https://apps.who.int/iris/handle/10665/44607>
- [94] R. Alexandre and O. Postolache, “Wearable and IoT Technologies Application for Physical Rehabilitation,” *2018 Int. Symp. Sens. Instrum. IoT Era, ISSI 2018*, pp. 1–6, 2018, doi: 10.1109/ISSI.2018.8538058.
- [95] H. Zou *et al.*, “Quantifying the triboelectric series,” *Nat. Commun.*, vol. 10, no. 1, p. 1427, Dec. 2019, doi: 10.1038/s41467-019-09461-x.
- [96] D. Liu, L. Zhou, Z. L. Wang, and J. Wang, “Triboelectric nanogenerator: from alternating current to direct current,” *iScience*, vol. 24, no. 1, p. 102018, 2021, doi: 10.1016/j.isci.2020.102018.