

## References

- Alperovits, E., & Shamir, U. (1977). Design of optimal water distribution systems. *Water Resources Research*, 13(6). <https://doi.org/10.1029/WR013i006p00885>
- Azoumah, Y., Bieupoude, P., & Neveu, P. (2012). Optimal design of tree-shaped water distribution network using constructal approach: T-shaped and Y-shaped architectures optimization and comparison. *International Communications in Heat and Mass Transfer*, 39(2), 182–189. <https://doi.org/https://doi.org/10.1016/j.icheatmasstransfer.2011.12.003>
- Babayan, A., Kapelan, Z., Savic, D., & Walters, G. (2005). Least-Cost Design of Water Distribution Networks under Demand Uncertainty. *Journal of Water Resources Planning and Management*, 131(5), 375–382. [https://doi.org/10.1061/\(ASCE\)0733-9496\(2005\)131:5\(375\)](https://doi.org/10.1061/(ASCE)0733-9496(2005)131:5(375))
- Calhoun, C. A. (1970). Optimization of pipe systems by linear programming. *Proc. of the Institute on Control of Flow in Closed Conduits*, Ed. JP Tullis, Fort Collins: Colorado State University, 175–192.
- Cassiolato, G., Carvalho, E. P., Caballero, J. A., & Ravagnani, M. A. S. S. (2021). Optimization of water distribution networks using a deterministic approach. *Engineering Optimization*, 53(1), 107–124. <https://doi.org/10.1080/0305215X.2019.1702980>
- Cherchi, C., Badruzzaman, M., Oppenheimer, J., Bros, C. M., & Jacangelo, J. G. (2015). Energy and water quality management systems for water utility's operations: A review. *Journal of Environmental Management*, 153, 108–120. <https://doi.org/https://doi.org/10.1016/j.jenvman.2015.01.051>
- Cisty, M. (2010). Hybrid Genetic Algorithm and Linear Programming Method for Least-Cost Design of Water Distribution Systems. *Water Resources Management*, 24(1), 1–24. <https://doi.org/10.1007/s11269-009-9434-1>
- Costa, A. L. H., Medeiros, J. L. de, & Pessoa, F. L. P. (2000). Optimization of pipe networks including pumps by simulated annealing. *Brazilian Journal of Chemical Engineering*, 17(4–7), 887–896. <https://doi.org/10.1590/S0104-66322000000400053>
- Cross, H. (1936). *Analysis of flow in networks of conduits or conductors*. <http://hdl.handle.net/2142/4433>
- Cunha, M. da C., & Sousa, J. (1999). Water Distribution Network Design Optimization: Simulated Annealing Approach. *Journal of Water Resources Planning and Management*, 125(4), 215–221. [https://doi.org/10.1061/\(ASCE\)0733-9496\(1999\)125:4\(215\)](https://doi.org/10.1061/(ASCE)0733-9496(1999)125:4(215))
- da Conceição Cunha, M., & Ribeiro, L. (2004). Tabu search algorithms for water network optimization. *European Journal of Operational Research*, 157(3), 746–758. [https://doi.org/10.1016/S0377-2217\(03\)00242-X](https://doi.org/10.1016/S0377-2217(03)00242-X)

- Dandy, G. C., Simpson, A. R., & Murphy, L. J. (1996). An Improved Genetic Algorithm for Pipe Network Optimization. *Water Resources Research*, 32(2), 449–458. <https://doi.org/10.1029/95WR02917>
- Dobersek, D., & Goricanec, D. (2009). Optimisation of tree path pipe network with nonlinear optimisation method. *Applied Thermal Engineering*, 29(8), 1584–1591. <https://doi.org/https://doi.org/10.1016/j.applthermaleng.2008.07.017>
- Dorigo, M., Bonabeau, E., & Theraulaz, G. (2000). Ant algorithms and stigmergy. *Future Generation Computer Systems*, 16(8), 851–871. [https://doi.org/https://doi.org/10.1016/S0167-739X\(00\)00042-X](https://doi.org/https://doi.org/10.1016/S0167-739X(00)00042-X)
- Dorigo, M., & Di Caro, G. (1999). Ant colony optimization: a new meta-heuristic. *Proceedings of the 1999 Congress on Evolutionary Computation-CEC99 (Cat. No. 99TH8406)*, 2, 1470-1477 Vol. 2. <https://doi.org/10.1109/CEC.1999.782657>
- Dorigo, M., Maniezzo, V., & Colorni, A. (1996). Ant system: optimization by a colony of cooperating agents. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 26(1), 29–41. <https://doi.org/10.1109/3477.484436>
- Eiger, G., Shamir, U., & Ben-Tal, A. (1994). Optimal design of water distribution networks. *Water Resources Research*, 30(9), 2637–2646. <https://doi.org/10.1029/94WR00623>
- Eusuff, M. M., & Lansey, K. E. (2003). Optimization of Water Distribution Network Design Using the Shuffled Frog Leaping Algorithm. *Journal of Water Resources Planning and Management*, 129(3), 210–225. [https://doi.org/10.1061/\(ASCE\)0733-9496\(2003\)129:3\(210\)](https://doi.org/10.1061/(ASCE)0733-9496(2003)129:3(210))
- Faigle, U., & Kern, W. (1992). Some Convergence Results for Probabilistic Tabu Search. *ORSA Journal on Computing*, 4(1), 32–37. <https://doi.org/10.1287/ijoc.4.1.32>
- Fujiwara, O., & Dey, D. (1988). Method for Optimal Design of Branched Networks on Flat Terrain. *Journal of Environmental Engineering*, 114(6), 1464–1475. [https://doi.org/10.1061/\(ASCE\)0733-9372\(1988\)114:6\(1464\)](https://doi.org/10.1061/(ASCE)0733-9372(1988)114:6(1464))
- Fujiwara, O., & Khang, D. B. (1990). A two-phase decomposition method for optimal design of looped water distribution networks. *Water Resources Research*, 26(4), 539–549. <https://doi.org/10.1029/WR026i004p00539>
- Gencoglu, G., & Merzi, N. (2016). Trading-off Constraints in the Pump Scheduling Optimization of Water Distribution Networks. *Journal of Urban and Environmental Engineering*, 10(1), 135–143. <https://doi.org/10.4090/juee.2016.v10n1.135-143>
- Gessler, J., & Walski, T. M. (1985). Water Distribution System Optimization. *Army Engineer Waterways Experiment Station Vicksburg Ms Environmental Lab*, 3–85.
- Goldberg, D. E. (1989). *Genetic Algorithms in Search, Optimization and Machine Learning*. Boston: Addison-Wesley Reading.
- Gonçalves, G. M., Gouveia, L., & Pato, M. V. (2014). An improved decomposition-based heuristic to design a water distribution network for an irrigation system. *Annals of Operations Research*, 219(1), 141–167. <https://doi.org/10.1007/s10479-011-1036-7>

- Gupta, I. (1969). Linear Programming Analysis of a Water Supply System. *A I I E Transactions*, 1(1), 56–61. <https://doi.org/10.1080/05695556908974414>
- Hillier, F. S., & Lieberman, G. J. (1995). *Introduction to Operations Research*, McGraw Hill. New York: McGraw-Hill.
- Holland, J. H. (1975). *Adaptation in Natural and Artificial Systems* (2nd ed.). MIT Press.
- Jacoby, S. L. S. (1968). Design of Optimal Hydraulic Networks. *Journal of the Hydraulics Division*, 94(3), 641–662. <https://doi.org/10.1061/JYCEAJ.0001809>
- Jung, B. S., Karney, B. W., Boulos, P. F., & Wood, D. J. (2007). The need for comprehensive transient analysis of distribution systems. *Journal AWWA*, 99(1), 112–123. <https://doi.org/https://doi.org/10.1002/j.1551-8833.2007.tb07851.x>
- Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization. *Proceedings of ICNN'95 - International Conference on Neural Networks*, 1942–1948. <https://doi.org/10.1109/ICNN.1995.488968>
- Kim, J. H., & Mays, L. W. (1994). Optimal Rehabilitation Model for Water-Distribution Systems. *Journal of Water Resources Planning and Management*, 120(5), 674–692. [https://doi.org/10.1061/\(ASCE\)0733-9496\(1994\)120:5\(674\)](https://doi.org/10.1061/(ASCE)0733-9496(1994)120:5(674))
- Lansley, K. E., & Mays, L. W. (1989a). Optimization Model for Water Distribution System Design. *Journal of Hydraulic Engineering*, 115(10), 1401–1418. [https://doi.org/10.1061/\(ASCE\)0733-9429\(1989\)115:10\(1401\)](https://doi.org/10.1061/(ASCE)0733-9429(1989)115:10(1401))
- Lansley, K. E., & Mays, L. W. (1989b). Optimization Model for Water Distribution System Design. *Journal of Hydraulic Engineering*, 115(10), 1401–1418. [https://doi.org/10.1061/\(ASCE\)0733-9429\(1989\)115:10\(1401\)](https://doi.org/10.1061/(ASCE)0733-9429(1989)115:10(1401))
- León-Celi, C., Iglesias-Rey, P. L., Martínez-Solano, F. J., & Mora-Melia, D. (2016). A Methodology for the Optimization of Flow Rate Injection to Looped Water Distribution Networks through Multiple Pumping Stations. *Water*, 8(12). <https://doi.org/10.3390/w8120575>
- Lippai, I., Heaney, J. P., & Laguna, M. (1999). Robust Water System Design with Commercial Intelligent Search Optimizers. *Journal of Computing in Civil Engineering*, 13(3), 135–143. [https://doi.org/10.1061/\(ASCE\)0887-3801\(1999\)13:3\(135\)](https://doi.org/10.1061/(ASCE)0887-3801(1999)13:3(135))
- Makaremi, Y., Haghghi, A., & Ghafouri, H. R. (2017). Optimization of Pump Scheduling Program in Water Supply Systems Using a Self-Adaptive NSGA-II; a Review of Theory to Real Application. *Water Resources Management*, 31(4), 1283–1304. <https://doi.org/10.1007/s11269-017-1577-x>
- Mala-Jetmarova, H., Sultanova, N., & Savic, D. (2018). Lost in optimisation of water distribution systems? A literature review of system design. In *Water (Switzerland)* (Vol. 10, Issue 3). <https://doi.org/10.3390/w10030307>
- Mansouri, R., Torabi, H., Hoseini, M., & Morshedzadeh, H. (2015). Optimization of the Water Distribution Networks with Differential Evolution (DE) and Mixed Integer

- Linear Programming (MILP). *Journal of Water Resource and Protection*, 07(09), 715–729. <https://doi.org/10.4236/jwarp.2015.79059>
- Martínez-Bahena, B., Cruz-Chávez, M., Ávila-Melgar, E., Cruz-Rosales, M., & Rivera-Lopez, R. (2018). Using a Genetic Algorithm with a Mathematical Programming Solver to Optimize a Real Water Distribution System. *Water*, 10(10), 1318. <https://doi.org/10.3390/w10101318>
- Mays, W. L., & Tung, Y. K. (1992). *Hydrosystems Engineering and Management*. McGraw-Hill.
- Meirelles, G., Brentan, B., Izquierdo, J., Ramos, H., & Luvizotto, E. (2018). Trunk Network Rehabilitation for Resilience Improvement and Energy Recovery in Water Distribution Networks. *Water*, 10(6), 693. <https://doi.org/10.3390/w10060693>
- Montesinos, P., Garcia-Guzman, A., & Ayuso, J. L. (1999). Water distribution network optimization using a modified genetic algorithm. *Water Resources Research*, 35(11), 3467–3473. <https://doi.org/10.1029/1999WR900167>
- Morgan, D. R., & Goulter, I. C. (1985). Optimal urban water distribution design. *Water Resources Research*, 21(5), 642–652. <https://doi.org/10.1029/WR021i005p00642>
- Murphy, L. J., & Simpson, A. R. (1992). *Genetic algorithms in pipe network optimization*. University of Adelaide, Department of Civil and Environmental Engineering.
- Ramulongo, L., Nethengwe, N. S., & Musyoki, A. (2017). The Nature of Urban Household Water Demand and Consumption in Makhado Local Municipality: A Case Study of Makhado Newtown. *Procedia Environmental Sciences*, 37, 182–194. <https://doi.org/https://doi.org/10.1016/j.proenv.2017.03.033>
- Robinson, R. B., & Austin, Tom. A. (1976). Cost Optimization of Rural Water Systems. *Journal of the Hydraulics Division*, 102(8), 1119–1134. <https://doi.org/10.1061/JYCEAJ.0004597>
- Samani, H. M. V., & Mottaghi, A. (2006). Optimization of Water Distribution Networks Using Integer Linear Programming. *Journal of Hydraulic Engineering*, 132(5), 501–509. [https://doi.org/10.1061/\(ASCE\)0733-9429\(2006\)132:5\(501\)](https://doi.org/10.1061/(ASCE)0733-9429(2006)132:5(501))
- Samani, H. M. V., & Zanganeh, A. (2010). Optimisation of water networks using linear programming. *Proceedings of the Institution of Civil Engineers - Water Management*, 163(9), 475–485. <https://doi.org/10.1680/wama.2010.163.9.475>
- Sarbu, I. (2010). Numerical modelling and optimizations in building services. *Publishing House Polytechnica, Timisoara*.
- Sarbu, I., & Tokar, A. (2018). *Water Distribution Systems: Numerical modelling and optimisation*.
- Sela Perelman, L., & Amin, S. (2015). Control of tree water networks: A geometric programming approach. *Water Resources Research*, 51(10), 8409–8430. <https://doi.org/10.1002/2014WR016756>

- Shamir, U. (1974). Optimal Design and Operation of Water Distribution Systems. *Water Resources Research*, 10(1), 27–36. <https://doi.org/10.1029/WR010i001p00027>
- Shiono, N., Suzuki, H., & Saruwatari, Y. (2019). A dynamic programming approach for the pipe network layout problem. *European Journal of Operational Research*, 277(1), 52–61. <https://doi.org/https://doi.org/10.1016/j.ejor.2019.02.036>
- Simpson, A. R., Dandy, G. C., & Murphy, L. J. (1994). Genetic Algorithms Compared to Other Techniques for Pipe Optimization. *Journal of Water Resources Planning and Management*, 120(4), 423–443. [https://doi.org/10.1061/\(ASCE\)0733-9496\(1994\)120:4\(423\)](https://doi.org/10.1061/(ASCE)0733-9496(1994)120:4(423))
- Suribabu, C. R. (2012). Heuristic-Based Pipe Dimensioning Model for Water Distribution Networks. *Journal of Pipeline Systems Engineering and Practice*, 3(4), 115–124. [https://doi.org/10.1061/\(ASCE\)PS.1949-1204.0000104](https://doi.org/10.1061/(ASCE)PS.1949-1204.0000104)
- Swamee, P. K., Kumar, V., & Khanna, P. (1973). Optimization of Dead End Water Distribution Systems. *Journal of the Environmental Engineering Division*, 99(2), 123–134. <https://doi.org/10.1061/JEEGAV.0000025>
- Swamee, P. K., & Sharma, A. K. (2008). *Design of Water Supply Pipe Networks*. John Wiley & Sons.
- Unesco, World Water Assessment Programme (United Nations), & UN-Water. (2018). *Nature-based solutions for water*.
- Walski M., T., V. Chase, D., A. Savic, D., Grayman, Walter., Beckwith, Stephen., & Koelle, E. (2003). Advanced Water Distribution Modeling and Management. In *Methods*.
- Watanatada, T. (1973). Least-Cost Design of Water Distribution Systems. *Journal of the Hydraulics Division*, 99(9), 1497–1513. <https://doi.org/10.1061/JYCEAJ.0003742>
- Wu, Z. Y., & Simpson, A. R. (2001). Competent Genetic-Evolutionary Optimization of Water Distribution Systems. *Journal of Computing in Civil Engineering*, 15(2), 89–101. [https://doi.org/10.1061/\(ASCE\)0887-3801\(2001\)15:2\(89\)](https://doi.org/10.1061/(ASCE)0887-3801(2001)15:2(89))
- Young, B. (1994). Design of Branched-Water-Supply Network on Uneven Terrain. *Journal of Environmental Engineering*, 120(4), 974–979. [https://doi.org/10.1061/\(ASCE\)0733-9372\(1994\)120:4\(974\)](https://doi.org/10.1061/(ASCE)0733-9372(1994)120:4(974))
- Zhao, W., Beach, T. H., & Rezgwi, Y. (2016). Optimization of Potable Water Distribution and Wastewater Collection Networks: A Systematic Review and Future Research Directions. *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, 46(5), 659–681. <https://doi.org/10.1109/TSMC.2015.2461188>
- Zong Woo Geem, Joong Hoon Kim, & Loganathan, G. V. (2001). A New Heuristic Optimization Algorithm: Harmony Search. *SIMULATION*, 76(2), 60–68. <https://doi.org/10.1177/003754970107600201>