

5 REFERENCE

Ahring, B., 2003, Perspectives for Anaerobic Digestion: *Advances in Biochemical Engineering/Biotechnology*, p. 1-30.

Ajay, K., Jianzheng, L., Loring, N., and Ligu, Z., 2011, Research advances in dry anaerobic digestion process of solid organic wastes: *African Journal of Biotechnology*, v. 10, no. 65, p. 14242-14253.

Amon, T., Amon, B., Kryvoruchko, V., Zollitsch, W., Mayer, K., and Gruber, L., 2007, Biogas production from maize and dairy cattle manure—Influence of biomass composition on the methane yield: *Agriculture, Ecosystems & Environment*, v. 118, no. 1-4, p. 173-182.

Angelidaki, I., Boe, K., and Ellegaard, L., 2005, Effect of operating conditions and reactor configuration on efficiency of full-scale biogas plants: *Water Science and Technology*, v. 52, no. 1-2, p. 189-194.

Angelidaki, I., and Ellegaard, L., 2003, Codigestion of Manure and Organic Wastes in Centralized Biogas Plants: Status and Future Trends: *Applied Biochemistry and Biotechnology*, v. 109, no. 1-3, p. 95-106

Angelidaki, I. (2002). Environmental biotechnology, 12133. Lyngby, Denmark, The Technical University of Denmark.

APHA (2005) Standard methods for the examination of water and wastewater, 21st edn. American
463 Public Health Association, Washington, DC.

Austermann, S., Archer, E. and Whiting, K. J. (2007)

Awais, M., Alvarado-Morales, M., Tsapekos, P., Gulfraz, M., and Angelidaki, I., 2016, Methane Production and Kinetic Modeling for Co-digestion of Manure with Lignocellulosic Residues: *Energy & Fuels*, v. 30, no. 12, p. 10516-10523.

Bah, H., Zhang, W., Wu, S., Qi, D., Kizito, S., and Dong, R., 2014, Evaluation of batch anaerobic co-digestion of palm pressed fiber and cattle manure under mesophilic conditions: *Waste Management*, v. 34, no. 11, p. 1984-1991.

Björnsson, L., Murto, M., and Mattiasson, B., 2000, Evaluation of parameters for monitoring an anaerobic co-digestion process: *Applied Microbiology and Biotechnology*, v. 54, no. 6, p. 844-849.

Blomgren, A., Hansen, A., and Svensson, B., 1990, Enrichment of A Mesophilic, Syntrophic Bacterial Consortium Converting Acetate to Methane at High Ammonium Concentrations: *Microbiology and Biochemistry of Strict Anaerobes Involved in Interspecies Hydrogen Transfer*, p. 225-234.

Balows, Albert, Hans G. Trüper, Martin Dworkin, Wim Harder, and Karl-Heinz Schleifer. 2013. *The Prokaryotes: A Handbook on the Biology of Bacteria: Ecophysiology, Isolation, Identification, Applications*. Edited by Albert Balows, Hans G. Trüper, Martin Dworkin, Wim Harder, and Karl-Heinz Schleifer. 2nd ed. New York, NY: Springer. <https://doi.org/10.1007/978-1-4757-2191-1>.

Bocher, B., Cherukuri, K., Maki, J., Johnson, M., and Zitomer, D., 2015, Relating methanogen community structure and anaerobic digester function: *Water Research*, v. 70, p. 425-435

Boe, K., and Angelidaki, I., 2009, Serial CSTR digester configuration for improving biogas production from manure: *Water Research*, v. 43, no. 1, p. 166-172.

Castrillón, L., Fernández-Nava, Y., Ormaechea, P., and Marañón, E., 2013, Methane production from cattle manure supplemented with crude glycerin from the biodiesel industry in CSTR and IBR: *Bioresource Technology*, v. 127, p. 312-317.

Castrillón, L., Fernández-Nava, Y., Ormaechea, P., and Marañón, E., 2011, Optimization of biogas production from cattle manure by pre-treatment with ultrasound and co-digestion with crude glycerin: *Bioresource Technology*, v. 102, no. 17, p. 7845-7849.

Castrillón, L., Vázquez, I., Marañón, E., and Sastre, H., 2002, Anaerobic thermophilic treatment of cattle manure in UASB reactors: *Waste Management & Research*, v. 20, no. 4, p. 350-356.

Chiumenti, A., da Borso, F., and Limina, S., 2018, Dry anaerobic digestion of cow manure and agricultural products in a full-scale plant: Efficiency and comparison with wet fermentation: *Waste Management*, v. 71, p. 704-710.

Chiumenti, R., Chiumenti, A., da Borso, F., Limina, S., and Landa, A., 2009, Anaerobic Digestion of Swine Manure in Conventional and Hybrid Pilot Scale Plants: Performance and Gaseous Emissions Reduction: *2009 Reno, Nevada, June 21 - June 24, 2009*,.

Claassen, P., van Lier, J., Lopez Contreras, A., van Niel, E., Sijtsma, L., Stams, A., de Vries, S., and Weusthuis, R., 1999, Utilisation of biomass for the supply of energy carriers: *Applied Microbiology and Biotechnology*, v. 52, no. 6, p. 741-755.

Conrad, R., 1999, Contribution of hydrogen to methane production and control of hydrogen concentrations in methanogenic soils and sediments: *FEMS Microbiology Ecology*, v. 28, no. 3, p. 193-202.

de Alwis, A., 2002, Biogas – a review of Sri Lanka's performance with a renewable energy technology: *Energy for Sustainable Development*, v. 6, no. 1, p. 30-37.

Demirel, B., and Scherer, P., 2008, The roles of acetotrophic and hydrogenotrophic methanogens during anaerobic conversion of biomass to methane: a review: *Reviews in Environmental Science and Bio/Technology*, v. 7, no. 2, p. 173-190.

De Vrieze, J., Hennebel, T., Boon, N., and Verstraete, W., 2012, Methanosarcina: The rediscovered methanogen for heavy duty biomethanation: *Bioresource Technology*, v. 112, p. 1-9

Dolfing, Jan. 1992. "The Energetic Consequences of Hydrogen Gradients in Methanogenic Ecosystems." *FEMS Microbiology Letters* 101 (3): 183–87.

Dong, L., Cao, G., Guo, X., Liu, T., Wu, J., and Ren, N., 2019, Efficient biogas production from cattle manure in a plug flow reactor: A large scale long term study: *Bioresource Technology*, v. 278, p. 450-455.

DROSG, B., 2013, Process monitoring in biogas plants: *IEA Bioenergy*, , no. 978-1-910154-03-8

Dubinina, G., Grabovich, M., Leshcheva, N., Rainey, F., and Gavrish, E., 2011, Spirochaeta perfilievii sp. nov., an oxygen-tolerant, sulfide-oxidizing, sulfur- and thiosulfate-reducing spirochaete isolated from a saline spring: *International Journal of Systematic and Evolutionary Microbiology*, v. 61, no. 1, p. 110-117.

Escalante-Hernández, H., Castro-Molano, L., Besson, V., and Jaimes-Estévez, J., 2017, Feasibility of the anaerobic digestion of cheese whey in a Plug Flow Reactor (PFR) under local conditions: *Ingeniería, investigación y tecnología*, v. 18, no. 3, p. 264-277.

Feng, L., Chen, Y., and Zheng, X., 2009, Enhancement of Waste Activated Sludge Protein Conversion and Volatile Fatty Acids Accumulation during Waste Activated Sludge Anaerobic Fermentation by Carbohydrate Substrate Addition: The Effect of pH: *Environmental Science & Technology*, v. 43, no. 12, p. 4373-4380.

Fernández, C., Cuetos, M., Martínez, E., and Gómez, X., 2015, Thermophilic anaerobic digestion of cheese whey: Coupling H₂ and CH₄ production: *Biomass and Bioenergy*, v. 81, p. 55-62.

Gómez, X., Cuetos, M., Cara, J., Morán, A., and García, A., 2006, Anaerobic co-digestion of primary sludge and the fruit and vegetable fraction of the municipal solid wastes: *Renewable Energy*, v. 31, no. 12, p. 2017-2024.

González-Fernández, C., and García-Encina, P., 2009, Impact of substrate to inoculum ratio in anaerobic digestion of swine slurry: *Biomass and Bioenergy*, v. 33, no. 8, p. 1065-1069.

Han, G., Shin, S., Cho, K., Lee, J., Kim, W., and Hwang, S., 2018, Temporal variation in bacterial and methanogenic communities of three full-scale anaerobic digesters treating swine wastewater: *Environmental Science and Pollution Research*, v. 26, no. 2, p. 1217-1226.

Herrmann, C., Kalita, N., Wall, D., Xia, A., and Murphy, J., 2016, Optimised biogas production from microalgae through co-digestion with carbon-rich co-substrates: *Bioresource Technology*, v. 214, p. 328-337.

Hu, Y., Shen, F., Yuan, H., Zou, D., Pang, Y., Liu, Y., Zhu, B., Chufo, W., Jaffar, M., and Li, X., 2014, Influence of recirculation of liquid fraction of the digestate (LFD) on maize stover anaerobic digestion: *Biosystems Engineering*, v. 127, p. 189-196.

James, S. C., C. C. Wiles, J. T. Swartzbaugh, and R. B. Smith. 1980. "Mixing in Large-Scale Municipal Solid Waste-Sewage Sludge Anaerobic Digesters." Vol. 10.

Jiang, J., Zhang, Y., Li, K., Wang, Q., Gong, C., and Li, M., 2013, Volatile fatty acids production from food waste: Effects of pH, temperature, and organic loading rate: *Bioresource Technology*, v. 143, p. 525-530.

Kaparaju, P., Buendia, I., Ellegaard, L., and Angelidakia, I., 2008, Effects of mixing on methane production during thermophilic anaerobic digestion of manure: Lab-scale and pilot-scale studies: *Bioresource Technology*, v. 99, no. 11, p. 4919-4928.

Kastner, V., Somitsch, W., and Schnitzhofer, W., 2012, The anaerobic fermentation of food waste: a comparison of two bioreactor systems: *Journal of Cleaner Production*, v. 34, p. 82-90.

Kayhanian, M., 1999, Ammonia Inhibition in High-Solids Biogasification: An Overview and Practical Solutions: *Environmental Technology*, v. 20, no. 4, p. 355-365.

Kusch, S., Oechsner, H., and Jungbluth, T., 2008, Biogas production with horse dung in solid-phase digestion systems: *Bioresource Technology*, v. 99, no. 5, p. 1280-1292.

Krzysztof Ziemiński, 2012, Methane fermentation process as anaerobic digestion of biomass: Transformations, stages and microorganisms: *AFRICAN JOURNAL OF BIOTECHNOLOGY*, v. 11, no. 18.

Lansing, S., Viquez, J., Martínez, H., Botero, R., and Martin, J., 2008, Quantifying electricity generation and waste transformations in a low-cost, plug-flow anaerobic digestion system: *Ecological Engineering*, v. 34, no. 4, p. 332-348.

Lansing, Stephanie, Jay F. Martin, Raúl Botero Botero, Tatiana Nogueira da Silva, and Ederson Dias da Silva. 2010. "Methane Production in Low-Cost, Unheated, Plug-Flow Digesters Treating Swine Manure and Used Cooking Grease." *Bioresource Technology* 101 (12): 4362–70.

Liu, T., 1998, Anaerobic digestion of solid substrates in an innovative two-phase plug-flow reactor (TPPFR) and a conventional single-phase continuously stirred-tank reactor: *Water Science and Technology*, v. 38, no. 8-9, p. 453-461.

Liu, Y., and Whitman, W., 2008, Metabolic, Phylogenetic, and Ecological Diversity of the Methanogenic Archaea: *Annals of the New York Academy of Sciences*, v. 1125, no. 1, p. 171-189.

Li, Y., Chen, P., and Yu, Z., 2014, Spatial and temporal variations of microbial community in a mixed plug-flow loop reactor fed with dairy manure: *Microbial Biotechnology*, v. 7, no. 4, p. 332-346.

Lönnqvist, T., 2017, Biogas in Swedish transport – a policy-driven systemic transition: KTH Royal Institute of Technology, Stockholm.

Marañón, E., Castrillón, L., Vázquez, I., and Sastre, H., 2001, The influence of hydraulic residence time on the treatment of cattle manure in UASB reactors: *Waste Management & Research*, v. 19, no. 5, p. 436-441.

Massé, D., Gilbert, Y., Saady, N., and Liu, C., 2013, Low-temperature anaerobic digestion of swine manure in a plug-flow reactor: *Environmental Technology*, v. 34, no. 18, p. 2617-2624.

McMahon, K., 2001, Anaerobic codigestion of municipal solid waste and biosolids under various mixing conditions—II: microbial population dynamics: *Water Research*, v. 35, no. 7, p. 1817-1827

Metcalf E. Inc., wastewater engineering, treatment and reuse. New York: McGraw- Hill; 2003.

Morgenroth, E., Kommedal, R., and Harremoës, P., 2002, Processes and modeling of hydrolysis of particulate organic matter in aerobic wastewater treatment – a review: *Water Science and Technology*, v. 45, no. 6, p. 25-40.

Müller, T., Walter, B., Wirtz, A., and Burkovski, A., 2006, Ammonium Toxicity in Bacteria: *Current Microbiology*, v. 52, no. 5, p. 400-406.

Musafer, N. M. (2005). Biogas technology utilization in sri lanka. International Seminar on Biogas Technology for Poverty Reduction and Sustainable Development, Beijing.

Nallathambi Gunaseelan, V., 2009, Biomass estimates, characteristics, biochemical methane potential, kinetics and energy flow from *Jatropha curcus* on dry lands: *Biomass and Bioenergy*, v. 33, no. 4, p. 589-596.

Neshat, S., Mohammadi, M., Najafpour, G., and Lahijani, P., 2017, Anaerobic co-digestion of animal manures and lignocellulosic residues as a potent approach for sustainable biogas production: *Renewable and Sustainable Energy Reviews*, v. 79, p. 308-322.

Noike, T., Endo, G., Chang, J., Yaguchi, J., and Matsumoto, J., 1985, Characteristics of carbohydrate degradation and the rate-limiting step in anaerobic digestion: *Biotechnology and Bioengineering*, v. 27, no. 10, p. 1482-1489.

Parawira, W., Murto, M., Read, J., and Mattiasson, B., 2005, Profile of hydrolases and biogas production during two-stage mesophilic anaerobic digestion of solid potato waste: *Process Biochemistry*, v. 40, no. 9, p. 2945-2952.

Parawira, W., Read, J., Mattiasson, B., and Björnsson, L., 2008, Energy production from agricultural residues: High methane yields in pilot-scale two-stage anaerobic digestion: *Biomass and Bioenergy*, v. 32, no. 1, p. 44-50.

Patinvoh, R., Kalantar Mehrjerdi, A., Sárvári Horváth, I., and Taherzadeh, M., 2017, Dry fermentation of manure with straw in continuous plug flow reactor: Reactor development and process stability at different loading rates: *Bioresource Technology*, v. 224, p. 197-205.

Payne, S. (2010). "Plans to build biomass power plant plans at airfield."

Perera, K., Rathnasiri, P., Senarath, S., Sugathapala, A., Bhattacharya, S., and Abdul Salam, P., 2005, Assessment of sustainable energy potential of non-plantation biomass resources in Sri Lanka: *Biomass and Bioenergy*, v. 29, no. 3, p. 199-213.

Pind, P., Angelidaki, I., and Ahring, B., 2003, Dynamics of the anaerobic process: Effects of volatile fatty acids: *Biotechnology and Bioengineering*, v. 82, no. 7, p. 791-801.

Procházka, J., Dolejš, P., Máca, J., and Dohányos, M., 2011, Stability and inhibition of anaerobic processes caused by insufficiency or excess of ammonia nitrogen: *Applied Microbiology and Biotechnology*, v. 93, no. 1, p. 439-447.

Rajagopal, R., Massé, D., and Singh, G., 2013, A critical review on inhibition of anaerobic digestion process by excess ammonia: *Bioresource Technology*, v. 143, p. 632-641.

Saddoud, A., Hassaïri, I., and Sayadi, S., 2007, Anaerobic membrane reactor with phase separation for the treatment of cheese whey: *Bioresource Technology*, v. 98, no. 11, p. 2102-2108.

Sarada, R., and Joseph, R., 1993, Profile of hydrolases acting on major macromolecules of tomato processing waste during anaerobic digestion: *Enzyme and Microbial Technology*, v. 15, no. 4, p. 339-342.

^

Schink, B., 1997, Energetics of syntrophic cooperation in methanogenic degradation.: *Microbiology and molecular biology reviews : MMBR*, v. 61, no. 2, p. 262-280.

Shahriari, H., Warith, M., Hamoda, M., and Kennedy, K., 2012, Effect of leachate recirculation on mesophilic anaerobic digestion of food waste: *Waste Management*, v. 32, no. 3, p. 400-403.

SOMMER, S., OLESEN, J., PETERSEN, S., WEISBJERG, M., VALLI, L., RODHE, L., and BÉLINE, F., 2009, Region-specific assessment of greenhouse gas mitigation with different manure management strategies in four agroecological zones: *Global Change Biology*, v. 15, no. 12, p. 2825-2837.

Sprott, G., and Patel, G., 1986, Ammonia toxicity in pure cultures of methanogenic bacteria: *Systematic and Applied Microbiology*, v. 7, no. 2-3, p. 358-363.

Sung, S., and Liu, T., 2003, Ammonia inhibition on thermophilic anaerobic digestion: *Chemosphere*, v. 53, no. 1, p. 43-52.

Tchobanoglous, G. and Kreith, F. (2002). Handbook of solid waste management (2nd edition), McGraw-Hill Professional.

Ugwuanyi, J., Harvey, L., and McNeil, B., 2004, Development of thermophilic populations, amylase and cellulase enzyme activities during thermophilic aerobic digestion of model agricultural waste slurry: *Process Biochemistry*, v. 39, no. 11, p. 1661-1669.

Varol, A., and Ugurlu, A., 2016, Comparative evaluation of biogas production from dairy manure and co-digestion with maize silage by CSTR and new anaerobic hybrid reactor: *Engineering in Life Sciences*, v. 17, no. 4, p. 402-412.

Vavilin, V., and Angelidaki, I., 2004, Anaerobic degradation of solid material: Importance of initiation centers for methanogenesis, mixing intensity, and 2D distributed model: *Biotechnology and Bioengineering*, v. 89, no. 1, p. 113-122.

Wang, X., Li, Z., Bai, X., Zhou, X., Cheng, S., Gao, R., and Sun, J., 2018, Study on improving anaerobic co-digestion of cow manure and corn straw by fruit and vegetable waste: Methane production and microbial community in CSTR process: *Bioresource Technology*, v. 249, p. 290-297.

Wang, Y., Zhang, W., Dong, H., Zhu, Z., and Li, B., 2017, Performance Evaluation of a Large-Scale Swine Manure Mesophilic Biogas Plant in China: *Transactions of the ASABE*, v. 60, no. 5, p. 1713-1720.

Yan, Miao, Ioannis A. Fotidis, Hailin Tian, Benyamin Khoshnevisan, Laura Treu, Panagiotis Tsapekos, and Irimi Angelidaki. 2019. "Acclimatization Contributes to Stable Anaerobic Digestion of Organic Fraction of Municipal Solid Waste under Extreme Ammonia Levels: Focusing on Microbial Community Dynamics." *Bioresource Technology* 286 (121376): 121376.

Yang, L., Xu, F., Ge, X., and Li, Y., 2015, Challenges and strategies for solid-state anaerobic digestion of lignocellulosic biomass: *Renewable and Sustainable Energy Reviews*, v. 44, p. 824-834.

Yan, Z., Song, Z., Li, D., Yuan, Y., Liu, X., and Zheng, T., 2015, The effects of initial substrate concentration, C/N ratio, and temperature on solid-state anaerobic digestion from composting rice straw: *Bioresource Technology*, v. 177, p. 266-273.

YEN, H., and BRUNE, D., 2007, Anaerobic co-digestion of algal sludge and waste paper to produce methane: *Bioresource Technology*, v. 98, no. 1, p. 130-134.

Yue, Z., Teater, C., MacLellan, J., Liu, Y., and Liao, W., 2011, Development of a new bioethanol feedstock – Anaerobically digested fiber from confined dairy operations using different digestion configurations: *Biomass and Bioenergy*, v. 35, no. 5, p. 1946-1953.

Zahedi, S., D. Sales, L. I. Romero, and R. Solera. 2013. “Optimisation of Single-Phase Dry-Thermophilic Anaerobic Digestion under High Organic Loading Rates of Industrial Municipal Solid Waste: Population Dynamics.” *Bioresource Technology* 146: 109–17.

Zhou, M., Yan, B., Wong, J., and Zhang, Y., 2018, Enhanced volatile fatty acids production from anaerobic fermentation of food waste: A mini-review focusing on acidogenic metabolic pathways: *Bioresource Technology*, v. 248, p. 68-78.

Zoetemeyer, R., Matthijsen, A., Cohen, A., and Boelhouwer, C., 1982, Product inhibition in the acid forming stage of the anaerobic digestion process: *Water Research*, v. 16, no. 5, p. 633-639.