

REFERENCES

- [1] “Ergonomics — Manual handling — Part 1: Lifting and carrying,” International Organization for Standardization, Geneva, CH, Standard, 2003. 1, 4, 15
- [2] D. B. Chaffin, G. Andersson, and B. J. Martin, *Occupational Biomechanics*. Hoboken, N.J.: Wiley-Interscience, 2006. 1, 59, 60
- [3] “Lower limb MSD. Scoping work to help inform advice and research planning,” Health and Safety Executive, United Kingdom, RR 706 Reserach Report, 2009. 1, 4
- [4] M. Nordin, G. B. J. Andersson, and M. H. Pope, *Musculoskeletal Disorders in the Workplace: Principles and Practice*, 1st ed. Mosby, 1997. 1, 4, 13, 19, 51
- [5] “Work-related musculoskeletal disorder statistics (WRMSDs) in Great Britain, 2020,” Health and Safety Executive, United Kingdom, Annual Statistics, 2020. 1, 2
- [6] “Work-related musculoskeletal disorders: prevalence, costs and demographics in the eu,” European Agency for Safety and Health at Work, Luxembourg: Publications Office of the European Union, European Risk Observatory Report, 2019. 2, 3, 4
- [7] “The Health and Occupation Research (THOR) network Annual Report,” University of Manchester, United Kingdom, Annual Report, 2020. 2
- [8] “Injuries, illnesses, and fatalities,” accessed: 2021-08-28. [Online]. Available: <https://www.bls.gov/iif/oshwc/case/msds.htm> 2
- [9] “Work-related musculoskeletal disorders in australia 2019,” Canberra: Safe Work Australia, Annual Report, 2019. 2
- [10] J. C. D’Souza, A. Franzblau, and R. A. Werner, “Review of epidemiologic studies on occupational factors and lower extremity musculoskeletal and vascular disorders and symptoms,” *Journal of occupational rehabilitation*, vol. 15, no. 2, pp. 129–165, 2005. 2, 4
- [11] L. Bruchal, “Occupational knee disorders: An overview,” *Advances in Industrial Ergonomics and Safety VII*, pp. 89–93, 1995. 2
- [12] “Workplace injuries and illnesses in 2006,” US Bureau of Labor Statistics, Washington D.C.: United States Department of Labor, Annual Report, 2007. 4

- [13] C. R. Reid, P. M. Bush, N. H. Cummings, D. L. McMullin, and S. K. Durrani, “A review of occupational knee disorders,” *Journal of occupational rehabilitation*, vol. 20, no. 4, pp. 489–501, 2010. 4
- [14] A. M. Dollar and H. Herr, “Lower extremity exoskeletons and active orthoses: challenges and state-of-the-art,” *IEEE Transactions on robotics*, vol. 24, no. 1, pp. 144–158, 2008. 5, 11
- [15] H. Herr, “Exoskeletons and orthoses: classification, design challenges and future directions,” *Journal of neuroengineering and rehabilitation*, vol. 6, no. 1, pp. 1–9, 2009. 5, 11
- [16] M. K. Vukobratovic, “When were active exoskeletons actually born?” *International Journal of Humanoid Robotics*, vol. 4, no. 03, pp. 459–486, 2007. 5
- [17] A. J. Young and D. P. Ferris, “State of the art and future directions for lower limb robotic exoskeletons,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 2, pp. 171–182, 2016. 5, 10, 11, 21
- [18] B. S. Rupal, S. Rafique, A. Singla, E. Singla, M. Isaksson, and G. S. Virk, “Lower-limb exoskeletons: Research trends and regulatory guidelines in medical and non-medical applications,” *International Journal of Advanced Robotic Systems*, vol. 14, no. 6, p. 1729881417743554, 2017. 5, 7, 11
- [19] “Rewalk robotics - more than walking,” accessed: 2021-08-10. [Online]. Available: <https://rewalk.com/> 8
- [20] “Ekso bionics - pioneers in wearable bionic exoskeleton suits,” accessed: 2021-08-10. [Online]. Available: <https://eksobionics.com/> 8
- [21] “Phoenix medical exoskeleton. suitx,” accessed: 2021-08-22. [Online]. Available: <https://www.suitx.com/phoenix-medical-exoskeleton> 8
- [22] “Indego - powering people forward,” accessed: 2021-08-10. [Online]. Available: <http://www.indego.com/> 8
- [23] “Exoatlet home,” accessed: 2021-08-23. [Online]. Available: <https://exoatlet.lu/> 8
- [24] “Rex bionics - reimagining rehabilitation,” accessed: 2021-08-10. [Online]. Available: <https://www.rexbionics.com/> 8
- [25] “Lokomat® - hocoma,” accessed: 2021-08-10. [Online]. Available: <https://www.hocoma.com/solutions/lokomat/> 9

- [26] “Autoambulator® | encompass health,” accessed: 2021-08-23. [Online]. Available: <https://encompasshealth.com/inpatient-rehabilitation/irf-our-technology/autoambulator> 9
- [27] “Introduction of walkbot rehabilitation gait robot,” accessed: 2021-08-23. [Online]. Available: <http://walkbot.co.kr/introduction/> 9
- [28] “Kineassist - enabling advanced recovery | woodway,” accessed: 2021-08-10. [Online]. Available: <https://www.woodway.com/products/kineassist/> 9
- [29] “Loko help the way to walk,” accessed: 2021-08-23. [Online]. Available: <https://www.woodway.com/products/loko-help/> 9
- [30] “Reha technology – a passion for robot-assisted gait therapy,” accessed: 2021-08-23. [Online]. Available: <https://www.rehatechnology.com/en/> 9
- [31] “Walktrainer - swortec sa,” accessed: 2021-08-23. [Online]. Available: <http://www.swortec.ch/index.php/products/walktrainer> 9
- [32] “Motionmaker - swortec sa,” accessed: 2021-08-23. [Online]. Available: <http://www.swortec.ch/index.php/products/walktrainer> 9
- [33] “Guardian® xo full-body powered exoskeleton,” accessed: 2021-08-23. [Online]. Available: <https://www.sarcos.com/products/guardian-xo-powered-exoskeleton/> 9
- [34] “Hercule exoskeleton,” accessed: 2021-08-23. [Online]. Available: <https://www.sciencephoto.com/media/620512/view/hercule-exoskeleton> 9
- [35] “Human universal load carrier (hulc) - army technology,” accessed: 2021-08-10. [Online]. Available: <https://www.army-technology.com/projects/human-universal-load-carrier-hulc/> 9
- [36] “Hal lower limbtype for well-being (hal-fl series),” accessed: 2021-08-23. [Online]. Available: <https://www.cyberdyne.jp/english/products/fl05.html> 9
- [37] “Video: Kawasaki’s power-assist robot suit helps humans lift heavy objects,” accessed: 2021-08-23. [Online]. Available: <https://techcrunch.com/2011/09/21/video-kawasakis-power-assist-robot-suit-helps-humans-lift-heavy-objects/> 9
- [38] “Power loader light: Panasonic starts selling mecha robot suits,” accessed: 2021-08-23. [Online]. Available: <https://techcrunch.com/2010/10/26/power-loader-light-panasonic-starts-selling-mecha-robot-suits/> 9

- [39] “Honda unveils experimental walking assist device with bodyweight support system,” accessed: 2021-08-23. [Online]. Available: <https://hondanews.com/en-US/releases/honda-unveils-experimental-walking-assist-device-with-bodyweight-support-system> 9
- [40] “Noonee – chairless chair,” accessed: 2021-08-23. [Online]. Available: <https://www.noonee.com/> 9
- [41] “Legx,” accessed: 2021-08-23. [Online]. Available: <https://www.suitx.com/legx> 9
- [42] “Exoskeleton technologies - fortis - lockheed martin,” accessed: 2021-08-10. [Online]. Available: <https://www.lockheedmartin.com/en-us/products/exoskeleton-technologies/industrial.html> 9
- [43] “Exopush,” accessed: 2021-08-23. [Online]. Available: <https://www.rb3d.com/en/exosquelettes> 9
- [44] “Effects of aging and aging simulations | genworth,” accessed: 2021-08-23. [Online]. Available: <https://www.genworth.com/aging-and-you/health.html> 9
- [45] “Axonsuit,” accessed: 2021-08-23. [Online]. Available: <https://xinreality.com/wiki/AxonSuit> 9
- [46] L. M. Mooney, E. J. Rouse, and H. M. Herr, “Autonomous exoskeleton reduces metabolic cost of human walking,” *Journal of neuroengineering and rehabilitation*, vol. 11, no. 1, pp. 1–6, 2014. 11, 30
- [47] S. H. Collins, M. B. Wiggin, and G. S. Sawicki, “Reducing the energy cost of human walking using an unpowered exoskeleton,” *Nature*, vol. 522, no. 7555, pp. 212–215, 2015. 11
- [48] R. M. Alexander, “Energy-saving mechanisms in walking and running,” *Journal of Experimental Biology*, vol. 160, no. 1, pp. 55–69, 1991. 12, 81
- [49] G. A. Cavagna, N. C. Heglund, and C. R. Taylor, “Mechanical work in terrestrial locomotion: two basic mechanisms for minimizing energy expenditure,” *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, vol. 233, no. 5, pp. R243–R261, 1977. 12
- [50] G. A. Cavagna, “Storage and utilization of elastic energy in skeletal muscle,” *Exercise and sport sciences reviews*, vol. 5, no. 1, pp. 89–130, 1977. 12, 81

- [51] F. C. Anderson and M. G. Pandy, “Storage and utilization of elastic strain energy during jumping,” *Journal of biomechanics*, vol. 26, no. 12, pp. 1413–1427, 1993. [12](#), [13](#)
- [52] S. Liochev, “Which Is the Most Significant Cause of Aging?” *Antioxidants*, vol. 4, no. 4, pp. 793–810, 2015. [12](#)
- [53] D. A. Neumann, *Kinesiology of the musculoskeletal system: foundations for physical rehabilitation*. C.V. Mosby Co., 2002. [20](#), [22](#), [23](#), [24](#), [28](#)
- [54] J. Richardson and Z. A. Iglarsh, *Clinical Orthopaedic Physical Therapy*. W.B. Saunders Co., 1994. [20](#), [22](#)
- [55] K. Hyodo, T. Masuda, J. Aizawa, T. Jinno, and S. Morita, “Hip, knee, and ankle kinematics during activities of daily living: a cross-sectional study,” *Brazilian journal of physical therapy*, vol. 21, no. 3, pp. 159–166, 2017. [21](#)
- [56] J. Rose and J. G. Gamble, *Human walking*. Lippincott Williams & Wilkins, 2006. [24](#)
- [57] D. A. Winter, *Biomechanics and Motor Control of Human Movement*. John Wiley & Sons, Inc., 2009. [28](#), [55](#)
- [58] N. Aliman, R. Ramli, and S. M. Haris, “Design and development of lower limb exoskeletons: A survey,” *Robotics and Autonomous Systems*, vol. 95, pp. 102–116, 2017. [28](#)
- [59] M. Cenciarini and A. M. Dollar, “Biomechanical considerations in the design of lower limb exoskeletons,” in *IEEE International conference on rehabilitation robotics*. IEEE, 2011, pp. 1–6. [28](#)
- [60] B. R. Umberger and P. E. Martin, “Mechanical power and efficiency of level walking with different stride rates,” *Journal of Experimental Biology*, vol. 210, no. 18, pp. 3255–3265, 2007. [28](#)
- [61] R. Riener, M. Rabuffetti, and C. Frigo, “Stair ascent and descent at different inclinations,” *Gait & posture*, vol. 15, no. 1, pp. 32–44, 2002. [28](#)
- [62] S. Hwang, Y. Kim, and Y. Kim, “Lower extremity joint kinetics and lumbar curvature during squat and stoop lifting,” *BMC musculoskeletal disorders*, vol. 10, no. 1, pp. 1–10, 2009. [28](#)
- [63] H. R. Lehneis, “Plastic ankle-foot orthoses: Indications and functions,” *Prosthetics and Orthotics Clinic*, vol. 4, no. 2, 1980. [30](#)

- [64] H. Teyssevre and G. Lefort, “Dynamic orthosis,” Germany Patent DE60 300 319T2, 3 17, 2005. [Online]. Available: <https://patents.google.com/patent/DE60300319D1/en> 30
- [65] A. Erdogan, B. Celebi, A. C. Satici, and V. Patoglu, “Assist on-ankle: A reconfigurable ankle exoskeleton with series-elastic actuation,” *Autonomous Robots*, vol. 41, no. 3, p. 743–758, 2016. 31
- [66] Y. Fan and Y. Yin, “Mechanism design and motion control of a parallel ankle joint for rehabilitation robotic exoskeleton,” in *IEEE International Conference on Robotics and Biomimetics*, 2009, pp. 2527–2532. 32
- [67] L. W. Forrester, A. Roy, R. N. Goodman, J. Rietschel, J. E. Barton, H. I. Krebs, and R. F. Macko, “Clinical application of a modular ankle robot for stroke rehabilitation,” *NeuroRehabilitation*, vol. 33, no. 1, p. 85–97, 2013. 32
- [68] H. Choi, Y. J. Park, K. Seo, J. Lee, S.-e. Lee, and Y. Shim, “A multifunctional ankle exoskeleton for mobility enhancement of gait-impaired individuals and seniors,” *IEEE Robotics and Automation Letters*, vol. 3, no. 1, pp. 411–418, 2018. 32
- [69] L. Mooney, E. Rouse, and H. Herr, “Autonomous exoskeleton reduces metabolic cost of human walking,” *Journal of NeuroEngineering and Rehabilitation*, vol. 11, no. 1, p. 151, 2014. 32
- [70] S. Collins, M. Wiggin, and G. Sawicki, “Nature,” *Reducing the energy cost of human walking using an unpowered exoskeleton*, vol. 522, pp. 212–215, 2015. 33
- [71] A. Weerasingha, A. Pragnathilaka, W. Withanage, R. Ranaweera, and R. Gopura, “C-jae: 3 dof robotic ankle exoskeleton with compatible joint axes,” in *Moratuwa Engineering Research Conference*. IEEE, 2018, pp. 270–275. 33
- [72] J. Zhu, Q. Wang, Y. Huang, and L. Wang, “Adding compliant joints and segmented foot to bio-inspired below-knee exoskeleton,” in *IEEE International Conference on Robotics and Automation*, 2011, pp. 605–610. 33
- [73] M. Moltedo, T. Bacek, K. Junius, B. Vanderborght, and D. Lefeber, “Mechanical design of a lightweight compliant and adaptable active ankle foot orthosis,” in *6th IEEE International Conference on Biomedical Robotics and Biomechanics*, 2016, pp. 1224–1229. 33
- [74] M. A. Ergin and V. Patoglu, “A self-adjusting knee exoskeleton for robot-assisted treatment of knee injuries,” in *2011 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2011, pp. 4917–4922. 34

- [75] B. Celebi, M. Yalcin, and V. Patoglu, “Assiston-knee: A self-aligning knee exoskeleton,” in *2013 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2013, pp. 996–1002. 34
- [76] Y. Liao, Z. Zhou, and Q. Wang, “Biokex: A bionic knee exoskeleton with proxy-based sliding mode control,” in *2015 IEEE International Conference on Industrial Technology*, 2015, pp. 125–130. 34
- [77] L. Saccares, I. Sarakoglou, and N. G. Tsagarakis, “it-knee: An exoskeleton with ideal torque transmission interface for ergonomic power augmentation,” in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2016, pp. 780–786. 34
- [78] S. Jun, X. Zhou, D. K. Ramsey, and V. N. Krovi, “Smart knee brace design with parallel coupled compliant plate mechanism and pennate elastic band spring,” *Journal of Mechanisms and Robotics*, vol. 7, no. 4, p. 041024, 2015. 34
- [79] B. Choi, Y. Lee, Y.-J. Kim, J. Lee, M. Lee, S.-g. Roh, Y. J. Park, K. Kim, and Y. Shim, “Development of adjustable knee joint for walking assistance devices,” in *IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 2017, pp. 1790–1797. 35
- [80] A. Wilkening, S. Hacker, H. Stöppler, L. Dürselen, and O. Ivlev, “Experimental and simulation-based investigation of polycentric motion of an inherent compliant pneumatic bending actuator with skewed rotary elastic chambers,” *Robotics*, vol. 6, no. 1, p. 2, 2017. 36
- [81] Y. Yu, H. Tao, W. Liang, J. Yao, and Y. Ge, “A parallel mechanism and pseudo-compliance control using on wearable power assist hips,” in *IEEE International Conference on Mechatronics and Automation*. IEEE, 2012, pp. 1502–1507. 36
- [82] J. Beil and T. Asfour, “New mechanism for a 3 dof exoskeleton hip joint with five revolute and two prismatic joints,” in *6th IEEE International Conference on Biomedical Robotics and Biomechatronics*. IEEE, 2016, pp. 787–792. 37
- [83] K. Seo, J. Lee, Y. Lee, T. Ha, and Y. Shim, “Fully autonomous hip exoskeleton saves metabolic cost of walking,” in *IEEE International Conference on Robotics and Automation*. IEEE, 2016, pp. 4628–4635. 37
- [84] W. Yang, C.-j. Yang, and T. Xu, “Human hip joint center analysis for biomechanical design of a hip joint exoskeleton,” *Frontiers of Information Technology & Electronic Engineering*, vol. 17, no. 8, pp. 792–802, 2016. 37

- [85] K. Junius, M. Degelaen, N. Lefeber, E. Swinnen, B. Vanderborght, and D. Lefeber, “Bilateral, misalignment-compensating, full-dof hip exoskeleton: design and kinematic validation,” *Applied bionics and biomechanics*, vol. 2017, 2017. 37
- [86] T. Zhang, M. Tran, and H. Huang, “Design and experimental verification of hip exoskeleton with balance capacities for walking assistance,” *IEEE/ASME Transactions on mechatronics*, vol. 23, no. 1, pp. 274–285, 2018. 37
- [87] N. d’Elia, F. Vanetti, M. Cempini, G. Pasquini, A. Parri, M. Rabuffetti, M. Ferrarin, R. Molino Lova, and N. Vitiello, “Physical human-robot interaction of an active pelvis orthosis: toward ergonomic assessment of wearable robots,” *Journal of neuroengineering and rehabilitation*, vol. 14, no. 1, pp. 1–14, 2017. 37
- [88] m. Önen, F. M. Botsalı, M. Kalyoncu, M. Tınkır, N. Yılmaz, and Y. Şahin, “Design and actuator selection of a lower extremity exoskeleton,” *IEEE/ASME Transactions on Mechatronics*, vol. 19, no. 2, pp. 623–632, 2014. 38
- [89] S. Wang, L. Wang, C. Meijneke, E. van Asseldonk, T. Hoellinger, G. Cheron, Y. Ivanenko, V. La Scaleia, F. Sylos-Labini, M. Molinari, F. Tamburella, I. Pisotta, F. Thorsteinsson, M. Ilzkovitz, J. Gancet, Y. Nevatia, R. Hauffe, F. Zanow, and H. van der Kooij, “Design and control of the mindwalker exoskeleton,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 23, no. 2, pp. 277–286, 2015. 38
- [90] A. Zoss, H. Kazerooni, and A. Chu, “Biomechanical design of the berkeley lower extremity exoskeleton (bleex),” *IEEE/ASME Transactions on Mechatronics*, vol. 11, no. 2, pp. 128–138, 2006. 39
- [91] D. Lim, W. Kim, H. Lee, H. Kim, K. Shin, T. Park, J. Lee, and C. Han, “Development of a lower extremity exoskeleton robot with a quasi-anthropomorphic design approach for load carriage,” in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2015, pp. 5345–5350. 39
- [92] W. Yang, C.-j. Yang, and Q.-x. Wei, “Design of an anthropomorphic lower extremity exoskeleton with compatible joints,” in *IEEE International Conference on Robotics and Biomimetics*, 2014, pp. 1374–1379. 39
- [93] R. K. P. S. Ranaweera, W. A. T. I. Jayasiri, W. G. D. Tharaka, J. H. H. P. Gunasiri, R. A. R. C. Gopura, T. S. S. Jayawardena, and G. K. I. Mann, “Anthro-x: Anthropomorphic lower extremity exoskeleton robot for power assistance,” in *2018 4th International Conference on Control, Automation and Robotics (IC-CAR)*, 2018, pp. 82–87. 39

- [94] J.-H. Park, J.-S. Lee, J.-S. Shin, and B.-K. Cho, “Design of a lower limb exoskeleton including roll actuation to assist walking and standing up,” in *IEEE-RAS 15th International Conference on Humanoid Robots*, 2015, pp. 359–364. 39
- [95] Y. Lee, Y.-J. Kim, J. Lee, M. Lee, B. Choi, J. Kim, Y. J. Park, and J. Choi, “Biomechanical design of a novel flexible exoskeleton for lower extremities,” *IEEE/ASME Transactions on Mechatronics*, vol. 22, no. 5, pp. 2058–2069, 2017. 40
- [96] “Raytheon unveils lighter, faster, stronger second generation exoskeleton robotic suit,” accessed: 2021-08-10. [Online]. Available: <https://raytheon.mediaroom.com/index.php?s=43&item=1652> 43
- [97] “Guardian xo: Full-body powered exoskeleton,” accessed: 2021-08-10. [Online]. Available: <https://www.sarcos.com/products/guardian-xo-powered-exoskeleton/> 43
- [98] Y. Sankai, “Hal: Hybrid assistive limb based on cybernics,” in *Robotics Research*. Springer Berlin Heidelberg, 2011, pp. 25–34. 43
- [99] “Legx,” accessed: 2021-08-10. [Online]. Available: <https://www.suitx.com/legx> 44
- [100] S. Toyama and G. Yamamoto, “Development of wearable-agri-robot: mechanism for agricultural work,” in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2009, pp. 5801–5806. 44
- [101] S.-H. Hyon, T. Hayashi, A. Yagi, T. Noda, and J. Morimoto, “Design of hybrid drive exoskeleton robot xor2,” in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2013, pp. 4642–4648. 44, 221
- [102] M. Abdoli-E, M. J. Agnew, and J. M. Stevenson, “An on-body personal lift augmentation device (plad) reduces emg amplitude of erector spinae during lifting tasks,” *Clinical biomechanics (Bristol, Avon)*, vol. 21, no. 55, p. 456–465, 2006. 44
- [103] Y. Naruoka, N. Hiramitsu, , and Y. Mitsuya, “A study of power-assist technology to reduce body burden during loading and unloading operations by support of knee joint motion,” *Journal of Robotics and Mechatronics*, vol. 28, no. 6, pp. 949–957, 2016. 45, 221
- [104] S. Yu, S. Lee, H. Lee, and C. Han, “Design and feasibility verification of a knee assistive exoskeleton system for construction workers,” *Robotics and automation in construction*, pp. 307–328, 2008. 45

- [105] S. Mohri, H. Inose, K. Yokoyama, Y. Yamada, I. Kikutani, and T. Nakamura, "Development of endoskeleton type knee auxiliary power assist suit using pneumatic artificial muscles," in *IEEE International Conference on Advanced Intelligent Mechatronics*. IEEE Press, 2016, p. 107–112. 45, 221
- [106] K. Uchiyama, T. Ito, and H. Tomori, "Development of endoskeleton type knee joint assist orthosis using mckibben type artificial muscle," *Journal of Robotics and Mechatronics*, vol. 34, no. 2, pp. 390–401, 2022. 45, 221
- [107] M. Kashima, H. Arakawa, S. Kimura, R. Nishihama, K. Yokoyama, I. Kikutani, , and T. Nakamura, "Development of assist suit for squat lifting support considering gait and quantitative evaluation by three-dimensional motion analysis," *Journal of Robotics and Mechatronics*, vol. 32, no. 1, pp. 209–219, 2020. 45, 221
- [108] Z. Wang, X. Wu, Y. Zhang, C. Chen, S. Liu, Y. Liu, A. Peng, and Y. Ma, "A semi-active exoskeleton based on emgs reduces muscle fatigue when squatting," *Frontiers in Neurorobotics*, vol. 15, p. 625479, 2021. 46, 221
- [109] "The anybody modeling system," accessed: 2021-08-10. [Online]. Available: <https://www.anybodytech.com/software/anybodymodelingsystem/> 73
- [110] "Solidworks desktop 3d cad," accessed: 2021-08-10. [Online]. Available: <https://www.solidworks.com/domain/design-engineering> 73, 117
- [111] "Math. graphics. programming." accessed: 2021-08-10. [Online]. Available: <https://www.mathworks.com/products/matlab.html> 92