

References

- [1] Manotosh Mandal, Soovoojeet Jana, Swapan Kumar Nandi, Anupam Khatua, Sayani Adak, T.K. Kar, A model based study on the dynamics of COVID-19: Prediction and control, Chaos, Solitons & Fractals, Volume 136, 2020, 109889, ISSN 0960-0779.
- [2] Rahmatizadeh S, Valizadeh-Haghi S, Dabbagh A. The role of artificial intelligence in management of critical COVID-19 patients. *J. Cell. Mol. Anes.* 5(1), 16–22 (2020).
- [3] Li L, Qin L, Xu Z. et al. Artificial intelligence distinguishes COVID-19 from community acquired pneumonia on chest CT. *Radiology* 200905, 1–16 (2020).
- [4] Jiang X, Coffee M, Bari A. et al. Towards an artificial intelligence framework for data-driven prediction of coronavirus clinical severity. *Comput. Mat. Continua* 11(63), 537–541 (2020).
- [5] Public Perception of the COVID-19 Pandemic on Twitter: Sentiment Analysis and Topic Modeling Study *JMIR Public Health Surveill* 2020;6(4):e21978
- [6] Viroj Tangcharoensathien, Neville Calleja, Tim Nguyen, Tina Purnat, Marcelo D'Agostino, Sebastian Garcia-Saiso, Mark Landry, Arash Rashidian, Clayton Hamilton, Abdelhalim AbdAllah, Ioana Ghiga, Alexandra Hill, Daniel Hougendobler, Judith van Andel, Mark Nunn, Ian Brooks, Pier Luigi Sacco, Manlio De Domenico, Philip Mai, Anatoliy Gruzd, Alexandre Alaphilippe, Sylvie Briand *J Med Internet Res* 2020 (Jun 26); 22(6):e19659
- [7] Y.-H. Hsieh *et al.* Sars epidemiology modeling *Emerging Infect. Dis.* (2004)
- [8] Akita, R.; Yoshihara, A.; Matsubara, T.; Uehara, K. Deep learning for stock prediction using numerical and textual information. In Proceedings of the 2016 IEEE/ACIS 15th International Conference on Computer and Information Science (ICIS), Okayama, Japan, 26–29 June 2016; pp. 1–6.
- [9]. Ali, M.; Lee, Y. CRM Sales Prediction Using Continuous Time-Evolving Classification. In Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence, New Orleans, LA, USA, 2–7 February 2018.

- [10]. Xiao, F.; Ai, Q. Data-driven multi-hidden markov model-based power quality disturbance prediction that incorporates weather conditions. *IEEE Trans. Power Syst.* 2018, 34, 402–412.
- [11]. Lu, Y.; Wang, S.; Wang, J.; Zhou, G.; Zhang, Q.; Zhou, X.; Niu, B.; Chen, Q.; Chou, K.C. An epidemic avian influenza prediction model based on google trends. *Lett. Org. Chem.* 2019, 16, 303–310.
- [12]. Lin, A.X.; Ho, A.F.W.; Cheong, K.H.; Li, Z.; Cai, W.; Chee, M.L.; Ng, Y.Y.; Xiao, X.; Ong, M.E.H. Leveraging Machine Learning Techniques and Engineering of Multi-Nature Features for National Daily Regional Amb
- [13]. Zoabi, Y., Deri-Rozov, S. & Shomron, N. Machine learning-based prediction of COVID-19 diagnosis based on symptoms. *npj Digit. Med.* 4, 3 (2021). <https://doi.org/10.1038/s41746-020-00372-6>
- [14]. N. S.Özen, S.Saraç, and M.Koyuncu, “COVID-19 vakalarının makine öğrenmesi algoritmaları ile tahmini: Amerika Birleşik Devletleri örneği”, European Journal of Science and Technology, vol. 22, pp. 134- 139, 2021
- [15]. S.Guhathakurata, S.Kundu, A.Chakraborty, and J. S.Banerjee, “A novel approach to predict COVID-19 using support vector machine”, *Data Science for COVID-19*, pp. 351-364, 2021
- [16]. M. Malik et al., “Determination of COVID-19 patients using machine learning algorithms”, *Intell. Autom. Soft Comput.*, vol. 31(1), pp. 207- 222, 2022.
- [17]. T. B.Alakus and I.Turkoglu, “Comparison of deep learning approaches to predict COVID-19 infection”, *Chaos Solit. Fractals*, vol. 140, pp. 110120 (1-7), 2020
- [18]. K.Moulaei, M.Shanbehzadeh, Z.Mohammadi-Taghiabad, and H.Kazemi-Arpanahi, “Comparing machine learning algorithms for predicting COVID-19 mortality”, *BMC Medical Inform. Decis. Mak.*, vol. 22, pp. 2(1-12), 2022
- [19]. A. B.Majumder, S.Gupta, D.Singh, and S.Majumder, “An intelligent system for prediction of COVID-19 case using machine learning framework-logistic regression”, *J. Phys. Conf. Ser.*, vol. 1797 (1),pp. 012011(1-9), 2021.
- [20]. J. M. Antoñanzas et al. “Symptom-Based Predictive Model of COVID-19 Disease in Children”, *Viruses*, vol. 14, pp. 63, 2022.
- [21]. Jia, W.; Li, X.; Tan, K.; Xie, G. Predicting the outbreak of the hand-foot-mouth diseases in China using recurrent neural network. In Proceedings of the 2019 IEEE

International Conference on Healthcare Informatics (ICHI), Xi'an, China, 10–13 June 2019; pp. 1–4.

- [22]. Hamer, W.B.; Birr, T.; Verreet, J.A.; Duttman, R.; Klink, H. Spatio-Temporal Prediction of the Epidemic Spread of Dangerous Pathogens Using Machine Learning Methods. *ISPRS Int. J. Geo-Inf.* 2020, 9, 44.
- [23]. Mezzatesta, S.; Torino, C.; De Meo, P.; Fiumara, G.; Vilasi, A. A machine learning-based approach for predicting the outbreak of cardiovascular diseases in patients on dialysis. *Comput. Methods Programs Biomed.* 2019, 177, 9–15.
- [24]. Jhuo, S.L.; Hsieh, M.T.; Weng, T.C.; Chen, M.J.; Yang, C.M.; Yeh, C.H. Trend Prediction of Influenza and the Associated Pneumonia in Taiwan Using Machine Learning. In Proceedings of the 2019 International Symposium on Intelligent Signal Processing and Communication Systems (ISPACS), Taipei, Taiwan, 3–6 December 2019; pp. 1–2.
- [25]. Kumar, S.V.; Suresh, V.; Reddy, B.D.K.; Reddy, Y.J. Outbreak Predictions in Healthcare Domain using Machine learning & Artificial Intelligence. *TEST Eng. Manag.* 2020, 82, 11395–11400.
- [26]. Machado, G.; Vilalta, C.; Recamonde-Mendoza, M.; Corzo, C.; Torremorell, M.; Perez, A.; VanderWaal, K. Identifying outbreaks of Porcine Epidemic Diarrhea virus through animal movements and spatial neighborhoods. *Sci. Rep.* 2019, 9, 1–12.
- [27]. A. Hager, E. M. G. Younis, A. Hendawi, and A. A. Ali, “Heart disease identification from patients’ social posts, machine learning solution on Spark,” *Future Generation Computer Systems*, vol. 111, pp. 714–722, 2020.
- [28] .N. D. Younis, N. Y. Hashim, Y. M. Mohialden, M. A. Mohammed, T. Sutikno, and A. H. Ali, “A real-time big data sentiment analysis for iraqi tweets using spark streaming,” *Bulletin of Electrical Engineering and Informatics*, vol. 9, no. 4, pp. 1411–1419, 2020.
- [29]. Muhammad LJ, Islam MM, Usman SS, et al. Predictive data mining models for novel coronavirus (COVID-19) infected patients’ recovery. *Springer Nat Comput Sci.* 2020. <https://doi.org/10.1007/s42979-020-00216-w>.
- [30]. Narin A, Kaya C, Pamuk Z (2020) Automatic detection of coronavirus disease (COVID-19) using X-ray images and deep convolutional neural networks.

- [31]. Wynants L, Van Calster B, Bonten MMJ, et al. Prediction models for diagnosis and prognosis of covid-19 infection: systematic review and critical appraisal. *BMJ*. 2020;7(369):m1328. <https://doi.org/10.1136/bmj.m1328>.
- [32]. Ayyoubzadeh SM, Ayyoubzadeh SM, Zahedi H, et al. Predicting COVID-19 incidence through analysis of Google trends data in Iran: data mining and deep learning pilot study. *JMIR Public Health Surveill*. 2020;6(2):e18828.
- [33]. Johns Hopkins University Data Repository. Cssegisanddata. Accessed: Mar. 27, 2020. [Online]. Available: <https://github.com/CSSEGISAndData>
- [34]. R. Pal, A. A. Sekh, S. Kar, and D. K. Prasad, “Neural Network Based Country Wise Risk Prediction of COVID-19,” 2020.
- [35]. Remuzzi, A., & Remuzzi, G. (2020). COVID-19, and Italy: What next? *The Lancet*, 395(10231), 1225– 1228.
- [36]. Hall, I., Gani, R., Hughes, H., & Leach, S. (2007). Real-time epidemic forecasting for pandemic influenza. *Epidemiology and Infection*, 135(3), 372– 385.
- [37]. Roosa, K., Lee, Y., Luo, R., Kirpich, A., Rothenberg, R., Hyman, J. M., ... Chowell, G. (2020). Real-time forecasts of the COVID-19 epidemic in China from February 5th to February 24th. *Infectious Disease Modelling*, 5, 256– 263.
- [38]. Hu, Z., Ge, Q., Jin, L., & Xiong, M. (2020). Artificial intelligence forecasting of covid-19 in China.
- [39]. Anastassopoulou, C., Russo, L., Tsakris, A., & Siettos, C. (2020). Data-based analysis, modelling and forecasting of the COVID-19 outbreak. *PLoS ONE*, 15(3), e0230405.
- [40]. Fanelli, D., & Piazza, F. (2020). Analysis and forecast of COVID-19 spreading in China, Italy and France. *Chaos, Solitons & Fractals*, 134, 109761.
- [41]. Bastos, S. B., & Cajueiro, D. O. (2020). Modeling and forecasting the Covid-19 pandemic in Brazil. *arXiv preprint arXiv:2003.14288*.
- [42]. Elmousalami, H. H., & Hassanien, A. E. (2020). Day level forecasting for Coronavirus Disease (COVID-19) spread: Analysis, modeling and recommendations.
- [43]. J. Dehning, J. Zierenberg, F. P. Spitzner, M. Wibral, J. P. Neto, M. Wilczek, and V. Priesemann, “Research Article Summary: Inferring change points in the COVID-19 spreading reveals the effectiveness of interventions,” 2020..

- [44]. L. Peng, W. Yang, D. Zhang, C. Zhuge, and L. Hong, "Epidemic analysis of COVID-19 in China by dynamical modeling," 2020.
- [45]. F. Rustam et al., "COVID-19 Future Forecasting Using Supervised Machine Learning Models", IEEE Access, vol. 8, pp. 101489-101499, 2020. Available: 10.1109/access.2020.2997311.
- [46]. Kapoor, A., Ben, X., Liu, L., Perozzi, B., Barnes, M., Blais, M., & O'Banion, S. (2020). Examining COVID-19 Forecasting using Spatio-Temporal Graph Neural Networks. arXiv preprint arXiv:2007.03113.
- [47]. Ardabili, S. F., Mosavi, A., Ghamisi, P., Ferdinand, F., Varkonyi-Koczy, A. R., Reuter, U., & Atkinson, P. M. (2020). Covid-19 outbreak prediction with machine learning. Available at SSRN 3580188.
- [48]. Melin, P., Monica, J. C., Sanchez, D., & Castillo, O. (2020, June). Multiple ensemble neural network models with fuzzy response aggregation for predicting COVID-19 time series: the case of Mexico. In Healthcare (Vol. 8, No. 2, p. 181). Multidisciplinary Digital Publishing Institute
- [49]. Arora, P., Kumar, H., & Panigrahi, B. K. (2020). Prediction and analysis of COVID-19 positive cases using deep learning models: A descriptive case study of India. Chaos, Solitons & Fractals, 139, 110017.
- [50]. da Silva, R. G., Ribeiro, M. H. D. M., Mariani, V. C., & dos Santos Coelho, L. (2020). Forecasting Brazilian and American COVID-19 cases based on artificial intelligence coupled with climatic exogenous variables. Chaos, Solitons & Fractals, 139, 110027.
- [51]. Rauf, H.T., Lali, M.I.U., Khan, M.A. et al. Time series forecasting of COVID-19 transmission in Asia Pacific countries using deep neural networks. Pers Ubiquit Comput (2021). <https://doi.org/10.1007/s00779-020-01494-0>
- [52] https://github.com/openZH/covid_19
- [53].<https://www.cdc.gov/coronavirus/2019-ncov/index.html>
- [54] S. Hochreiter, J. Schmidhuber Long short-term memory" Neural Comput, 9 (Issue 8) (1997), pp. 1735-1780
- [55] A. Karpathy, J. Johnson, L. Fei-Fei Visualizing and understanding recurrent networks", 4th international conference on learning representations (2016) ICLR2016