

RUNOFF HYDROGRAPH COMPUTATION FOR ATTANAGALU OYA CATCHMENT

D A J RANWALA
BSc(Eng) C. Eng M.I.E(Sri Lanka)



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations

A DISSERTATION SUBMITTED IN PARTIAL FULFILMENT
FOR THE DEGREE OF MASTER OF ENGINEERING

DEPARTMENT OF CIVIL ENGINEERING
UNIVERSITY OF MORATUWA
SRI LANKA.

54810

um Thesis coll.

JANUARY 1990

ACKNOWLEDGEMENTS

The following persons have created a permanent impression in my mind in my venture of making this project a presentable one.

Dr Mrs Chandrika Jayathilaka ,being the first project supervisor assisted me in tiding over many problems which arose during the preliminary stages of the research.I thank her heartily for her valuble guidance.

Dr S S Wickramasuriya who took over my project later,helped me continue the project with the same tempo,giving timely suggestions.He richly deserves a thankyou for his role in putting this research into the present successful shape.

Mr Dharmasena the Head of the Hydrology branch,in the Department of Irrigation helped me find out the data according to needs of the project.I am at a loss of words to thank him for his help.

I thank the staff of the Hydrological Data Unit of the Department of Irrigation and the Rainfall Data Unit of the Department of Metereology for their helping me with a sense of camaraderie,in getting various data as and when I needed.

Mr K Gnasampanthan, Mr K H M Dharmakantha ,Mr Pulasthi Herath,Mr Daya Aberatna Mr G D S Ruparatna,and Mrs Nayana Punchihewa , the good office colleagues they were,they helped me in various ways. They displayed the true comeradeship,for yhich gesture I say them thank you.

I thank Dr D C H Senarath,the Head of the Department of Civil Engineering University of Moratuwa,and the other staff members for creating avenues for projects such as these.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations

I also thank everybody who helped me lick this project into shape.

www.lib.mrt.ac.lk

ABSTRACT

This research aims at developing runoff hydrographs, for Attanagalu Oya catchment. The repetitive calculations involved were efficiently done on a personal computer.

The calculation of the rainfall excess which is an essential part in computing runoff hydrographs, was done using the curvenumber developed by the US Soil Conservation Service.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

The Williams' and SCS synthetic unit hydrographs were used to develop runoff hydrographs. The Computed runoff hydrographs were compared with the observed hydrographs and were found to be satisfactory with respect to peakflows.

These methods are easy to use and they seem to be promising in hydrological studies on ungauged catchments. The curvenumber method and the Williams' approach are worthy of further investigation.

This dissertation has not been previously presented in whole or part, to any university or institution for a higher degree.



University of Moratuwa, Sri Lanka.

Electronic Theses & Dissertations

www.lib.mrt.ac.lk

A handwritten signature in black ink, appearing to be 'D A J Ranwala', written over a horizontal line.

D A J Ranwala

It is proper for you, Kalamas, to doubt, and to be uncertain. Uncertainty has arisen in you about what is doubtful. Do not go upon report; do not go upon tradition; do not go upon hearsay; do not go upon scriptures; do not go upon cognition; do not go upon dogmatic notions; do not go upon person's seeming ability. Kalamas, when you yourselves know: "These things are bad; these things are blamable; these things are censured by wise; these things lead to harm", abandon them.

Gauthama Buddha



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

TABLE OF CONTENTS

CHAPTER-1-----	Introduction	1
1.1	Importance of runoff hydrograph computation.	1
1.2	Objectives of the study	2
CHAPTER-2-----	Methodology	3
2.1	Synthetic unit hydrographs.	3
2.1.1	General.	3
2.1.2	SCS unit hydrograph.	3
2.1.3	Williams' unit hydrograph.	8
2.2	Estimation of the rainfall excess.	12
2.2.1	General.	12
2.2.2	US Soil Conservation Service Method.	13
CHAPTER-3-----	Data	20
3.1	General.	20
3.2	General description of the catchment.	20
3.3	Hydrological data.	21
3.3.1	Flood events daily rainfall and pluviographs.	21
3.3.2	Observed hydrographs.	22



University of Moratuwa, Sri Lanka.

Electronic Theses & Dissertations

www.lib.mrt.ac.lk

CHAPTER-4-----Analysis	41
4.1 General.	41
4.2 SCS runoff curvenumber computed from observed hydrographs.	41
4.2.1 Sample calculation for runoff curvenumber.	41
4.2.2 Transformation of the curvenumber to a common AMC.	43
4.3 Computation of synthetic unit hydrographs.	43
4.3.1 SCS unit hydrograph	43
4.3.2 Williams' instantaneous unit hydrograph	45
4.4 Computation of runoff hydrographs.	46
4.4.1 General.	46
4.4.2 Adjusted curvenumbers used to compute runoff hydrographs.	47
4.4.3 Computation of runoff hydrograph based on SCS method.	47
4.4.4 Computation of runoff hydrograph based on Williams' method	49
CHAPTER-5-----Results	65
5.1 General.	65
5.2 Runoff curvenumbers computed from observed hydrographs.	65



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

5.3	Adjusted curvenumber used to compute runoff	66
5.4	Runoff hydrographs.	66
5.4.1	General	66
5.4.2	Time to peak.	66
5.4.3	Peakflow.	67
5.4.4	Baselength.	67
CHAPTER-6-----Conclusions and further research		76
6.1	General.	76
6.2	Synthetic unit hydrographs.	76
6.3	SCS curvenumber.	76
6.4	Runoff hydrographs.	78
6.5	Further research	78
REFERENCES		80
APPENDIX-A	Derivation of the equation for the first segment of the Williams' instantaneous unit hydrograph.	82
APPENDIX-B	Computer programmes	89



LIST OF FIGURES

CHAPTER-2

Figure 2.1	Williams' unit hydrograph	17
------------	---------------------------	----

CHAPTER-3

Figure 3.1	Detailed sketch of Attanagalu Oya catchment	23
Figure 3.2-3.7	Photographs taken at Attanagalu Oya	24-25
Figure 3.8-3.11	Pluviographs for Attanagalu Oya	26
Figure 3.12-3.20	Observed hydrographs for Attanagalu Oya	27-35

CHAPTER-4



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

Figure 4.1	SCS unit hydrograph for Attanagalu Oya	51
Figure 4.2	Williams' unit hydrograph for Attanagalu Oya	52
Figure 4.3	Procedure for computation of the runoff hydrograph.	53
Figure 4.4	SCS runoff hydrograph for Attanagalu Oya	54
Figure 4.5	Williams' runoff hydrograph for Attanagalu Oya	55

CHAPTER-5

Figure 5.1-5.4	Runoff hydrographs with observed hydrographs for Attanagalu Oya	68-71
----------------	---	-------

LIST OF TABLES

CHAPTER-2

Table 2.1	Average slopes and velocities.	5
Table 2.2	Time and discharge ratios for the SCS unit hydrograph.	7
Table 2.3	Antecedent moisture condition.	15
Table 2.4	Runoff curvrnumber for hydrologic soil cover complexes.	18
Table 2.5	Runoff curvenumbers for AMCs	

CHAPTER-3

Table 3.1	Recorded daily rainfall in Vincit	36
Table 3.2	Recorded daily rainfall in Chesterford	37
Table 3.3	Total average rainfall 05 days before flood events	38
Table 3.4	Recorded daily average rainfall during flood events	39
Table 3.5	Average total rainfall during flood events	40

CHAPTER-4

Table 4.1	Runoff curvenumbers from observed hydrographs	56
Table 4.2	Determination of AMCs	57

Table 4.3	Transformed curvenumbers to three AMCs	58
Table 4.4	SCS unit hydrograph for Attanagalu Oya	59
Table 4.5	Williams' unit hydrograph for Attanagalu Oya	60
Table 4.6	Adjusted curvenumbers used to compute runoff hydrographs	61
Table 4.7	Adjusted curvenumbers obtained from table 4.6 after transformation.	62
Table 4.8	SCS runoff hydrograph for Attanagalu Oya	63
Table 4.9	Williams' runoff hydrograph for Attanagalu Oya	64

CHAPTER-5

Table 5.1	Comparison of average curvenumbers	72
Table 5.2	Observed and computed times to peak	73
Table 5.3	Observed and computed peakflows	74
Table 5.4	Observed and computed baselengths	75



LIST OF SYMBOLS

A	-	Catchment area
AMC	-	Antecedent moisture condition
B	-	Watershed parameter
CN	-	SCS runoff curvenumber
D	-	Rainfall duration
e	-	Base of the natural logarithm
I	-	Inflow rate
$i(t)$	-	Arbitrary excitation of rainfall
IR1, IR2	-	Rainfall excess for substorms
k	-	Recession constant
k1	-	Second recession constant
L	-	Mainstream length
n	-	Shape constant
$\Gamma(n)$	-	Gamma function
O	-	Outflow rate



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

P	-	Depth of rainfall
Pe	-	Rainfall excess
Q	-	Depth of runoff
q	-	Discharge
Q _p	-	Peakflow of SCS unit hydrograph
q _p	-	Peakflow of Williams' unit hydrograph
Q(t)	-	Response function
q(t)	-	Ordinates of Williams' instantaneous unit hydrograph
R	-	Potential maximum retention
R1	-	Ratio of recession constant to time to peak
RF	-	Total depth of rainfall five days before a flood event
RO1,RO2	-	Depth of runoff
S	-	Storage
s	-	Catchment slope
T	-	Unit rain duration of SCS unit hydrograph
t	-	Time
t ₀	-	Time to inflexion point of Williams' unit hydrograph
t ₁	-	Time upto the second segment of Williams' unit hydrograph
T _c	-	Time of concentration



t_p	-	Time to peak of Williams' unit hydrograph
T_p	-	Time to peak of SCS unit hydrograph
$U(D,t)$	-	Unit hydrograph of duration D
V	-	Volume of runoff
v	-	Average velocity
$V(t)$	-	Intergrating factor
W	-	Watershed length to width ratio
Z	-	Time dummy variable of intergration

