

REFERENCES

- AMARAL, R.H., 1973. The Bearing Capacity of Building Foundations on the Hawkesbury Sandstone in Sydney. Contracting and Construction Engineer, 27, May, 6-15.
- ARMAN, M, 1963. Influence of the petrological characteristics of rocks on their strength and elastic properties. Unpub. M.Sc. Thesis, Univ. N.S.W.
- ASTM, D2938-71, 1971. Standard method of test for Unconfined Compressive Strength of rock core specimens. Annual Book of ASTM Standards, Part 19.
- ATTEWELL, P.B. and FARMER, I.W., 1976. Principles of Engineering Geology. Chapman and Hall, Great Britain.
- AUSTRALIAN STANDARD AS 1012-1973. Methods of Sampling and Testing Concrete. Standards Association of Australia.
- AUSTRALIAN STANDARD AS 1141-1974. Sampling and Testing Aggregates. Standards Association of Australia.
- AUSTRALIAN STANDARD AS 1289-1977. Methods of Testing Soil for Engineering Purposes. Standards Association of Australia.
- AUSTRALIAN STANDARD AS 1465-1974. Australian standard specification for dense natural aggregates for concrete. Standard Association of Australia.
- BAYLISS, P., LOUGHNAN, F.C. and STANDARD, J.C., 1965. Dickite in the Hawkesbury Sandstone of the Sydney Basin, Australia. Am Mineralogist, 50, March-April, 418-426.

BEAVIS, F.C., ROBERTS, F.I. and MINSKAYA, L., 1982.

Engineering aspects of weathering of low grade metapelites in arid climatic zone. Q.J. Engng.

Geol. 15, 29-45

BELL, F.G., 1978. Petrological factors relating to porosity and permeability in the Fell Sandstone.

Q.J. Engng. Geol., 11, 113-126

BERNAIX, J., 1969. New laboratory methods of studying the mechanical properties of rocks. Int. J. Rock Mech. Min. Sci., 6(1), Jan., 43-90.

BIENIAWSKI, Z.T., 1967. Mechanism of brittle fracture of rock. Int. J. Rock Mech. Min. Sci., 4, 395-430.

BIENIAWSKI, Z.T., 1974. Estimating the strength of rock materials. J. South Afr. Inst. Min. Meta., March, 312-329.

BIENIAWSKI, Z.T., 1975. The point-load test in geotechnical practice. Eng. Geol., 9, 1-11.

BLACKWELDER, E., 1933. The insulation hypothesis of rock weathering. Am. Jl. Sci., 26, 97-113.

BLOEM, D.L. and GAYNOR, R.D., 1963. Effect of aggregate properties on strength of concrete. J. Amer. Conc. Inst., 60, 1429-1455.

BORDIA, S.K., 1972. Mechanism of fracture of rock; in Rock Mechanics Theory and Practice. Mining and Metallurgy Division, Inst. Engrs., India.

BRACE, W.F., 1961. Dependence of fracture strength of rocks on grain size. Proc. 4th Symp. Rock Mech., Pennsylvania, 99-103.

- BRACE, W.F. and MARTIN, R.J., 1968. A test of the law of effective stress of crystalline rock of low porosity. Int. J. Rock Mech. Min. Sci., 5, 416-426.
- BRANAGAN, D.F., 1966. Aspects of Triassic sedimentation and stratigraphy, in Abstracts of the 1st Symposium on Advances in the study of the Sydney Basin, Dept. Geology, Univ. Newcastle.
- BRANAGAN, D.F., 1969. Engineering Geology of Sydney Region. Contracting and Construction Engineer, 23; Part 1, April, 44-47; Part II, May, 5.-12- Part III, June, 31-36.
- BRANAGAN, D.F., 1972. Ripples and Megaripples in the Hawkesbury Sandstone, in Abstracts of the 6th Symposium on Advances in the study of the Sydney Basin, Dept. Geology, Univ. Newcastle.
- BROCH, E., 1969. The influence of water in some rock properties. Proc. 3rd Cong. Int. Soc. Rock Mech., 2 (A), 33-38.
- BROCH, E. and FRANKLIN, J.A., 1972. The Point-Load Strength. Int. J. Rock Mech. Min. Sci., 9(6), 669-697 .
- BURGESS, P.J., 1977. The Role of Engineering Geology in Developing Sydney's Environment. Bull. Int. Assoc. Engng. Geol., 15, 17-20.
- BURSHTEIN, L.S., 1969. Effect of moisture on the strength and deformability of sandstone. Sov. Min. Sci., 5, Sept-Oct., 573-576.

CALLOW, K.J., 1975. The Weathering of the Hawkesbury Sandstones and the Engineering Implications. Unpub. M.App.Sc. Thesis, Univ. N.S.W., Sydney.

CHANDLER, R.L., 1969. The effect of weathering on the shear strength properties of Keuper marl. Geotechnique, 19(3), 321-334.

CHESNUT, W.S., 1976. Notes on the engineering geology of the Sydney area. Geol. Surv. of NSW, Report No. GS1976/005.

CLARKE, W.B., 1878. Remarks on the sedimentary formation of New South Wales; in mines and mineral Statistics of New South Wales. N.S.W. Govt. Printer (4th Ed.).

COLBACK, P.S.B. and WIID, B.L., 1965. The Influence of Moisture Content on the Compressive Strength of Rocks. Proc. 3rd Can. Rock Mech. Symp., Toronto, 65-83.

CONNOLY, J.R., 1968. An environmental model for Triassic deposition, Sydney Basin, in Abstracts of the 3rd Symposium on Advances in the study of the Sydney Basin, Dept. Geology, Univ. Newcastle.

COUNTO, U.J. 1964. The effect of the elastic modulus of aggregate on the elastic modulus, creep and creep recovery of concrete. Mag. Conc.Res. 16(48), 129-138.

DARWIN, W.D., 1844. Geological observations on the volcanic islands, etc. (Reprinted 1876), 146-154.

DEARMAN, W.R., 1979. Weathering classification in the characterisation of rock; A Revision. Bull. Int. Assoc. Engng. Geol., 13, 123-127.

DHIR, R.K. and SANGHA, C.M., 1973. Relationships between size, deformation and strength for cylindrical specimens loaded in uniaxial compression. Int. J Rock Mech. Min. Sci., 10, 699-712.

DHIR, R.K., SANGHA, C.M. and MUNDAY, J.G.L., 1972.

Influence of Specimen Size on Unconfined rock strength. Colliery Guardian, January, 75-78.

DODDS, R.K., 1966. Measurement and Analysis of Rock Physical Properties on the Dez Project, Iran.

Testing Technique for Rock Mechanics. A.S.T.M. special Tech. Publ. No. 402, 41-52.

DONALDSON, R.C., 1975. Relationship between Fabric and Strength of Sandstone and its Engineering Significance. Unpub. M.App.Sc. Thesis, Univ. N.S.W., Sydney.

DUBE, A.K. and SINGH, B., 1969. Determination of tensile strength of rocks by disc method. J. Mines, Metals and Fuels, 17(9), Sept., 305-307.

DUBE, A.K. and SINGH, B., 1972. Effect of humidity on tensile strength of sandstone. J. Mines, Metals and Fuels, 20(1), Jan., 8-10

EVANS, R.S., 1978. Time Dependent Factors Influencing the Rock Slope Stability of the Illawarra Region, New South Wales. Unpub. Ph. D. Thesis, Univ N.S.W., Sydney.

FAIRHURST, C., 1961. Laboratory measurement of some physical properties of rocks. Proc. 4th Symp. Rock Mech. Pennsylvania, 105-118.

FAIRHURST, C., 1964. On the validity of the Brazilian test for brittle materials. Int. J. Rock Mech. Min. Sci., 1(4), 535-546.

FARMER, I.W., 1968. Engineering Properties of Rocks, Chapman and Hall, London.

FOOKES, P.G., DEARMAN, W.R. and FRANKLIN, J.A., 1971. Some engineering aspects of rock weathering with field examples from Dartmoor and elsewhere. Q.Jl. Engng. Geol., 4, 139-185.

FOOKES, P.G. and HORSWILL, P., 1969. Discussion on engineering grade zones. Proc. Conf. In Situ Testing Soils Rocks, Inst. Civil Engrs., London, 53-57.

FRANKLIN, J.A. and CHANDRA, R., 1972. The Slake Durability Test. Int. J. Rock Mech. Min. Sci., 9, 325-341

GALLOWAY, M.C., 1967. The stratigraphy of the Putty-Upper Colo Area, Sydney Basin, N.S.W., J. Roy. Soc. NSW, 101, 23-36.

GHOSH, R.K., SHARMA, T.N. and PANT, C.S., 1967. Laboratory investigation on the use of blast furnace slag as concrete aggregate. J. Indian Road Cong., 30(2), 329-342.

GILKEY, H.J., 1961. Water/cement ratio versus strength - another look. J. Am. Conc. Soc., 58, Dec., Part 2, 1851-1878.

GOLDING, H.G., 1956. Petrographic Studies of New South Wales Building Stones with Special Reference to Physical Properties, Unpub. M. Sc. Thesis, Univ. N.S.W., Sydney.

GOLDING, H.G., 1969. Variation in Physical Constitution of Quarried Sandstones from Gosford and Sydney, N.S.W. J. Proc. Roy. Soc. N.S.W., 93, 47-60.

GOLODKOVSKAIA, G.A., KRASILOVIA, N.S., LADYGIN, N.M. and SHAUMIAN, I.V., 1975. Factors controlling solid rock strength. Bull. Int. Assoc. Engng. Geol., 11, 65-69.

GORDON, J. and GIBBONS, G., 1970. Iron oxide staining in sandstones of the Sydney Area, in Abstracts for the Fifth Symposium on Advances in the study of the Sydney Basin, p. 64, Dept. Geol., Univ. Newcastle.

GRIFFITHS, J.C., 1967. Scientific Method in Analysis of Sediments. McGraw-Hill, New York.

GRIGGS, D.T., 1936. The factor of fatigue in rock exfoliation. J. Geol., 44, 781-796.

HANLON, F.N., JOPLIN, G.A. and NOAKES, L.C., 1952. Review of Stratigraphical nomenclature, 1. Mesozoic of the Cumberland Basin. Aust. J. Sci., 14(6), 179-182.

HARTLEY, A., 1974. A review of the geological factors influence the mechanical properties of road surface aggregates. O. Jl. Engng. Geol., 7, 69-100.

HASKINGS, G., 1932. The Construction, Testing and Strengthening of a Pressure tunnel for the Water Supply of Sydney, NSW. Proc. Inst. Civil Engrs., London, 234, 25-49.

HAWKES, I., 1966. Moduli Measurements on Rock Cores. Proc. Cong. Int. Soc. Rock Mech., 1st, Lisbon, 655-660.

- HAWKES, I. and MELLOR, M. 1970. Uniaxial testing in rock mechanics laboratories, Eng. Geol., 4(3), 177-285.
- HIRSCH, T.J., 1962. Modulus of elasticity of concrete affected by elastic modulus of cement paste matrix and aggregate. Proc. A.C.I., 59(3), 427-457.
- HOBBS, D.W., 1964. Rock Compressive Strength, Coll. Eng., 41, 287-292.
- HOBBS, D.W., 1969. Bulk modulus, shrinkage and thermal expansion of a two phase material. Nature, 222, 849.851.
- HOBBS, D.W., 1971. The dependence of bulk modulus, Young's modulus, creep, shrinkage and thermal expansion of concrete upon aggregate volume concentration. RILEM Mats. Res., 4(20), 107-114.
- HODGSON, K. and COOK, N.G.W., 1970. The effects of size and stress gradient on the strength of rock. Proc. 2nd Cong. Int. Soc. Rock Mech., Belgrade, 2, 31-34.
- HOSKINS, J.R. and HORINO, F.G., 1969. Influence of spherical head size and specimen diameter on the uniaxial compressive strength of rock. U.S. Bur. Min., Rep. No. 7234, 16 p.
- HOUPERT, R., 1970. The uniaxial compressive strength of rocks. Proc. 2nd Cong. Int. Soc. Rock Mech., Belgrade, 2, 49-55.
- HUDSON, J.A., BROWN, E.T. and FAIRHURST, C., 1971. Shape of the complete stress-strain curve for rock. Proc. 13th Symp. Rock Mech., Illinois, 773-792.

INGLES, O.G., and HOLLINGSWORTH, J.A., 1974. Rock Fracture and its Discontinuity. Proc. Aust. Conf. on Engng. Mat., 1st, Sydney, 497-507.

INGLES, O.G., LEE, I.K. and NEIL, R.C., 1973. The influence of Stress History on Lateral Strain. J. Rock Mech., 5, 203.213.

INTERNATIONAL SOCIETY FOR ROCK MECHANICS, 1972. Suggested methods for determining the Uniaxial Compressive Strength of Rock Materials and the Point Load Strength Index, Committee on Laboratory Tests. Document No. 1

INTERNATIONAL SOCIETY FOR ROCK MECHANICS, 1974. Suggested Method for Determination of the Slake Durability Index, Committee on Laboratory Tests, Document No. 2.

JOHNSON, W., 1960. Geological Investigations at Warrangamba Dam, NSW, to the End of 1955. J. Inst. Engrs. Australia, 32, 85-97.

JOHNSTON, C.D., 1970. Strength and deforamtion of concrete in uniaxial tension and compression. Mag. Conc. Res., 22(70), 5-16.

JUDD, W.R. and HUBER, C., 1962. Correlation of rock properties by statistical methods. Int. Symp. on Mining Research (Ed. G. CLARKE), Pergamon, Oxford 2, 621-648.

KAHN, J.S., 1956. The analysis and distribution of the properties of packing in sand-size sediments, 1. On the measurement of packing in sandstones, 2. The distribution of the packing measurements and an example of packing analysis, J. Geol., 64: 385-395, 578-606.

KOBAYUSHI, R., 1970. On mechanical behaviour of rocks under various loading rates. Rock Mech. in Japan, 1, 56-58.

HOWALSKI, W.C., 1966. The interdependence between the strength and void ratio of limestone and marls in connection with their water saturating and anisotropy. Proc. 1st Cong. Int. Soc. Rock Mech., Lisbon, 1966, 1, 143-144.

KRUMBEIN, W.C. and SLOSS, L.L., 1958. Stratigraphy and Sedimentation. Freeman & Co., San Francisco.

KRYNINE, P.D., 1948. The megascopic study of the field classification of sedimentary rocks. J. Geol., 56, 130-165.

KRYNINE, D.T., and JUDD, W.R., 1957. Principles and engineering geology and geotechniques. McGraw-Hill, New York.

LAMA, R.D. and VUTUKURI, V.S., 1978. Handbook on Mechanical Properties of rock. Vol III, Trans.Tech. Publ.

LAMBE, T.W. and WHITMAN, R.V., 1969. Soil Mechanics. John Wiley & Sons, New York.

LA RUE, H.A., 1946. Modulus of elasticity of aggregates and its effect on concrete. Proc. ASTM, 46, 1290-1309.

LEES, G. and KENNEDY, C.K., 1975. Quality, shape and degradation of aggregates, Q. Jl. Engng Geol., 8, 193-209.

LEGGET, R.F., 1967. Geology in engineering. McGraw-Hill, New York.

LEWIS, I.H., 1975. Geological Factors Influencing the stability of Cliffs in the South Head to Botany Bay

254

Section of the Sydney Coastline. Unpub. M. App. Sc.

Thesis, Univ. N.S.W., Sydney.

LI, S. and RAMAKRISHNAN, V., 1970. Young's modulus, creep and shrinkage of gap-graded versus continuously graded concrete. H.R.R. No. 324, 77-88.

LI, S. and RAMAKRISHNAN, V., 1973. Gap graded aggregates for high strength quality concretes. Grading of concrete aggregates. H.R.B. No. 441, 17-31.

LITTLE, A.L., 1969. The engineering classification of residual soils. Proc. Int. Conf. Soil Mech. & Found Engng., 7th, Mexico, 1, 1-10.

LOUGHNAN, F.C. and GOLDING, H.G., 1956. Clay minerals in some Hawkesbury Sandstone. J. Roy. Soc. of NSW, XI, 147-150.

LOVERING, J.F., 1954. The stratigraphy of the Wianamatta Group, Triassic System, Sydney Basin. Rec. Aust Mus., 23, 169 p.

LUNDBORD, N., 1967. The strength-size relation of granite. Int. J. Rock Mech. Min. Sci., 4(3), July, 269-272.

MACKENZIE, I.M., 1969. Foundation Load Tests on Sydney Sandstone. Proc. Rock Mech. Symp., Univ. Sydney, 132-134.

MASSON, P., 1951. Measurement of Grain Packing in Sandstone. Unpub. paper given at the Annual General Meeting, Am. Assoc. Petrol. Geologists, St. Louis, Mo., Reported in Scientific Method in Analysis of Sediments by J.C. Griffiths (1967), McGraw Hill, New York, p. 171.

- MAYNE, S.L., NICHOLAS, E., BIGG-WITHER, A.L., RASIDI, J.S. and RAINES, M.J., 1974. Geology of the Sydney Basin - A review bulletin. Bur. Min. Res., No. 149.
- McCARTER, M.K. and WILSON, J.E., 1972. Strength versus energy dissipation in sandstone. Proc. 14th Symp. Rock Mech., Pennsylvania, 223-245.
- McCLINTOCK, F.A. and WALSH, J.B., 1963. Friction on Griffith cracks in rocks under pressure. Proc. U.S. Cong. Appl. Mech. 4th, Berkeley, Calif., 1015-1021.
- McELROY, C.T., 1954. The petrology of the Sandstone of the Southern Coal Fields. Unpub. M.Sc. Thesis, Univ. Sydney.
- McELROY, C.T., 1962. Notes to accompany Sydney 4 mile geological map. Bur. Min. Res., Canberra
- McMAHON, B.K., DOUGLAS, D.J. and BURGESS, P.J., 1975. An Engineering Classification of Sedimentary Rocks in the Sydney Area. Aust. Geom. J., 5(1), 51-53.
- MELLOR, M. and HAWKES, I., 1971. Measurement of tensile strength by diametral compression of discs and annuli. Eng. Geol., 5. 1971, 173-225.
- MERRIAM, R., RIEKE ILL, H.H. and KIM, Y.C., 1971. Tensile strength related to mineralogy and texture of some granite rocks, Eng. Geol. 5. 173-225.
- MICHALOPOULOUS, A.P. and TRIANDFILIDIS, G.E., 1976. Influence of water on hardness, strength and compressibility of rock. Bull. Assoc. Engng. Geol., XIII (1), 1-22.
- MINTY, E.J. and MONK, K., 1966. Predicting the Durability of rock. Proc. 3rd Conf. Aust. Road Res. Board, 3(2) 1316-1333.

MOGI, K., 1966. Some precise measurements of fracture strength of rocks under uniform compressive stress.
Rock Mech. Eng. Geol. 4(1), 41-55.

MORGENSTERN, N.R. and PHUKAN, A.L.T., 1966. Non-linear deformation of a sandstone. Proc. Cong. Int. Soc. Rock Mech., 1st, Lisbon, 543-548.

MORGENSTERN, N.R. and PHUKAN, A.L.T., 1969. Non-linear stress-strain relations for a homogeneous standstone. Int. J. Rock Mech. Min. Sci., 6, 127-142.

MOYE, G.D., 1955. Engineering geology for the Snowy Mountains Scheme. J. Inst. Engrs. Australia, 27(5), 281-298.

MURPHY, H.W., 1976. Use of non-standard materials in pavements. Highway Engng. in Aust., Sept-Oct., 6-16.

NETTLETON, A.F.S., 1974. An Investigation into a physio-chemical aspect of the Slake Durability Weathering Test. Uniciv. Report, No. R128, Univ. N.S.W.

NAASRA, 1976., Pavement materials; Part 3 - Crushed rock. National Association of Australian State Road Authorities, Sydney.

NEVILLE, A.M. 1973. Properties of Concrete. Pitman, Gt. Britain.

OBERT, L., WINDIES, S.L. and DUVALL, W.I., 1946. Standardised tests for determining the physical properties of mine rock. U.S. Bur. Mines Rept. Invest., 3891, 67p.

O'BRIEN, T., 1969. Physical and Geological Characteristics of Hawkesbury Sandstone. Proc. Rock Mech. Symp., Univ. Sydney, 17-19.

OLLIER, C., 1975. Weathering. Second Edition, Longman, London.

OSBORNE, G.D., 1948. A review of some aspects of the stratigraphy, structure and physiography of the Sydney Basin. Proc. Linn. Soc. NSW, 73 (iv), 15-21.

PACKHAM, G.H., 1954. Sedimentary structures as an important factor in the classification of sandstone. Am. J. Sci., 252, 466-476.

PACKHAM, G.H., 1969. Edited by: Geology of New South Wales. J. Geol. Soc. Aust., 16(1).

PARATE, N.S., 1973. Influence of water on the strength of limestone. Trans. Soc. Min. Engrs., A.I.M.E., 254, 127-131.

PARKER, J., 1970. Temperature and humidity affect strength of rock structures at White Pine; Technical Note; Trans. A.I.M.E., 247, 142-144.

PELLS, P.J.N., 1975. A Note on the Use of the Point Load Test in Predicting the Compressive Strength of Rocks. Aust. Geom. J.; 54-56.

PELLS, P.J.N., 1977. Measurement of Engineering Properties of Hawkesbury Sandstone. Aust. Geom. J., 10-20.

PELLS, P.J.N., DOUGLAS, D.J., RODWAY, B., THORNE, C. and MCMAHON, B.K., 1978. Design loadings for foundations on Shale and Sandstone in the Sydney region. Aust. Geom. J., 31-39.

PELTIER, L., 1950. The geographic cycle in periglacial regions as it is related to climatic geomorphology. Ann. Assoc. Am. Geol., 40, 214-236.

PETTIJOHN, F.J., 1954. Classification of Sandstone. J. Geol., 62, 360-365.

PLESS, T.J., 1975. Micropermeability and Porosity of Sediments in the Sydney Basin near Camden. Unpub M. App. Sc. Thesis, Univ.N.S.W., Sydney.

PRICE, N.J., 1960. The compressive strength of coal measure rocks. Coll. Engng., 37, 283-292.

PRYOR, A.J., 1966. The use of sandstone as a pavement material in the Wimmera. Proc.Aust.Road Res.Board, 3(2), 900-929.

REYNOLDS, C.E. and STEADMAN, J.C., 1974. Reinforced concrete Designers Handbook. Cement and Concrete Association.

ROPER, H., 1974. The properties of concrete manufactured with some coarse aggregate of the Sydney area. Aust. Road Res., 5(6), Dec., 41-50. ~

ROWLANDS, D., 1967. Preparation of specimens for rock mechanics research. Mining and Minerals Engng., 3(11), 428-430.

RUXTON, B.P. and BERRY, L., 1957. Weathering of granite and associated erosional features in Hong Kong. Bull Geol. Soc. Am., 68, 1263-1292.

SCHOLAR, C.F., 1967. The role of Mortar Aggregate Bond in the Strength of Concrete. Highway Res. Rec., No. 210. A Symposium on Concrete Strength, 108-117.

SMHA, 1969. Unpublished Report on Geology of the Eastern Suburbs Railway Line. Prepared by Snowy Mountains Hydro-Electric Authority for Department of Railways, New South Wales, Sydney.

SMORODINOV, M.I., MOTOVILOV, E.A. and VOLKOV, V.A., 1970.

Determinations of correlation relationships between strength and some physical characteristics of rocks.

proc. 2nd Cong. Int. Soc. rock Mech., Belgrade, 2,
35-37.

STANDARD, J.C., 1961. A new study of the Hawkesbury Sandstone: preliminary findings. J. Roy. Soc. NSW, 95, 145-147.

STANDARD, J.C., 1965. Stratigraphy, structure and petrology of the Hawkesbury Sandstone. Unpub. Ph.D. Thesis, Univ. Sydney.

STANDARD, J.C., 1969. Hawkesbury Sandstone; in The Geology of New South Wales. J. Geol. Soc. Aust., 16(1), 407-417.

TERZAGHI, K., 1945. Stress conditions for the failure of saturated concrete and rocks. Proc. ASTM, 45, 777-791.

TERZAGHI, K. and RICHART, F.E., 1952. Stresses in rock about cavities. Geotechnique, 3, June, 57-90.

VAN DER PLAS, L. and TOBI, A.C., 1965. A chart for judging the reliability of point counting results. Am. J. Sci., 263, Jan., 87-90.

VAN ECKHOUT, E.M., 1976. The mechanisms of strength reduction due to moisture in coal mine shales. Int. J. Rock Mech. Min. Sci., 13, 61-67.

VISHER, S.S., 1945. Climatic maps of geological interest. Bull. Geol. Soc. Amer., 56, 713-736.

VITUKURI, V.S., LAMA, R.D. and SALUJA, S.S., 1974. Handbook of mechanical properties of rock. Vol. 1, Trans. Tech. Publ.

- WALSH, J.B., 1965a. The effect of cracks on the compressibility of rock. J. Geophys. Res., 70(2), 381-389.
- WALSH, J.B., 1965b. The effect of cracks in rock on poisson's ratio, J. Geophys. Res., 70(20), 5249-5257.
- WALSH, J.B. and BRACE, W.F., 1966. Cracks and pores in rocks. Proc. 1st Cong. ISRM., 1, 643-646.
- WALSH, J.B., and BRACE, W.F., 1973. Mechanics of Rock Deformation. Proc. Rock Mech. Symp., Ed. by SIKARSKIE, D.L., MICHIGAN, 1-24.
- WARD, C., 1971. Mesozoic sedimentation and structure in the southern part of the Sydney Basin; The Narrabeen Group. Unpub. Ph.D. Thesis. Univ. NSW.
- WEIBULL, W., 1939. A statistical theory of the strength of materials. Proc. Roy. Swed. Inst. Eng., 151, 1-45.
- WEINERT, H.H., 1965. Climatic factors affecting the weathering of igneous rocks. Agr. Meter., 2, 27-42.
- WEINERT, H.H., 1968. Engineering petrology for roads in South Africa. Eng. Geol., 2(6), 363-395.
- YAMAGUCHI, U., 1970. The number of test pieces required to determine the strength of rock. Int. J. Rock Mech. Min. Sci., 7, 209-227.