REFERENCES

Adepegba D. (1983), " The use of aggregates of lateritic origin in new structural concrete", *Proc., Appropriate building materials for low cost housing*, Nairobi, Kenya, 7-14 Nov, E & F. N. Spon, Vol. 1, pp 100-106.

Auram Press 3000 manual (undated), *Production and use of compressed earth blocks,* CRATerre-EAG, Auroville building centre, India, 141 p.

Bryan, A. J. (1988 a), "Criteria for the suitability of soil for cement stabilisation", *Building and Envionment*, Vol. 23, No. 4 , pp 309-320.

Bryan, A. J. (1988 b), "Soil/cement as a walling materal - 1, Stress/strain properties" *Building and Environment*, Vol. 23, No. 4, pp 321-330.

Bryan, A. J. (1988 c), "Soil/ cement as a walling material - 2, Some measures of durability", *Building and Environment,* Vol. 23, No. 4 , pp 331-336.

BS 12 : 1978, *British Standard Specification for ordinary and rapid hardening portland cement*, B.S.I., London.

BS 1377 : 1975, *Methods of test for soil for civil engineering purposes,* B. S. I., London.

BS 5628 : 1978: Part 1, *Code of practice for structural use of masonry - Unreinforced masonry,* B.S.I., London.

BS 6399 : Part 1 : 1984, *Code of practice for dead and imposed loads,* B.S.I., London.

BS 8110 : Part 1 : 1985, *British Standard for Structural Use of Concrete,* B.S.I., London.

BS 8110 : Part 2 : 1985, *British Standard for Structural Use of Concrete,* B.S.I., London.

Building Regulations (1985), *City of Colombo Development Plan*, Volume II, Colombo Municipal Council, 74 p.

Building Shedule of Rates, Department of Buildings, Ministry of Housing and Construction, Sri Lanka.

Bungey, J. H. (1982), *The Testing of Concrete in Structures,* Surrey University Press, United Kingdom, 207 p.

Central Bank of Sri Lanka (1996), *Annual Report*, Central Bank, p 181.

Chandrakeerthy, S. R. De S. (1987), "Influence of some current brick laying practices on structural behaviour of brickwork", *Engineer*, pp 90 - 102.

Chandrakeerthy, S. R. De S. (1991 a), "Control of rain penetration of masonry with special reference to Sri Lankan conditions", *Engineer*, March, pp 29-38.

Chandrakeerthy, S. R. De S. (1991 b), "Detailing and other important considerations of blockwork", *Engineer*, September, pp 3-19.

Chitharanjan, N. (1983), "Compressed lime-flyash-gypsum blocks", *Indian Concrete Journal*, Vol. 57, No. 6, pp 153-156.

Chitharanjan, N. (1986), "Long span brick panel roofs for mass housing", *Indian Concrete Journal*, Vol. 60, No. 1, pp 9-14.

Dias, W. P. S., Mansur, U., Makewita, M. A. S. M., Perera, J. A. A. K. (1991), "A preliminary investigation into the safety factors and live loads for office and domestic buildings in Sri Lanka", *Engineer*, June, pp 19-31.

Dias, W. P. S., Perera, A. A. D. A. J., Nanayakkara, S. M. A., Sahayan, S. J. M., Sathyaprasad, I. M. S. (1997), *Interim Sand Study - Alternatives for River Sand*, Department of Civil Engineering, University of Moratuwa, 180 p.

Falade, F. (1993), "The compressive strength of lateritic mortars: The effect of mix proportions, source and water/cement ratio", *Masonry International*, Vol. 7, No 1, pp 2-4.

Fernando, U. (1979), "Labour intensity and performance of locally developed low cost housing materials and techniques", *Engineer*, September, pp 21-26.

Ghavami, K., Fang, H. Y. (1984), "Low cost and energy saving construction materials", *Proceedings of Symposium*, Riode Janeiro, Brazil, July, Vol 1, Enro Publishing Company, 627 p.

Guillaud H. , Jeffroy T. & Odul P., (1995), *Compressed earth blocks*, Vol. 2 , CRATerre-EAG, The international centre for earth construction, France, 148 p.

Hendry, A. W. (1981), *Structural Brickwork,* MacMillan Press, London, England, 209 p.

Hendry, A. W., Sinha, B. P., Davies, S. R. (1981), *An introduction to loadbearing design*, Ellis Horwood, England, 184 p.

Henry, A. W.,(1982) "Safety factors in limit state design of masonry", *The International Journal of Masonry construction*, Vol. 2, No. 4 , pp 178-180.

Houben, H., Verney, P. E. (1989), *Compressed earth blocks : Selection of production equipment*, Centre for the development of industry, Brussels.

Houben, H., Guillaud, H. (1989), *Earth Construction - A Comprehensive Guide*, Earth Construction Series, Intermediate Technology Publications, London, 362 p.

ISO 2394 -1986(E), *General principles on reliability of structures,* International organisation for standardisation, 17 p.

Jamal, S. Q., Sheikh, A. S. (1987), "The use and performance of soil stabilised building blocks in flood affected rural areas", *Proceedings, Building materials for low-income housing*,Thailand, January, E & F.N. Spon, pp 302 - 309.

Jayasinghe, M. T. R (1997), *Loadbearing brickwork construction for Sri Lanka*, Strad Consultants, Sri Lanka, 141 p.

Jayasinghe M. T. R. (1998), "Loadbearing construction with local bricks", *Engineer*, Journal of IESL, Vol. xxvii, No. 1, pp 49-57.

Jayasinghe, M. T. R., Maharachchi, D. P. K. (1998), "Use of reinforced brickwork for crack freeloadbearing construction", *Proc. Research for Industry - 1998*, University of Moratuwa, Sri Lanka, November, pp 38-51.

Jindal B. K., Mathur V. K. & Bhise N. N., (1984), *Your own House - An economical proporsal*, Central building research institute, Roorkee, India, 21 p.

Jones, D. S., Oliver, C. W. (1978), "The practical aspects of load testing", *The Structural Engineer*, No. 12, Vol. 56 A, pp 353-356.

Kafesciğln, R., Gurdal, E., Guner, A., Akman, A. (1983), "Adobe blocks stabilised with gypsum", *Proc., Appropriate building materials for low cost housing*, Nairobi, Kenya, 7-14 Nov, E & F. N. Spon, Vol. 1, pp 3-11.

Kateregga J. K. (1983), " Improvement and use of earth construction products for low cost housing", *Proc., Appropriate building materials for low cost housing*, Nairobi, Kenya, 7-14 Nov, E & F. N. Spon, Vol. 1, pp 22-33.

Kong, F. K., Evans, R. H. (1983), *Reinforced and prestressed concrete*, Van Nostrand Reinhold, London, 412 p.

Kulasinghe, A. N. S. (1998), "Building research and development", Newsletter of National Building Research Organisation of Sri Lanka, March/June, Vol. 8, Number 1-2, pp 1-4.

Lahlauh E. A. & Waldron P., (1992), "Memebrane action in one way slab strips", *Proceedings of Institution of Civil Engineers, Structures and Buildings*, 94, Nov. pp 419-428.

Lasisi F. & Ogunjde, A..M. (1984), "Effect of grain size on the strength characteristics of cement stabilised lateritic soils", *Buildings and Environment*, Vol. 19, No. 1, pp 49-54.

Lilley, D. M., Robinson, J. (1995), " Ultimate strength of rammed earth walls with openings", *Proceedings of Institute Civil Engineers, Strucures and Buildings*, 110, Aug, pp 278-287.

Lim, A.H. P., Amorim K. M. de, & Bompaster S. R. C.,(1984), "Low income housing construction with soil - cement in the recipe metropoliton region (RMR)", Eds., Ghavani, K. Fang, H. Y., *Proc., Development of low-cost and Energy saving construction materials and applications*, Rio de Janeiro, Brazil, 9-12, July, Envo Publishing Co., pp 79 -94.

McHendry, P. G., May, G. W. (1984), *Adobe and rammed earth buildings*, A Wiley Interscience Publications, New York, 217 p.

Menzies, J. B. (1978), "Load testing of concrete building structures", *The Structural Engineer*, No 12, Vol 56 A, pp 347-353.

Middleton, G. F. (1985), *Earth wall construction*, Bulletin 5, National building technology centre, Australia, 63 p.

Moss R. M., (1993), "Load testing of beams and block concrete floors", *Proceedings of Institute Civil Engineers*, Structures and Buildings, 99, May, pp 211-223.

Moss R. M. (1994), "Assessment of stiffness increase due to non-structural screeds", *The Structural Engineer,* Vol. 72, No. 14, July, pp 221-228.

Norton, J. (1986), *Building with earth - A hand book,* Intermediate Technology Publications, London, 68 p.

Osunade, J. A., (1993) , "The compressive strength of lateritic concrete: The effect of types and sizes of coarse aggregate", *Masonry International*, Vol 7, No 1, pp 1-2.

Perera A. A. D. A. J., (1992), "Lessons from used low cost housing methods", *Transactions - Institute of Engineers*, Sri Lanka, pp 128-132.

Perera A. A. D. A. J., (1993), *Landcrete blocks*, Research Monograph, Department of Civil Engineering, University of Moratuwa, 16 p.

Perera, A. A. D. A. J. (1994), "Cement stabilised soil block houses", *Trasactions - Institution of Engineers,* pp 115 - 128.

Perera, A. A. D. A. J. & Jayasinghe, C. (1995), *Introduction of compressed soil blocks to Sri Lanka*, Research Report, Department of Civil Engineering, University of Moratuwa, 116 p.

Rahman, M. D. A. (1986), " The potential of some stabilisers for the use of lateritic soil in construction", *Building and Environment*, vol. 21, No. 1, pp 57-61

Rahman, M. D. A., (1987) "Effects of cement - lime mixes on lateritic soils for use in highway constructions", *Building and Environment*, Vol. 22, No. 2 , pp 141-146.

Rai, M., Mehrotra, G. S., Chandra, D., Bhan, S. (1987), "Laterite as aggregate in mortar and concrete", *Indian Concrete Journal*, pp 181-185.

Ranasinghe, M. (1997), "Clay miniming for building materials: Future land use", *Engineer*, Vol. XXVI, December, pp 42-49.

Rao, M. A. G., Murthy, D. S. R., Masson, P. (1983), "Case study of the performance of low cost houses", *Indian Concrete Journal*, pp 143-152.

Reddy, B. V. , Jagadish , J. S. (1989), "Properties of soil - cement block masonry", *Masonry International*, Vol. 3, No. 2, October pp 80-84.

Reddy, B. V. (1995), "Walls using stabilised mud blocks", *Proceedings, Building construction for district primary education programme of West Bangalore*, Salt Lake City, India.

Render, S. & Philips M. E., (1986), " The effect of unit aspect ratio on the axial compressive strength of masonry," *Masonry International*, November, 8, July, pp 28-38.

Rigassi, V., (1995*), Compressed earth blocks*, Vol 1, CRATerre-EAG, The international centre for earth construction, France, 104 p.

Ryan, B. F., Joiner, B. L. & Ryan (1994), A. T., *MINITAB Handbook*, PWS-Kent Publishing Co, Boston, 386 p.

Saxton, R. H. (1995), "The performance of cob as a building material", *The Structural Engineer*, Vol. 73, No. 7, pp 111 -115.

Schueller, W., (1990) *Vertical building structure*, Van Nostrand Reinhold, U.S.A., 658 p.

Smith B. S. & Coull A., (1991), *Tall building structures*, JohnWiley, New York, p 537.

Somadasa, W. A. K., De Silva, L. G. B. (1996), *Development of guidelines for proportioning of single storey calicut tiled roof structures*, Undergraduate Project Report, Department of Civil Engineering, University of Moratuwa, Sri Lanka, 272 p.

Spence R. J. S. & Cook D. J. (1983), *Building materials for developing countries*, Wiley, Chichester, United Kingdom, 338 p.

Taranath, B. S. (1988), *Strucutural analysis and design of tall buildings*, McGraw Hill, New York, 739 p.

Thorburn, S (1997), "The challenges of structural engineering : safety with economy and harmony", *The Structural Engineer*, Vol. 75, No. 20, pp 349-354.

Vembersky, J. N. J. A. (1994), "Precast concrete in buildings today and in the future", *The Structural Engineer*, Vol. 72, No. 15, Aug, pp 237-242.

Williams, M. S., Waldron, P. (1994), "Evaluation of methods of predicting occupant induced vibrations in concrete floors", *The Structural Engineer*, Vol. 72, No. 20, pp 334-340.