

REFERENCES



University of Moratuwa, Sri Lanka
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

REFERENCES

- 1) Al-Haussani, and Johnson, L D., "Finite Element analysis of a reinforced earth wall".Technical report S-77, Soils and Pavement Design Laboratory, U.S. Army Engineer Waterways Station, Vicksburg (Miss) May 1977.
- 2) Arthur, J.R.F., James, R.G., and Roscoe, K.H., "The determination of stress fields during plane strain of a sand mass."Geotechnique,14,No 4,1964,pp 283-308.
- 3) Bacot, J., et al,"Study of The Soil-Reinforcement Friction Coefficient," Proc ASCE Symposium on Earth Reinforcement,Pittsburg, USA, pp 157-185.
- 4) Balla, A., "A new solution of the stress distribution in triaxial compression" Acta techn hung, 28, 1960, pp 349-388.
- 5) Bannerjee, P.K., "Principles of Analysis and design of reinforced earth retaining walls".Journal of the Institution of Highway Engineers, Jan 1975, pp 14-18.
- 6) Barden, L., and Khyatt, A.J., "Incremental strain rate ratios and strength of sand in the triaxial test.", Geotechnique 16,4, 1966, pp 338-357.
- 7) Barnett, S.A., "Recent case histories using minestone in construction of railway embankments in United Kingdom", Proc.Symposium on reclamation,treatment and utilisation of coal mining wastes,University of Durham,1984, paper No.14,Elsevier Publishers,Amsterdam.

- 8) Barry,D.L."Material Durability in Aggressive Ground" CIRIA report 98,1983.
- 9) Bassett,R.H.,and Last,N.C., "Reinforcing Earth Below Footings and Embankments". Proc.ASCE symposium on Earth Reinforcement,Pittsburg,Penn (1978)pp 202-231.
- 10) BE3/78 Department of Transport,Technical Memorandum, "Reinforced earth bridge abutments and walls",HMSO, 1978.
- 11) Berezantzev,V.G.,Mustafayev, A.A.,Sidorov,N.N., Kovalyov,I.V.,and Aliev,S.K., "On the strength of some soils,"Proceeding of the International conference on soil mechanics and foundation engineering,Mexico, 1969,Vol 1,pp11-19.
- 12) Biarez,J., "Eqilibre limite des talus et barrages de terre",Annales de l'I.T.B.T.P.(1965).Sols et Foundation No S1 pp1017-1029.
- 13) Bishop,A.W., "The Stability of Tips and Spoil Heaps Quarterly Journal of Engineering Geology(QJEG), Volume 16,pp335-376,1973.
- 14) Bishop,A.W., "The strength of soils as engineering materials,"The Sixth Rankine Lecture,Geotechnique 1966.
- 15) Bishop,A.W.,and Skempton,A.W., "Measurement of Shear Strength of Soil,",Geotechnique,4,No.2,1950.
- 16) Bishop,A.W.,and Henkel,D.J., "The measurement of soil properties in the triaxial test",2nd edition (reprinted) 1978.Edward Arnold,London,pp 227.

- 17) Black,D.K.,and Lee,K.L., "Saturating laboratory samples by back pressure", ASCE journal on soil mechanics and foundation engineering,SM1,Jan 1973,pp 75-93.
- 18) Bland,J.A., "Fitting failure envelopes by the method of least squares", QJEG, Vol 16,183,pp 143-147, London, England.
- 19) Brady,K.C., "Performance of a reinforced earth bridge abutment at Carmarthen," Department of Transport,TRRL Research Report III,1987,pp24.
- 20) Bridden,M.A., "The Principle of Reinforced Earth, and Some Laboratory Observed Fill Inclusions Interactions", MSc Dissertation,Advanced Course in Engineering Geology,University of Durham,1982,pp 57.
- 21) British Standards Institution, "Methods of Test for Soils for Civil Engineering Purposes", BS1377,1975,pp 143.
- 22) British Standards Institution., "Report on strengthened/reinforced soils and other fills", PD 6517:1988,BSI,1988.
- 23) Chang, J.C.,Hannan,J.B.,and Forsyth,R.A., "Field performance of Earthwork Reinforcement" CA/TL-81/06, California Dept of Transportation,Sacramento, California,1981.
- 24) Civil Engineering, "Measured Rates",Civil Engineering Sept.1988,pp 57-63.
- 25) Clough,G.W.,and Duncan,J.M.,Finite Element Analysis of Port Allen and Old River Locks". Contract Report S-69-6,U.S.Army Engineer Waterways

Experiment Station,Vicksburg,Miss(Sept 1969).

- 26) Crowningshield and Gorman "Cost Accounting" Houghton Mifflin Co.1979,USA,pp 819.
- 27) D'Appolonia,E.,and Newmark,N.M.,in the Proc of 1st US National Conference on applied mechanics, American Society of Mechanical Engineers (ASME),1951.
- 28) Darbin,M.,Jailloux,J.M.,and Montuelle,J., "Performance and Research on the Durability of Reinforced Earth Reinforcing Strips".ASCE,symposium Earth Reinforcement,Pittsburg.Penn (1978),pp305-333.
- 29) Darbin,M.,Jailloux,J.M.,and Montuelle,J., "Durability of Reinforced earth structures: the results of a long-term study conducted on galvanised steel".Proc.Institution of Civil Engineers Part 1, 1988,84,Oct,pp 1029-1057.
- 30) De Mello,V.F.B., "Reflections On Design Decisions of Practical Significance to Embankment Dams",Geotechnique 27,No.3,1977,pp 279-355.
- 31) Department of Transport., "The use of colliery shale as filling material in embankments",H4/74 (withdrawn), DTp,1974,London.
- 32) Department of Transport., "Specification for Highway Works,Part 6",HMSO,London,1986.
- 33) Department of Transport., "Reinforced earth retaining walls and bridge abutments for embankments", Technical memorandum.(Bridges)., BE3/78 (revised, 1987), DTp, London,(1987).
- 34) Desai,C.S.,Drumm,E.C.,and Zaman,M.M., "Cyclic

- testing and modelling of Interfaces", J., Geotechnical Engineering, ASCE, 1985, IH, No 6, pp793-815.
- 35) Donaghue, R.T., and Townsend, F.C., "Effect of back pressure saturation techniques on Results of Triaxial Compression Tests," WES MP GL-79-12, Vicksburg Mississippi, May 1979.
- 36) Durability of reinforced earth structures:the results of a long term study conducted on galvanised steel, Proc. Institution of Civil Engineers, Part 1, 1988, 84, Oct, pp1029-1057.
- 37) Electricite de France, EDF-SPH, "Conduites Forcees". Enquete du 14/2/1957, 1957.
- 38) EMME Instruction Bulletin for Strain Gauges B129-4, 1976, pp7.
- 39) Endicott, L.J.,  University of Moratuwa Sri Lanka Electronic Theses & Dissertations www.lib.mrt.ac.lk, "The determination of stress fields from plane strain data", Geotechnique 24, No. 4, 1974, pp 517-530.
- 40) Fernando, D.A., "Mesh Element reinforced colliery discard", MSc Dissertation, University of Durham 1984.
- 41) Fernando, D.A., and Finlay, T.W., "Economics, Geotechnical Properties and Cost-Benefits of Using Low-Grade Materials as Fill", Proceedings of the International conference on construction on polluted and marginal land, University of Brunel, 1990, pp 73-86.
- 42) Finlay, T.W., "Performance of a reinforced earth structure at Granton, Edinburgh", TRRL supplementary report 457, 1977, pp 210-220.

- 43) Finlay, T.W., Khattri, M.S.. and Sutherland, H.B., "The Friction Coefficient of Metallic Strip Reinforcement", Proc. VIth Int Conf on Soil Mechanics and Foundation Engineering, (1984), pp619-624.
- 44) Gamboa, J., and Benassini, A., "Behaviour of Netzahualcoyotl dam during construction", Proc ASCE 93, SM4, 211.
- 45) Glover, H.G., "Environmental effects of coal mining waste utilisation", proc. symposium on Reclamation, Treatment and Utilisation of Coal Mining Waste, paper no 17, University of Durham, Pub National Coal Board (NCB), 1984.
- 46) Gray, D.H., and Ohashi, H., "Mechanics of Fibre Reinforcements in Sand", J. Geotechnical Engineering. ASCE, 109 (GT3): (1983), pp, 335-353.
- 47) Hassan, Y.E., and Machin, K.E., "Transverse Sensitivity Errors in Rectangular Rosettes," Strain, April 1978, pp 47-49.
- 48) Haviland et al., "Durability of Corrugated Metal Culverts". Highway Research Record 242, HRB, National Research Council, Washington D.C(1968).
- 49) Head, K.H., "Manual of Laboratory testing Vols I-III, Pentech Press, London (1986) pp 1194.
- 50) Hermann, L.R., and Al-Yassin, Z., "Numerical Analysis of reinforced earth systems" Proc. ASCE symposium on reinforced earth, Pittsburg, Penn 1978, pp 428-457.
- 51) Hollinghurst, E. and Murray, R.T., "Reinforced earth retaining wall at A3/A322 interchange: design,

construction and cost"., Proc. Institution of civil engineers, Part 1, 1986, 80, Oct, pp 1327-1341.

- 52) Ingold,T.S., "An analytical study of geotextile reinforced embankments" Proc. 2nd international conference on Geotextiles, Las Vegas (1982).
- 53) Ingram,J.K., "The Development of a Free-Field Soil Stress Gauges for Static and Dynamic Measurements.", ASTM special publication No. 392, ASCE, 1965, pp 20-35.
- 54) "Investigations of Pressures and Deflections for Flexible Pavements", Report No. 4, Homogenous Sand Test Section,WES, Tech Memo No. 3-323, December 1954.
- 55) Jewell, R.A., "Some effects of reinforcement on the mechanical behaviour of soils," Phd thesis, University of Cambridge, England, 1980.
- 56) Jewell,R.A.,  www.lib.mrt.ac.lk "Material Requirements for Geotextiles and Geogrids in Reinforced Slope Applications". proc. 23rd International Man-Made Fibres Congress, Darnbirn, Austria(Sept 1984).
- 57) Jewell,R.A.,and Wroth,C.P., "Direct Shear Tests on Reinforced Sand", Geotechnique, 37(1), 1987, pp. 53-68.
- 58) Jones,C.J.F.P., "The York method of reinforced earth construction". Proc. ASCE symposium on earth reinforcement,Pittsburg, Penn, 1978, pp 501-528.
- 59) Jones,C.J.F.P., "Earth Reinforcement and Soil Structures", Publ.Butterworths,London,pp 183,1985.
- 60) Jones,C.J.F.P., "The Use of Ash in Reinforced Earth", 2nd Int Conf.on Ash Technology and Marketing, London,

- 1987,pp 543-547.
- 61) Jones,C.J.F.P.,Reinforced Earth Course Notes,
University of Oxford, 1989.
- 62) Jones,C.J.F.P.,Cripwell,J.B.,and Bush,D.J.,
"Reinforced Trial Structure for Dewsbury Ring Road",
Proc,ICE,Part 1,1990,88, April,pp 521-3245.
- 63) Juran,I.,"Dimensionnement interne des ouvrages en
terre armee",Phd Thesis,LCPC,Paris,1977.
- 64) Juran,I and Schlosser,F."Theoretical Analysis of
Failure in reinforced earth structures".Proc. ASCE
symposium on reinforced earth,Pittsburg,Penn,1978,
pp 528-555.
- 65) Juran et al."Full Scale Experiment on a Reinforced
Earth Bridge Abutment in Lille", Proc. ASCE Symposium
on earth Reinforcement,Pittsburg,Penn,1978,pp
556-584.
- 66) Juran,I.,and Chen, C.L.,"Strain Compatibility design
method for reinforced earth walls." ASCE journal of
Geotechnical Engineering,Vol 115,No. 4,April 1989,
pp 435-456.
- 67) Kettle,R.J.,"The improvement of colliery spoil",
QJEG,Vol 16,1983,pp 221-229.
- 68) Khattri,M.S.,"Study of the Soil-reinforcement
friction co-efficient",MSc Thesis,University of
Glasgow,1982 pp 115.
- 69) King,R.A.,"Corrosion in Reinforced Earth", TRRL,
supplementary report 457,1977,pp 276-291.

- 70) Kirkpatrick,W.M., and Belshaw,D.J.,Geotechnique Vol 18 No.3,1968,pp 336-350.
- 71) Kishida,H.,and Uesugi,M.,"Tests on Interface between Sand and Steel in the simple Shear Apparatus", Geotechnique,37(1), (1987), pp 45-52.
- 72) Lee,K.L.,Adams,B.D.,and Vagneron,J.M.J., "Reinforced earth walls", Report to the National Science Foundation,University of California, LA, 1972.
- 73) Lee,K.L.,ASCE, Geotechnical Journal,Vol 104, No. GT6,1978, pp 687-704.
- 74) "Les Ouvrages en terre armee-recommendations et regles 1'art,LCPC, France, 1979.
- 75) Leflaive,E.,"The Reinforcement of Granular Materials with Continuous Fibres".Proc. 2nd International Conference on Geotextiles, Las Vegas, Nevada,Aug 1982,Vol III pp 721-726.
- 76) Lisle,R.J.,and Strom,C.S.,"Least Squares Fitting of the Linear Mohr Envelope".QJEG, Vol No. 15, 1982, pp 52-56,London, England.
- 77) Lowe,J.,and Johnson,T.C.,"Use of back pressure to increase degree of saturation",ASCE Research Conf on Shear Strength of Cohesive Soils,ASCE,Boulder, Colorado, 1961,pp 530.
- 78) Mallowan,M.E.L.,Early Mesopotamia and Iran,London, Thames and Hudson 1963.
- 79) MacFarlane,R.,(Private Communication) "Geotechnical Properties of Thanet Sand",1990,Extracts from the

- Thurrock-Dartford Bridge Report.
- 80) Marsal,R.J., "Contact Forces in Soil and Rockfill Materials", Second PanAm Conf SMMFE, Vol 2, 1967, pp67, Brazil.
- 81) Marsal,R.J., "Grain Forces in Non-Cohesive Soils", Third PanAm Conf SMMFE, 1967, Vol 1, pp227, Caracas, Venezuela.
- 82) Marsal,R.J., "Mechanical Properties of Rockfill", Embankment Dam Engineering.Casagrande Volume, 1973, New York, John Wiley and Sons.
- 83) Meyerhof,G.G., "The Bearing Capacity of Foundations under Eccentric and Inclined Loads" Proc. 3rd International Conference on Soil Mechanics and Foundation Engineering, Zurich, Switzerland, 1953, pp 440-445, Vol 1
- University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk
- 84) Mitchell,J.K.,Kao,T.C.,and Kavazanjian, E., "Analysis of Grid Cell Reinforced Bases" Technical techniques, Paris (March 1979).
- 85) Michalski,P.,and Skarzynska,"Compatibility of Coal mining wastes as a fill material", Proc. symposium on the Reclamation,Treatment and Utilisation of Coal Mining Wastes,University Durham, paper 15, publ. NCB, 1984.
- 86) Miller,S.M.,and Borgman,L.E., "Probabilistic characterisation of shear strength using results of direct shear tests".Geotechnique,1984,pp 273-276.
- 87) Mitchell,J.K.,and Schlosser,F., "General Report, Session No.1" Proc.International Conference on

- Soil Reinforcement:Reinforced earth and other Report GL-79-8,Geotechnical Engineering Laboratory, U.S. Army Engineer Waterways Experiment Station, Vicksburg,Mississippi, 1979.
- 88) Monfroe,G.E.,U.S.Department of Interior, Bureau of Reclamation (Res.and Geol. Division) Research laboratory report No.S.P.26,1950.
- 89) Morgan,J.R.,and Gerrard,C.M., "Free Field Measurements of Stresses and Strains in Soils".Proc. of the 4th conference of the Australian Road Research Board,Melbourne,Vol IV,pp 1743-1760.
- 90) Murray,R.T.,and Hollinghurst,E., "Reinforced Earth Retaining Wall at A3/A322 Interchange:Instrumentation, Site Observation and Performance", Proc.ICE, Part 1, 1986 ,80 ,Oct ,pp ,1343-1362 .
- 91) Murray,R.T.,and Farrar,D.M., "Reinforced Earth Wall on the M25 Motorway at Waltham Cross", Proc, ICE, Part 1,1990, 88,April, pp 261-282.
- 92) Nascimento,U.,and Teixeira,H., "Mechanisms of internal friction in soils and rocks".Proc.symposium of the ISRM,Nancy, 1971.
- 93) Nash,K.L., "The shearing resistance of a finely closely graded sand",3rd International conference on Soil Mechanics and Foundation Engineering,Zurich,1953, Vol I,pp 160-172.
- 94) National Coal Board Technical Handbook,"Spoil Heaps and Lagoons",2nd Draft,publ.NCB,London pp 23,1970.

- 95) National Coal Board., "Application of British Standard and 1377:1967 to the testing of colliery spoil", NCB, London, 1971.
- 96) Newland, P.L., and Alley, B.H., "Volume changes in drained triaxial materials in granular materials", Geotechnique 7, No. 1, 1957.
- 97) Nichiporovitch, A.A., and Razzkazov, L.N., "Shear Strength of Coarse Fragmented Materials", Proc Geotechnical Conf. Oslo, 1967, Vol 1, pp 225-229.
- 98) Osman, M.A., "An analytical and experimental study of reinforced earth retaining walls" Phd Thesis University of Glasgow (1977), pp 338.
- 99) Pasley, C.W., Course of Elementary Fortification, London, J Murray (1822), Vol 2 Ch 26.
- 100) Peattie, K.R., Sparrow, R.W., "The fundamental action of earth pressure cells.", Journal mechanics and Physics of Solids, Vol II, 1954, pp 141-155.
- 101) Pells, P.J.N., Maurenbrecher, P.M., and Elges, H.F.W.K. "Validity of results from the direct shear test". Proc. 8th International Conference on Soil Mechanics and Foundation Engineering, Moscow, Vol 1.2, pp 333-338.
- 102) Penner, E., Eden., N.J., and Gillott, J.E., "Floor heave due to biochemical weathering of shale"., Proc. Conference on Soil Mechanics and Foundation Engineering, Moscow Vol II 1974 pp 151-158.
- 103) Perloff, W.H., and Pombo, L.E., "End restrain effects in the triaxial test", Seventh international conference

- on Soil Mechanics and foundation engineering, Mexico, 1969, pp 327-333.
- 104) Phan et al,"Stability analysis of reinforced earth walls by two slip circle methods",Proceedings of the International conference on reinforced earth, Vol I, Paris 1979,pp119-123.(English Translation).
- 105) Pickett,G., "Application of the Fourier Method to the Solution of Certain Boundary Problems in the theory of Elasticity," Journal of Applied mechanics, Vol II, 1944.
- 106) Ponce,V.M.,and Bell,J.M., "Shear Strength of Sand at extremely low pressures",Journal of the soil mechanics and foundation division,ASCE, April 1971, pp 625-637.
- 107) Pople,J., "Some factors affecting long term stability of strain measurements using metal foil gauges," B.S.S.M.Meeting,Coventry,May 1977.
- 108) Pople,J."DIY Strain Gauge Transducers", (Part 1) Strain,January 1980,pp 23-36.
- 109) Potyondy,J.G., "Skin Friction Between Various Soils and Construction Materials",Geotechnique,(4),1961, pp 339-353.
- 110) Rainbow,A.K.M.R., "The utilisation of waste from coal mining in the United Kingdom" Proc First International Symposium on environmental technology for developing countries, Istanbul, Turkey (1982).
- 111) Rainbow,A.K.M.R., "An Investigation of Some Factors Influencing the Suitability of Minestone as Fill in



Reinforced Earth Structures", Phd Thesis, University of Nottingham, NCB, 1983.

- 112) Rainbow,A.K.M.R., "Research into Reinforced Minestone in the United Kingdom", Proc.Symposium on Reclamation,Treatment and Utilisation of Coal Mining Wastes, 1984,Durham, England,paper 7.1, NCB London.
- 113) Rainbow,A.K.M., "Pull-out Tests Using Purpose Built Equipment", Proc.Symposium on Reclamation, Treatment and Utilisation of Coal Mining Wastes, Durham, (1984), England,paper No.8.
- 114) Rainbow,A.K.M., "Shear Strength of Minestone Under Low Normal Stress in Large Shear Box (applied to reinforced minestone)", Proc.Symposium on the Reclamation, Treatment and Utilisation of Coal Mining Wastes, Durham, England,(1984) , paper No.36.
- 115) Romanoff,J., "Underground Corrosion" National Bureau Standard Circular 579 (1957).
- 116) Romanoff,M., "Corrosion of Steel Piling in Soils," National Bureau of Standards Monograph 127, NBS papers on corrosion of steel pilings (1962-1971), 1972.
- 117) Romstad et al,"Integrated study of Reinforced Earth Theoretical Formulation." ASCE Geotech Eng Div. Vol 102 No.GT5 (May 1976) pp 457-471.
- 118) Roscoe,K.H., "An apparatus for the Application of Simple Shear to Soil Samples", Proc.3rd Int.Conf. on Soil Mechanics and Foundation Engineering,Vol I, (1953),pp.186-191.

- 119) Roscoe,K.H.,Schofield,A.N.,and Wroth,C.P., "On the yielding of soils", Geotechnique, 8.1, 1958 pp 22-53.
- 120) Roscoe,K.H.,Schofield,A.N.,and Thurairajah,"An evaluation of test data for selecting a yield criterion". Symposium Laboratory shear testing of soils, Ottawa,ASTM STP 361,1964,pp 111-128.
- 121) Rowe,P.W., Proc of Royal Society of London, Series A vol.269,1962, pp 500-527.
- 122) Rowe,P.W.,Barden,L.,and Lee,I.K., "Energy components during the triaxial cell and direct shear test", Geotechnique, 14, No.3, 1964,pp 247-261.
- 123) Rowe,P.W.,and Barden,L., "Importance of free ends in triaxial testing", Journal of the Soil Mechanics and Foundation Division ASCE, Vol 90, No. SM6 (1964), pp 173-175.
- 124) Rowe,P.W., "The relation between the shear strength of sands in triaxial compression, plane strain and direct shear", Geotechnique, 19, No.1, 1969,pp 75-86.
- 125) Rowe,P.W., "Theoretical meaning and observed values of deformation parameters for soil," in Stress Strain Behaviour of Soils, Proc.Roscoe memorial symposium, Cambridge University, 1971,pp 143-194, Publ.G.T. Foulis & Co Ltd,Oxfordshire,England.
- 126) Roy,M.,and Lo,K.Y., Canadian Geotechnical Journal, Vol 8, No.4, 1971,pp 579-588.
- 127) Rutledge,P.C., "Cooperative Triaxial Shear Research Program", US Waterways Experiment Station,Vicksburg,

Miss 1947.

- 128) Saada, A.S.,and Townsend,F.C., "State of the Art: Laboratory Strength Testing of Soils," Proc.ASTM Symposium on Laboratory Shear Strength of Soils,1981, pp 7-77.
- 129) Sarsby,R.W.,Kalteziotis,N.,and Haddard,E.H., compression of "free ends" during triaxial testing", ASCE Geotechnical Journal,Jan 1982,pp83-107.
- 130) Sarsby,R.W.,and Marshall,C.B., "The Interaction between Unburnt Colliery Waste and Polymer Geogrid", Proc.Symposium on Reclamation,Treatment and Utilisation of Coal Mining Wastes,1984,Durham, England,paper 35.1,NCB,London.
- 131) Sarsby,R.W.,and Marshall,C.B., "The interaction between unburnt colliery waste and a polymer Geogrid", Proc.Symposium on the Reclamation,Treatment and Utilisation of Coal Mining Wastes,Durham,England, (1984),paper No.35.
- 132) Sarsby,R.W., "The Sliding Resistance between Grid Reinforcement and Weathered Colliery Shale",Proc. Symposium on Reclamation,Treatment,Utilisation of Coal Mining Wastes",Nottingham, England,1987,pp, 587-596,NCB,London.
- 133) Savage,R.J., "Soil and Rock Slope Instrumentation", QJEG,Vol16,1973 pp 287-293.
- 134) Schlosser,F and Vidal,H., "Reinforced Earth Bulletin de Liaison des Laboratoires Routiers - Ponts et Chausses, No 41, November,1969.

- 135) Schlosser,F.,and Long,N.C., "La Terre Armee dans L'Echageur de Sete". Revue Generale des Rates et des Aerodomes No.480, Oct 1972.
- 136) Schlosser,F., and Elias,V., "Friction in Reinforced Earth", proc.ASCE Symposium on Earth Reinforcement, Pittsburg, Penn 1978, pp735-763.
- 137) Schlosser,F., and Sergestin,P., "Dimensionnement des Ouvrages en Terre Armee par la Methode de l'Equilibre Local", International Conference on Soil Reinforcement, Reinforced Earth and other Techniques, Paris, March 1979, Vol1 pp552.
- 138) Selig,E.T., "A review of stress and strain measurement in soil", Proc.of the symposium on soil-structure interaction, University of Arizona, Tucson, Arizona, 1964, pp172-186
- 139) Selig,E.T., and Ho,J., "Retaining wall experiment to evaluate soil strain gauge", Proc.ASCE, Soil Mechanics and foundation division, Vol 97, No.SM6, June 1971, pp953-957.
- 140) Shen,C.K.,et al,"Laboratory Testing and Model Studies of Friction in Reinforced Earth", proc International Conference on Reinforced Earth, Paris, Vol 1 pp169-174.
- 141) Sherwood,P.T, "The use of waste and low grade materials in road construction: a guide to materials available"TRRL laboratory report 647, Department of the Environment 1974.

- 142) Sherwood,P.T., "The use of waste and low grade materials in road construction: 2. Colliery Shale," Department of the Environment, TRRL Laboratory report No.649,1975.
- 143) Shewbridge,S.E.,and Sitar,N., "Deformation Characteristics of Reinforced Sand in Direct Shear", J.Geotechnical Engineering,ASCE,Vol 115, No 8, August 1989,pp,1134-1147.
- 144) Shockley,W.G.,and Ahlvin,R.G., "Non-uniform conditions in the triaxial test specimens," Research Conference on shear strength on Cohesive Soils,ASCE, Boulder,Colorado,1961,pp341.
- 145) Skarzynska et al,"Laboratory and site investigations on weathering of coal mining wastes as a fill material in earth structures", MDept Softlinksoil mechanics and earthworks,Agricultural University report,Poland, 1983.
- 146) Skempton,A.W., "Pore Pressure Coefficients A and B",, "Geotechnique,4:4,1954,pp 143.
- 147) Sleeman,W., "Economics of Minestone Utilisation" Proc. Symposium on Reclamation,Treatment and Utilisation of Coal Mining Wastes,University of Nottingham,1987,pp 1-19,Publ.Elsevier Amsterdam.
- 148) Spears,D.A,Taylor,R.K.,and Till,R.A., "Mineralogical investigation of a spoil heap at Yorkshire main colliery",QJEG,Vol 3,pp239-252,1971.
- 149) Steward,H.E.,and Cripps,J.C., "Some engineering implications of chemical weathering of pyritic

- shale". QJEG, vol 16, pp 281-289, 1983.
- 150) Stocker et al, "Soil Nailing". Proc. International Conference on soil Reinforcement: Reinforced Earth and other techniques, Paris, Vol I (March 1979) pp 469-474.
- 151) "Stress Distribution in a Homogeneous Soil", Research Report No. 12-F, Highway Research Board, Washington, D.C., January 1951.
- 152) "Stresses under Moving Vehicles - Wheeled Vehicle in Lean and Fat Clay", 1957, "Tech Report No. 3-545, U.S. WES, Vicksburg, Mississippi, May 1960.
- 153) Swan, J.W., "Experimental evaluation of a method for separating axial and bending stresses from strain gauge measurements taken on one surface by three-element rosettes", Strain, August 1984, pp 99-115.
 Electronic Theses & Dissertations
www.lib.mrt.ac.lk
- 154) Taylor, D.W., "A comparison of results of direct shear and cylindrical compression test", Proc ASTM, 1939, pp 1058.
- 155) Taylor, D.W., "Pressure distribution theories, Earth Pressure Cell Investigations and Pressure Distribution Data," U.S. Army Waterway Experiment Station, Vicksburg, Mississippi, 1947.
- 156) Taylor, R.K., "Influence of coal content on the peak shear strength of colliery shales", Geotechnique, 24, pp 683-688, 1974.
- 157) Taylor, R.K., "Properties of mining waste with respect to foundations", In Foundation Engineering in

- Difficult Ground, F.G.Bell, Newnes-Butterworth, 1978,
pp175-203.
- 158) Taylor,R.K., "Composition and engineering properties
of British colliery discards". NCB, London, 1984 , pp
235.
- 159) Taylor,R.K., and Garrard,G.F.G., "Design shear
strengths for UK colliery discards", Proc.
Symposium on the Reclamation,Treatment and
Utilisation of Coal Mining Wastes,Durham,England,
1984,paper No.34, publ.National Coal Board,London.
- 160) Thomas,H.S.H., and Ward,W.H., "The design,
construction and performance of a vibrating wire earth
pressure cell,"Geotechnique 19,1969,pp39-51.
- 161) Timoshenko,S.P., and Gere,J.M., "Mechanics of
Materials", 1972,pp112-155.
- 162) Truesdale,W.B., and Anderson,M.E., "A new device for
soil strain measurement." Proc.of the symposium on
Soil-Structure Interaction,University of Arizona,
Tucson,Arizona,(1964),pp124-137.
- 163) Vidal,H., "The Principle of Reinforced Earth".
Highway Research Record 282, Highway Research
Board,National Research Council,Washington D.C.,
1969,pp1-16.
- 164) Weatherby,D.E., "Tiebacks". Federal Highway
Administration,FHWA/RD-82/047, July 1982.
- 165) Wei,M.J., 'Frictional behaviour of Reinforcement in
Reinforced Earth Materials',Phd thesis,University of
Glasgow,1990,pp317.

- 166) Whiffin,A.C., "The Pressures Generated in Soil by Compaction Equipment," Symposium on Dynamic Testing of Soils,ASTM Special Technical Publication No. 156, 1954,pp186-210.
- 167) Whiffin,A.C.,and Morris,A.H., "Piezoelectric Gauge for Measuring Dynamic Stresses under Roads," The Engineer, April,1962,pp 3-7.



University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk